

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051922\
 Data File : BF128352.D
 Acq On : 19 May 2022 22:52
 Operator : CG\JU
 Sample : N2877-17
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P007-SS018-0006-01

Quant Time: May 20 02:47:35 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 19 06:47:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	81446	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	327610	20.000	ng	-0.01
39) Acenaphthene-d10	9.904	164	175309	20.000	ng	-0.01
64) Phenanthrene-d10	11.392	188	294526	20.000	ng	-0.01
76) Chrysene-d12	14.045	240	181434	20.000	ng	-0.01
86) Perylene-d12	15.533	264	202545	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	588759	115.237	ng	0.00
7) Phenol-d6	6.498	99	735485	108.838	ng	-0.01
23) Nitrobenzene-d5	7.428	82	547825	75.243	ng	-0.02
42) 2,4,6-Tribromophenol	10.698	330	196383	97.675	ng	-0.01
45) 2-Fluorobiphenyl	9.222	172	858519	76.626	ng	-0.01
79) Terphenyl-d14	12.980	244	764614	79.077	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051922\
Data File : BF128352.D
Acq On : 19 May 2022 22:52
Operator : CG\JU
Sample : N2877-17
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P007-SS018-0006-01


Quant Time: May 20 02:47:35 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 19 06:47:51 2022
Response via : Initial Calibration







#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52

Instrument :
BNA_F
ClientSampleId :
P007-SS018-0006-01






Tgt Ion:152 Resp: 81446
Ion Ratio Lower Upper
152 100
150 157.1 125.3 187.9
115 64.5 48.8 73.2



#5
2-Fluorophenol
Concen: 115.237 ng
RT: 5.487 min Scan# 544
Delta R.T. -0.006 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52

Tgt Ion:112 Resp: 588759
Ion Ratio Lower Upper
112 100
64 68.5 49.5 74.3
63 37.4 26.3 39.5









#7
Phenol-d6
Concen: 108.838 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52




Instrument :
BNA_F
ClientSampleId :
P007-SS018-0006-01


Tgt Ion: 99 Resp: 735485
Ion Ratio Lower Upper
99 100
42 21.3 16.6 24.8
71 39.5 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 996
Delta R.T. -0.012 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52

Tgt Ion: 136 Resp: 327610
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 8.3 6.8 10.2
68 6.1 5.1 7.7









#23
Nitrobenzene-d5
Concen: 75.243 ng
RT: 7.428 min Scan# 81
Delta R.T. -0.017 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52




Instrument :
BNA_F
ClientSampleId :
P007-SS018-0006-01


Tgt Ion: 82 Resp: 547825
Ion Ratio Lower Upper
82 100
128 36.9 30.0 45.0
54 51.7 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1295
Delta R.T. -0.012 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52

Tgt Ion:164 Resp: 175309
Ion Ratio Lower Upper
164 100
162 98.0 76.0 114.0
160 42.5 34.8 52.2





#42

2,4,6-Tribromophenol

Concen: 97.675 ng

RT: 10.698 min Scan# 1436

Delta R.T. -0.012 min

Lab File: BF128352.D

Acq: 19 May 2022 22:52

Instrument :

BNA_F

ClientSampleId :

P007-SS018-0006-01





Tgt Ion:330 Resp: 196383

Ion Ratio Lower Upper

330 100

332 96.0 79.0 118.4

141 33.5 28.9 43.3



#45

2-Fluorobiphenyl

Concen: 76.626 ng

RT: 9.222 min Scan# 1179

Delta R.T. -0.012 min

Lab File: BF128352.D

Acq: 19 May 2022 22:52




Tgt Ion:172 Resp: 858519

Ion Ratio Lower Upper

172 100

171 35.4 28.6 42.8

170 23.8 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52




Instrument :
BNA_F
ClientSampleId :
P007-SS018-0006-01

Tgt Ion:188 Resp: 294526
Ion Ratio Lower Upper
188 100
94 9.7 8.0 12.0
80 10.5 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 1999
Delta R.T. -0.012 min
Lab File: BF128352.D
Acq: 19 May 2022 22:52

Tgt Ion:240 Resp: 181434
Ion Ratio Lower Upper
240 100
120 9.0 7.0 10.6
236 26.2 20.3 30.5









#79
 Terphenyl-d14
 Concen: 79.077 ng
 RT: 12.980 min Scan# 1818
 Delta R.T. -0.012 min
 Lab File: BF128352.D
 Acq: 19 May 2022 22:52

Instrument :
 BNA_F
 ClientSampleId :
 P007-SS018-0006-01

Tgt Ion:244 Resp: 764614
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.2 9.4
 122 10.3 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2252
 Delta R.T. -0.012 min
 Lab File: BF128352.D
 Acq: 19 May 2022 22:52

Tgt Ion:264 Resp: 202545
 Ion Ratio Lower Upper
 264 100
 260 24.4 20.1 30.1
 265 21.4 17.5 26.3

