

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052016\
 Data File : BF087263.D
 Acq On : 21 May 2016 10:35
 Operator : UM/SJ
 Sample : H3151-03
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SED-5-0-2

Quant Time: May 23 01:25:21 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 23 01:17:45 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.56	152	121942	20.00	ng	0.00
21) Naphthalene-d8	7.84	136	532737	20.00	ng	-0.01
38) Acenaphthene-d10	9.59	164	271910	20.00	ng	0.00
63) Phenanthrene-d10	11.06	188	493475	20.00	ng	-0.01
75) Chrysene-d12	13.69	240	337087	20.00	ng	-0.01
86) Perylene-d12	15.04	264	240044	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	966355	133.20	ng	0.01
7) Phenol-d6	6.23	99	1204078	123.75	ng	0.00
23) Nitrobenzene-d5	7.13	82	817460	76.47	ng	-0.01
41) 2,4,6-Tribromophenol	10.39	330	315075	104.86	ng	0.00
44) 2-Fluorobiphenyl	8.92	172	1501317	91.44	ng	0.00
78) Terphenyl-d14	12.65	244	1318046	88.45	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.32	163	285233	13.75	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052016\
Data File : BF087263.D
Acq On : 21 May 2016 10:35
Operator : UM/SJ
Sample : H3151-03
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SED-5-0-2

Quant Time: May 23 01:25:21 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 23 01:17:45 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.56 min Scan# 435

Delta R.T. -0.00 min

Lab File: BF087263.D

Acq: 21 May 2016 10:35

Instrument :

BNA_F

ClientSampleId :

SED-5-0-2


Tot Ion:152 Resp: 121942

Ion Ratio Lower Upper

152 100

150 154.8 125.8 188.6




115 59.8 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 133.20 ng

RT: 5.14 min Scan# 311

Delta R.T. 0.01 min

Lab File: BF087263.D

Acq: 21 May 2016 10:35


Tgt Ion:112 Resp: 966355

Ion Ratio Lower Upper

112 100

64 78.8 52.1 78.1#



63 43.1 25.7 38.5#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 123.75 ng

RT: 6.23 min Scan# 406

Delta R.T. -0.00 min

Lab File: BF087263.D

Acq: 21 May 2016 10:35

Instrument :

BNA_F

ClientSampled :

SED-5-0-2


Tot Ion: 99 Resp: 1204078

Ion Ratio Lower Upper




99 100

42 31.0 13.6 20.4#

71 41.3 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.84 min Scan# 547

Delta R.T. -0.01 min

Lab File: BF087263.D

Acq: 21 May 2016 10:35

Tgt Ion: 136 Resp: 532737


Ion Ratio Lower Upper

136 100



137 11.0 8.8 13.2


54 15.2 5.0 7.4#

68 7.4 4.4 6.6#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 76.47 ng
RT: 7.13 min Scan# 485
Delta R.T. -0.01 min
Lab File: BF087263.D
Acq: 21 May 2016 10:35




Instrument :
BNA_F
ClientSampleId :
SED-5-0-2

Tot Ion	82	Resp	817460
Ion Ratio	Lower	Upper	
82	100		
128	36.7	40.6	61.0#
54	73.2	38.1	57.1#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.59 min Scan# 700
Delta R.T. -0.00 min
Lab File: BF087263.D
Acq: 21 May 2016 10:35

Tgt Ion	164	Resp	271910
Ion Ratio	Lower	Upper	
164	100		
162	104.4	82.8	124.2
160	47.3	36.9	55.3









#41
 2,4,6-Tribromophenol
 Concen: 104.86 ng
 RT: 10.39 min Scan# 770
 Delta R.T. -0.00 min
 Lab File: BF087263.D
 Acq: 21 May 2016 10:35

Instrument :
 BNA_F
 ClientSampleId :
 SED-5-0-2

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	79.0	118.4
141	37.9	31.2	46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 91.44 ng
 RT: 8.92 min Scan# 642
 Delta R.T. -0.00 min
 Lab File: BF087263.D
 Acq: 21 May 2016 10:35

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	29.0	43.6
170	24.5	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 13.75 ng
RT: 9.32 min Scan# 677
Delta R.T. -0.01 min
Lab File: BF087263.D
Acq: 21 May 2016 10:35




Instrument :
BNA_F
ClientSampleId :
SED-5-0-2


Tot Ion:163 Resp: 285233
Ion Ratio Lower Upper
163 100
194 3.0 2.6 4.0
164 10.1 8.2 12.4



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.06 min Scan# 829
Delta R.T. -0.01 min
Lab File: BF087263.D
Acq: 21 May 2016 10:35

Tgt Ion:188 Resp: 493475
Ion Ratio Lower Upper
188 100
94 11.2 6.8 10.2#
80 12.7 7.1 10.7#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.69 min Scan# 1059

Delta R.T. -0.01 min

Lab File: BF087263.D

Acq: 21 May 2016 10:35

Instrument :

BNA_F

ClientSampleId :

SED-5-0-2


Tot Ion:240 Resp: 337087

Ion Ratio Lower Upper

240 100

120 11.9 11.2 16.8




236 26.0 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 88.45 ng

RT: 12.65 min Scan# 968

Delta R.T. -0.00 min

Lab File: BF087263.D

Acq: 21 May 2016 10:35


Tgt Ion:244 Resp: 1318046

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2



122 11.5 12.0 18.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.04 min Scan# 1177
Delta R.T. -0.00 min
Lab File: BF087263.D
Acq: 21 May 2016 10:35

Instrument :
BNA_F
ClientSampleId :
SED-5-0-2

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.5	29.3
265	21.6	17.3	25.9

