

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052016\
 Data File : BF087265.D
 Acq On : 21 May 2016 11:33
 Operator : UM/SJ
 Sample : H3154-02
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SED-01-0-2

Quant Time: May 23 01:30:24 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 23 01:29:50 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.56	152	123727	20.00	ng	0.00
21) Naphthalene-d8	7.84	136	538599	20.00	ng	-0.01
38) Acenaphthene-d10	9.59	164	266319	20.00	ng	0.00
63) Phenanthrene-d10	11.06	188	479786	20.00	ng	-0.01
75) Chrysene-d12	13.69	240	339999	20.00	ng	-0.01
86) Perylene-d12	15.04	264	248300	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	966129	131.25	ng	0.01
7) Phenol-d6	6.23	99	1291516	130.82	ng	0.00
23) Nitrobenzene-d5	7.13	82	854216	79.04	ng	-0.01
41) 2,4,6-Tribromophenol	10.38	330	303048	102.97	ng	-0.01
44) 2-Fluorobiphenyl	8.92	172	1433156	89.12	ng	0.00
78) Terphenyl-d14	12.65	244	1276964	84.96	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.32	163	253241	12.47	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052016\
Data File : BF087265.D
Acq On : 21 May 2016 11:33
Operator : UM/SJ
Sample : H3154-02
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SED-01-0-2

Quant Time: May 23 01:30:24 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 23 01:29:50 2016
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.56 min Scan# 435
Delta R.T. -0.00 min
Lab File: BF087265.D
Acq: 21 May 2016 11:33

Instrument :
BNA_F
ClientSampleId :
SED-01-0-2




Tot Ion:152 Resp: 123727
Ion Ratio Lower Upper
152 100
150 154.6 125.8 188.6
115 60.3 51.5 77.3




#5

2-Fluorophenol
Concen: 131.25 ng
RT: 5.14 min Scan# 311
Delta R.T. 0.01 min
Lab File: BF087265.D
Acq: 21 May 2016 11:33

Tgt Ion:112 Resp: 966129
Ion Ratio Lower Upper
112 100
64 76.9 52.1 78.1
63 42.1 25.7 38.5#





#7

Phenol-d6

Concen: 130.82 ng

RT: 6.23 min Scan# 406

Delta R.T. -0.00 min

Lab File: BF087265.D

Acq: 21 May 2016 11:33

Instrument :

BNA_F

ClientSampled :

SED-01-0-2


Tot Ion: 99 Resp: 1291516

Ion Ratio Lower Upper

99 100

42 30.2 13.6 20.4#




71 41.1 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.84 min Scan# 547

Delta R.T. -0.01 min

Lab File: BF087265.D

Acq: 21 May 2016 11:33

Tgt Ion: 136 Resp: 538599


Ion Ratio Lower Upper

136 100

137 11.6 8.8 13.2

54 15.1 5.0 7.4#

68 7.4 4.4 6.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 79.04 ng
 RT: 7.13 min Scan# 485
 Delta R.T. -0.01 min
 Lab File: BF087265.D
 Acq: 21 May 2016 11:33




Instrument :
 BNA_F
 ClientSampleId :
 SED-01-0-2


Tot Ion	82	Resp	854216
Ion Ratio	Lower	Upper	
82	100		
128	36.5	40.6	61.0#
54	73.2	38.1	57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.59 min Scan# 700
 Delta R.T. -0.00 min
 Lab File: BF087265.D
 Acq: 21 May 2016 11:33

Tgt Ion	164	Resp	266319
Ion Ratio	Lower	Upper	
164	100		
162	103.2	82.8	124.2
160	46.5	36.9	55.3









#41
 2,4,6-Tribromophenol
 Concen: 102.97 ng
 RT: 10.38 min Scan# 769
 Delta R.T. -0.01 min
 Lab File: BF087265.D
 Acq: 21 May 2016 11:33




Instrument :
 BNA_F
 ClientSampleId :
 SED-01-0-2


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	79.0	118.4
141	38.7	31.2	46.8



#44
 2-Fluorobiphenyl
 Concen: 89.12 ng
 RT: 8.92 min Scan# 642
 Delta R.T. -0.00 min
 Lab File: BF087265.D
 Acq: 21 May 2016 11:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.0	43.6
170	24.8	19.8	29.8





#49

Dimethylphthalate

Concen: 12.47 ng

RT: 9.32 min Scan# 677

Delta R.T. -0.01 min

Lab File: BF087265.D

Acq: 21 May 2016 11:33

Instrument :

BNA_F

ClientSampleId :

SED-01-0-2


Tot Ion:163 Resp: 253241

Ion Ratio Lower Upper

163 100

194 3.1 2.6 4.0




164 10.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.06 min Scan# 829

Delta R.T. -0.01 min

Lab File: BF087265.D

Acq: 21 May 2016 11:33


Tgt Ion:188 Resp: 479786

Ion Ratio Lower Upper

188 100

94 11.6 6.8 10.2#



80 13.4 7.1 10.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.69 min Scan# 1059

Delta R.T. -0.01 min

Lab File: BF087265.D

Acq: 21 May 2016 11:33

Instrument :

BNA_F

ClientSampleId :

SED-01-0-2


Tot Ion:240 Resp: 339999

Ion Ratio Lower Upper

240 100

120 10.8 11.2 16.8#




236 26.5 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 84.96 ng

RT: 12.65 min Scan# 968

Delta R.T. -0.00 min

Lab File: BF087265.D

Acq: 21 May 2016 11:33


Tgt Ion:244 Resp: 1276964

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2



122 10.0 12.0 18.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.04 min Scan# 1177
Delta R.T. -0.00 min
Lab File: BF087265.D
Acq: 21 May 2016 11:33

Instrument :
BNA_F
ClientSampleId :
SED-01-0-2

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.5	29.3
265	21.8	17.3	25.9

