

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052016\
 Data File : BF087268.D
 Acq On : 21 May 2016 13:00
 Operator : UM/SJ
 Sample : H3144-13
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 10-AB-AC(0-2)

Quant Time: May 23 01:35:48 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 23 01:29:50 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.56	152	116175	20.00	ng	0.00
21) Naphthalene-d8	7.84	136	522233	20.00	ng	-0.01
38) Acenaphthene-d10	9.59	164	251767	20.00	ng	0.00
63) Phenanthrene-d10	11.06	188	440107	20.00	ng	-0.01
75) Chrysene-d12	13.69	240	309770	20.00	ng	-0.01
86) Perylene-d12	15.04	264	234877	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	872329	126.21	ng	0.01
7) Phenol-d6	6.23	99	1199614	129.41	ng	0.00
23) Nitrobenzene-d5	7.13	82	729931	69.66	ng	-0.01
41) 2,4,6-Tribromophenol	10.38	330	247173	88.84	ng	-0.01
44) 2-Fluorobiphenyl	8.92	172	1323310	87.05	ng	0.00
78) Terphenyl-d14	12.65	244	1067640	77.96	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.32	163	156399	8.14	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052016\
Data File : BF087268.D
Acq On : 21 May 2016 13:00
Operator : UM/SJ
Sample : H3144-13
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
10-AB-AC(0-2)

Quant Time: May 23 01:35:48 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF051716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 23 01:29:50 2016
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.56 min Scan# 435
Delta R.T. -0.00 min
Lab File: BF087268.D
Acq: 21 May 2016 13:00

Instrument :
BNA_F
ClientSampleId :
10-AB-AC(0-2)




Tot Ion:152 Resp: 116175
Ion Ratio Lower Upper
152 100
150 156.7 125.8 188.6
115 60.9 51.5 77.3



#5

2-Fluorophenol
Concen: 126.21 ng
RT: 5.14 min Scan# 311
Delta R.T. 0.01 min
Lab File: BF087268.D
Acq: 21 May 2016 13:00

Tgt Ion:112 Resp: 872329
Ion Ratio Lower Upper
112 100
64 69.7 52.1 78.1
63 38.3 25.7 38.5





#7

Phenol-d6

Concen: 129.41 ng

RT: 6.23 min Scan# 406

Delta R.T. -0.00 min

Lab File: BF087268.D

Acq: 21 May 2016 13:00

Instrument :

BNA_F

ClientSampleId :

10-AB-AC(0-2)


Tot Ion: 99 Resp: 1199614

Ion Ratio Lower Upper




99 100

42 29.8 13.6 20.4#

71 40.9 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.84 min Scan# 547

Delta R.T. -0.01 min

Lab File: BF087268.D

Acq: 21 May 2016 13:00

Tgt Ion: 136 Resp: 522233


Ion Ratio Lower Upper

136 100



137 11.5 8.8 13.2

54 15.3 5.0 7.4#

68 7.5 4.4 6.6#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 69.66 ng
 RT: 7.13 min Scan# 485
 Delta R.T. -0.01 min
 Lab File: BF087268.D
 Acq: 21 May 2016 13:00




Instrument :
 BNA_F
 ClientSampleId :
 10-AB-AC(0-2)

Tot Ion: 82 Resp: 729931
 Ion Ratio Lower Upper
 82 100
 128 36.6 40.6 61.0#
 54 73.1 38.1 57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.59 min Scan# 700
 Delta R.T. -0.00 min
 Lab File: BF087268.D
 Acq: 21 May 2016 13:00

Tgt Ion:164 Resp: 251767
 Ion Ratio Lower Upper
 164 100
 162 103.1 82.8 124.2
 160 46.2 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 88.84 ng
 RT: 10.38 min Scan# 769
 Delta R.T. -0.01 min
 Lab File: BF087268.D
 Acq: 21 May 2016 13:00




Instrument :
 BNA_F
 ClientSampleId :
 10-AB-AC(0-2)


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	79.0	118.4
141	42.4	31.2	46.8



#44
 2-Fluorobiphenyl
 Concen: 87.05 ng
 RT: 8.92 min Scan# 642
 Delta R.T. -0.00 min
 Lab File: BF087268.D
 Acq: 21 May 2016 13:00

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	29.0	43.6
170	24.5	19.8	29.8









#49
Dimethylphthalate
Concen: 8.14 ng
RT: 9.32 min Scan# 677
Delta R.T. -0.01 min
Lab File: BF087268.D
Acq: 21 May 2016 13:00

Instrument :
BNA_F
ClientSampleId :
10-AB-AC(0-2)

Tot Ion:163 Resp: 156399
Ion Ratio Lower Upper
163 100
194 2.8 2.6 4.0
164 10.4 8.2 12.4




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.06 min Scan# 829
Delta R.T. -0.01 min
Lab File: BF087268.D
Acq: 21 May 2016 13:00

Tgt Ion:188 Resp: 440107
Ion Ratio Lower Upper
188 100
94 11.5 6.8 10.2#
80 13.3 7.1 10.7#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.69 min Scan# 1059

Delta R.T. -0.01 min

Lab File: BF087268.D

Acq: 21 May 2016 13:00

Instrument :

BNA_F

ClientSampleId :

10-AB-AC(0-2)


Tot Ion:240 Resp: 309770

Ion Ratio Lower Upper

240 100

120 11.1 11.2 16.8#




236 26.5 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 77.96 ng

RT: 12.65 min Scan# 968

Delta R.T. -0.00 min

Lab File: BF087268.D

Acq: 21 May 2016 13:00


Tgt Ion:244 Resp: 1067640

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2



122 9.4 12.0 18.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.04 min Scan# 1177
 Delta R.T. -0.00 min
 Lab File: BF087268.D
 Acq: 21 May 2016 13:00

Instrument :
 BNA_F
 ClientSampleId :
 10-AB-AC(0-2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.0	19.5	29.3
265	22.1	17.3	25.9

