

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052115\
 Data File : BF079413.D
 Acq On : 21 May 2015 20:05
 Operator : TP/IZ
 Sample : G2325-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW17

Quant Time: May 22 01:33:09 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF043015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 22 01:11:00 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.07	152	58841	20.00	ng	0.00
21) Naphthalene-d8	8.65	136	236544	20.00	ng	0.00
38) Acenaphthene-d10	10.81	164	116299	20.00	ng	-0.01
63) Phenanthrene-d10	12.65	188	225265	20.00	ng	0.00
75) Chrysene-d12	15.94	240	231935	20.00	ng	-0.02
86) Perylene-d12	17.73	264	233856	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	219880	64.32	ng	0.00
7) Phenol-d6	6.64	99	182300	40.35	ng	-0.01
23) Nitrobenzene-d5	7.77	82	385692	93.71	ng	0.00
41) 2,4,6-Tribromophenol	11.79	330	191060	151.86	ng	-0.01
44) 2-Fluorobiphenyl	10.00	172	801976	96.07	ng	0.00
78) Terphenyl-d14	14.65	244	863053	89.09	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.26	79	6906	2.06	ng	Qvalue # 44


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052115\
Data File : BF079413.D
Acq On : 21 May 2015 20:05
Operator : TP/IZ
Sample : G2325-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW17

Quant Time: May 22 01:33:09 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF043015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 22 01:11:00 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.07 min Scan# 515
 Delta R.T. 0.00 min
 Lab File: BF079413.D
 Acq: 21 May 2015 20:05




Instrument :
 BNA_F
 ClientSampleId :
 MW17

Tot Ion:152 Resp: 58841
 Ion Ratio Lower Upper
 152 100
 150 156.6 123.8 185.8
 115 53.2 49.4 74.0



#5
 2-Fluorophenol
 Concen: 64.32 ng
 RT: 5.35 min Scan# 364
 Delta R.T. 0.00 min
 Lab File: BF079413.D
 Acq: 21 May 2015 20:05

Tgt Ion:112 Resp: 219880
 Ion Ratio Lower Upper
 112 100
 64 57.4 44.2 66.2
 63 29.2 22.7 34.1





#7

Phenol-d6

Concen: 40.35 ng

RT: 6.64 min Scan# 477

Delta R.T. -0.01 min

Lab File: BF079413.D

Acq: 21 May 2015 20:05

Instrument :

BNA_F

ClientSampleId :

MW17


Tot Ion: 99 Resp: 182300

Ion Ratio Lower Upper

99 100

42 20.7 17.1 25.7




71 32.6 26.3 39.5



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.06 ng

RT: 7.26 min Scan# 531

Delta R.T. -0.01 min

Lab File: BF079413.D

Acq: 21 May 2015 20:05


Tgt Ion: 79 Resp: 6906

Ion Ratio Lower Upper

79 100

108 31.4 57.4 86.2#



77 112.8 50.2 75.4#



Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): BF0

Ion 77.00 (76.70 to 77.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.65 min Scan# 653
Delta R.T. 0.00 min
Lab File: BF079413.D
Acq: 21 May 2015 20:05




Instrument :
BNA_F
ClientSampleId :
MW17


Tot Ion:136	Resp:	236544
Ion Ratio	Lower	Upper
136	100	
137	10.7	8.8 13.2
54	5.7	6.9 10.3#
68	4.5	4.9 7.3#



#23
Nitrobenzene-d5
Concen: 93.71 ng
RT: 7.77 min Scan# 576
Delta R.T. 0.00 min
Lab File: BF079413.D
Acq: 21 May 2015 20:05

Tgt Ion: 82	Resp:	385692
Ion Ratio	Lower	Upper
82	100	
128	50.6	29.7 44.5#
54	46.8	46.2 69.4





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.81 min Scan# 842

Delta R.T. -0.01 min

Lab File: BF079413.D

Acq: 21 May 2015 20:05

Instrument :

BNA_F

ClientSampleId :

MW17


Tot Ion:164 Resp: 116299

Ion Ratio Lower Upper

164 100

162 101.6 81.4 122.0




160 44.9 36.6 54.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 151.86 ng

RT: 11.79 min Scan# 928

Delta R.T. -0.01 min

Lab File: BF079413.D

Acq: 21 May 2015 20:05


Tgt Ion:330 Resp: 191060

Ion Ratio Lower Upper

330 100

332 96.2 76.9 115.3



141 35.1 27.8 41.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E








#44
 2-Fluorobiphenyl
 Concen: 96.07 ng
 RT: 10.00 min Scan# 771
 Delta R.T. 0.00 min
 Lab File: BF079413.D
 Acq: 21 May 2015 20:05




Instrument :
 BNA_F
 ClientSampleId :
 MW17


Tot Ion:172 Resp: 801976
 Ion Ratio Lower Upper
 172 100
 171 34.8 28.3 42.5
 170 23.9 19.4 29.2



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 12.65 min Scan# 1003
 Delta R.T. 0.00 min
 Lab File: BF079413.D
 Acq: 21 May 2015 20:05

Tgt Ion:188 Resp: 225265
 Ion Ratio Lower Upper
 188 100
 94 10.1 9.4 14.0
 80 10.7 9.8 14.6





#75

Chrysene-d12

Concen: 20.00 ng

RT: 15.94 min Scan# 1291

Delta R.T. -0.02 min

Lab File: BF079413.D

Acq: 21 May 2015 20:05

Instrument :

BNA_F

ClientSampleId :

MW17


Tot Ion:240 Resp: 231935

Ion Ratio Lower Upper

240 100

120 12.4 8.6 12.8




236 26.5 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 89.09 ng

RT: 14.65 min Scan# 1178

Delta R.T. 0.00 min

Lab File: BF079413.D

Acq: 21 May 2015 20:05


Tgt Ion:244 Resp: 863053

Ion Ratio Lower Upper

244 100

212 6.2 5.6 8.4



122 8.3 10.5 15.7#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 17.73 min Scan# 1447
 Delta R.T. -0.07 min
 Lab File: BF079413.D
 Acq: 21 May 2015 20:05

Instrument :
 BNA_F
 ClientSampleId :
 MW17

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.2	28.8
265	21.5	17.2	25.8

