

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052217\
 Data File : BF095339.D
 Acq On : 23 May 2017 6:41
 Operator : SJ/MA
 Sample : I3249-22
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 23 07:40:30 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	82096	20.00	ng	0.00
21) Naphthalene-d8	9.78	136	357216	20.00	ng	0.00
38) Acenaphthene-d10	12.61	164	156831	20.00	ng	0.00
63) Phenanthrene-d10	15.02	188	200513	20.00	ng	0.00
75) Chrysene-d12	18.69	240	167667	20.00	ng	0.00
86) Perylene-d12	20.37	264	142290	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.74	112	640728	130.12	ng	0.00
7) Phenol-d6	7.31	99	653668	110.64	ng	0.00
23) Nitrobenzene-d5	8.66	82	512252	90.43	ng	-0.01
41) 2,4,6-Tribromophenol	13.91	330	153301	119.36	ng	0.00
44) 2-Fluorobiphenyl	11.55	172	1055366	96.86	ng	-0.01
78) Terphenyl-d14	17.33	244	655228	86.07	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.66	70	59442	14.88	ng	# 74
50) 2,6-Dinitrotoluene	12.61	165	14771	5.62	ng	# 31


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052217\
Data File : BF095339.D
Acq On : 23 May 2017 6:41
Operator : SJ/MA
Sample : I3249-22
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 23 07:40:30 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.76 min Scan# 990
 Delta R.T. -0.01 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:152 Resp: 82096
 Ion Ratio Lower Upper
 152 100
 150 157.7 126.2 189.2
 115 60.7 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 130.12 ng
 RT: 5.74 min Scan# 647
 Delta R.T. 0.01 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41

Tgt Ion:112 Resp: 640728
 Ion Ratio Lower Upper
 112 100
 64 53.4 46.0 69.0
 63 25.4 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 110.64 ng

RT: 7.31 min Scan# 913

Delta R.T. -0.01 min

Lab File: BF095339.D

Acq: 23 May 2017 6:41

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 653668

Ion Ratio Lower Upper

99 100

42 15.6 13.5 20.3




71 32.1 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 14.88 ng

RT: 8.66 min Scan# 1143

Delta R.T. 0.18 min

Lab File: BF095339.D

Acq: 23 May 2017 6:41

Tgt Ion: 70 Resp: 59442


Ion Ratio Lower Upper

70 100

42 42.4 47.2 70.8#

101 0.0 7.2 10.8#

130 2.2 15.9 23.9#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 9.78 min Scan# 1334
Delta R.T. 0.00 min
Lab File: BF095339.D
Acq: 23 May 2017 6:41

Instrument :
BNA_F
ClientSampled :

Tot Ion:136	Resp:	357216
Ion Ratio	Lower	Upper
136 100		
137 10.6	8.5	12.7
54 6.3	4.9	7.3
68 5.4	4.1	6.1




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0





#23
Nitrobenzene-d5
Concen: 90.43 ng
RT: 8.66 min Scan# 1143
Delta R.T. -0.01 min
Lab File: BF095339.D
Acq: 23 May 2017 6:41

Tgt Ion: 82	Resp:	512252
Ion Ratio	Lower	Upper
82 100		
128 47.3	34.0	51.0
54 45.8	42.2	63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.61 min Scan# 1815

Delta R.T. -0.01 min

Lab File: BF095339.D

Acq: 23 May 2017 6:41

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 156831

Ion Ratio Lower Upper

164 100

162 103.5 82.6 123.8



160 45.6 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 119.36 ng

RT: 13.91 min Scan# 2036

Delta R.T. -0.01 min

Lab File: BF095339.D

Acq: 23 May 2017 6:41


Tgt Ion:330 Resp: 153301

Ion Ratio Lower Upper

330 100

332 97.4 76.6 115.0



141 39.2 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 96.86 ng
 RT: 11.55 min Scan# 1634
 Delta R.T. -0.01 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:172 Resp: 1055366
 Ion Ratio Lower Upper
 172 100
 171 35.6 29.6 44.4
 170 23.5 19.8 29.8



#50
 2,6-Dinitrotoluene
 Concen: 5.62 ng
 RT: 12.61 min Scan# 1815
 Delta R.T. 0.25 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41

Tgt Ion:165 Resp: 14771
 Ion Ratio Lower Upper
 165 100
 63 0.0 34.3 51.5#
 89 0.0 37.1 55.7#









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 15.02 min Scan# 2224
 Delta R.T. -0.01 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41

Instrument :
 BNA_F
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
188	100		
94	9.8	9.4	14.2
80	12.2	10.2	15.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.69 min Scan# 2848
 Delta R.T. -0.01 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41

Tgt Ion	Ratio	Lower	Upper
240	100		
120	14.5	5.8	8.8#
236	26.9	20.5	30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 86.07 ng
 RT: 17.33 min Scan# 2617
 Delta R.T. -0.02 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 655228
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 14.2 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.37 min Scan# 3133
 Delta R.T. 0.00 min
 Lab File: BF095339.D
 Acq: 23 May 2017 6:41

Tgt Ion:264 Resp: 142290
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.5 29.3
 265 22.0 17.2 25.8

