

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052225\
 Data File : BF142517.D
 Acq On : 22 May 2025 18:29
 Operator : RC/JU
 Sample : Q2097-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RBR251675

Quant Time: May 23 01:23:11 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 20 16:26:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	95020	20.000	ng	0.00
21) Naphthalene-d8	8.180	136	317500	20.000	ng	0.00
39) Acenaphthene-d10	9.933	164	134877	20.000	ng	-0.01
64) Phenanthrene-d10	11.421	188	217767	20.000	ng	-0.01
76) Chrysene-d12	14.062	240	175807	20.000	ng	#-0.01
86) Perylene-d12	15.556	264	138839	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	613478	108.773	ng	0.00
7) Phenol-d6	6.522	99	668916	98.527	ng	-0.01
23) Nitrobenzene-d5	7.457	82	447082	76.784	ng	-0.02
42) 2,4,6-Tribromophenol	10.721	330	171467	114.543	ng	-0.02
45) 2-Fluorobiphenyl	9.257	172	786708	78.268	ng	-0.01
79) Terphenyl-d14	13.010	244	837737	65.117	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052225\
Data File : BF142517.D
Acq On : 22 May 2025 18:29
Operator : RC/JU
Sample : Q2097-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RBR251675

Quant Time: May 23 01:23:11 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 20 16:26:47 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 800
Delta R.T. -0.006 min
Lab File: BF142517.D
Acq: 22 May 2025 18:29




Instrument :
BNA_F
ClientSampleId :
RBR251675


Tgt Ion:152 Resp: 95020
Ion Ratio Lower Upper
152 100
150 156.5 128.2 192.4
115 59.0 48.3 72.5



#5
2-Fluorophenol
Concen: 108.773 ng
RT: 5.522 min Scan# 566
Delta R.T. 0.006 min
Lab File: BF142517.D
Acq: 22 May 2025 18:29

Tgt Ion:112 Resp: 613478
Ion Ratio Lower Upper
112 100
64 58.8 47.5 71.3
63 30.8 24.9 37.3









#7
Phenol-d6
Concen: 98.527 ng
RT: 6.522 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF142517.D
Acq: 22 May 2025 18:29




Instrument :
BNA_F
ClientSampleId :
RBR251675


Tgt Ion: 99 Resp: 668916
Ion Ratio Lower Upper
99 100
42 19.6 16.2 24.2
71 33.8 27.3 40.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.180 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF142517.D
Acq: 22 May 2025 18:29

Tgt Ion:136 Resp: 317500
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 8.2 6.6 10.0
68 5.1 4.1 6.1





#23

Nitrobenzene-d5

Concen: 76.784 ng

RT: 7.457 min Scan# 89

Delta R.T. -0.018 min

Lab File: BF142517.D

Acq: 22 May 2025 18:29

Instrument :

BNA_F

ClientSampleId :

RBR251675





Tgt Ion: 82 Resp: 447082

Ion Ratio Lower Upper

82 100

128 47.3 37.4 56.2

54 57.6 46.6 70.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.933 min Scan# 1316

Delta R.T. -0.012 min

Lab File: BF142517.D

Acq: 22 May 2025 18:29




Tgt Ion:164 Resp: 134877


Ion Ratio Lower Upper

164 100

162 99.3 80.2 120.4

160 44.3 35.6 53.4





#42

2,4,6-Tribromophenol

Concen: 114.543 ng

RT: 10.721 min Scan# 1450

Delta R.T. -0.018 min

Lab File: BF142517.D

Acq: 22 May 2025 18:29

Instrument :

BNA_F

ClientSampleId :

RBR251675





Tgt Ion:330 Resp: 171467

Ion Ratio Lower Upper

330 100

332 97.3 77.6 116.4

141 30.3 24.6 36.8



#45

2-Fluorobiphenyl

Concen: 78.268 ng

RT: 9.257 min Scan# 1201

Delta R.T. -0.012 min

Lab File: BF142517.D

Acq: 22 May 2025 18:29




Tgt Ion:172 Resp: 786708


Ion Ratio Lower Upper

172 100

171 35.4 28.6 42.8

170 23.1 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.421 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF142517.D
Acq: 22 May 2025 18:29




Instrument :
BNA_F
ClientSampleId :
RBR251675


Tgt Ion:188 Resp: 217767
Ion Ratio Lower Upper
188 100
94 8.8 6.6 10.0
80 9.3 7.4 11.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.062 min Scan# 2018
Delta R.T. -0.012 min
Lab File: BF142517.D
Acq: 22 May 2025 18:29

Tgt Ion:240 Resp: 175807
Ion Ratio Lower Upper
240 100
120 11.4 7.5 11.3#
236 24.7 19.6 29.4









#79
 Terphenyl-d14
 Concen: 65.117 ng
 RT: 13.010 min Scan# 1839
 Delta R.T. -0.006 min
 Lab File: BF142517.D
 Acq: 22 May 2025 18:29

Instrument :
 BNA_F
 ClientSampleId :
 RBR251675

Tgt Ion:244 Resp: 837737
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.3 7.9
 122 10.6 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.556 min Scan# 2272
 Delta R.T. -0.012 min
 Lab File: BF142517.D
 Acq: 22 May 2025 18:29

Tgt Ion:264 Resp: 138839
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.6 28.0
 265 21.5 17.7 26.5

