

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052316\
 Data File : BF087341.D
 Acq On : 24 May 2016 14:35
 Operator : UM/SJ
 Sample : H3169-10
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP

Quant Time: May 24 18:58:23 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 24 01:40:43 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	137043	20.00	ng	0.00
21) Naphthalene-d8	9.64	136	585005	20.00	ng	0.00
38) Acenaphthene-d10	12.47	164	265338	20.00	ng	-0.01
63) Phenanthrene-d10	14.87	188	464446	20.00	ng	-0.01
75) Chrysene-d12	18.56	240	320805	20.00	ng	0.00
86) Perylene-d12	20.22	264	258014	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	1186618	152.15	ng	0.02
7) Phenol-d6	7.15	99	1614397	153.19	ng	-0.01
23) Nitrobenzene-d5	8.52	82	1023625	88.19	ng	-0.01
41) 2,4,6-Tribromophenol	13.77	330	338263	132.66	ng	-0.01
44) 2-Fluorobiphenyl	11.43	172	1741258	92.52	ng	0.00
78) Terphenyl-d14	17.21	244	1378365	91.35	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	1.69	88	105457	25.63	ng	# 22
15) Benzyl Alcohol	7.85	79	18349	2.39	ng	# 39
19) n-Nitroso-di-n-propylamine	8.52	70	139181	17.71	ng	# 74
49) Dimethylphthalate	12.11	163	210945	9.92	ng	99
83) Bis(2-ethylhexyl)phthalate	18.61	149	65137	4.36	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052316\
Data File : BF087341.D
Acq On : 24 May 2016 14:35
Operator : UM/SJ
Sample : H3169-10
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-05-COMP

Quant Time: May 24 18:58:23 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 24 01:40:43 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.61 min Scan# 527

Delta R.T. 0.00 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tgt Ion:152 Resp: 137043

Ion Ratio Lower Upper

152 100

150 159.2 125.8 188.6




115 67.4 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 25.63 ng

RT: 1.69 min Scan# 9

Delta R.T. -0.25 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35


Tgt Ion: 88 Resp: 105457

Ion Ratio Lower Upper

88 100

58 0.0 59.6 89.4#



43 0.0 21.8 32.6#




Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0





#5

2-Fluorophenol

Concen: 152.15 ng

RT: 5.54 min Scan# 346

Delta R.T. 0.02 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tgt Ion: 112 Resp: 1186618

Ion Ratio Lower Upper

112 100

64 65.1 52.1 78.1




63 36.1 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): BF0

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#7

Phenol-d6

Concen: 153.19 ng

RT: 7.15 min Scan# 487

Delta R.T. -0.01 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35


Tgt Ion: 99 Resp: 1614397

Ion Ratio Lower Upper

99 100

42 30.0 13.6 20.4#



71 40.1 24.6 36.8#




Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0





#15

Benzyl Alcohol

Concen: 2.39 ng

RT: 7.85 min Scan# 548

Delta R.T. -0.06 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP





Tgt Ion: 79 Resp: 18349

Ion Ratio Lower Upper

79 100

108 34.1 68.4 102.6#

77 116.3 50.6 76.0#



#19

n-Nitroso-di-n-propylamine

Concen: 17.71 ng

RT: 8.52 min Scan# 607

Delta R.T. 0.18 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35

Tgt Ion: 70 Resp: 139181




Ion Ratio Lower Upper


70 100

42 66.6 43.1 64.7#

101 0.0 8.1 12.1#

130 1.7 18.6 28.0#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.64 min Scan# 705

Delta R.T. 0.00 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP

Tgt Ion:136 Resp: 585005


Ion Ratio Lower Upper

136 100

137 10.8 8.8 13.2

54 9.7 5.0 7.4#

68 4.9 4.4 6.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 88.19 ng

RT: 8.52 min Scan# 607

Delta R.T. -0.01 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35


Tgt Ion: 82 Resp: 1023625

Ion Ratio Lower Upper

82 100

128 38.8 40.6 61.0#



54 70.2 38.1 57.1#




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.47 min Scan# 952
 Delta R.T. -0.01 min
 Lab File: BF087341.D
 Acq: 24 May 2016 14:35

Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP

Tgt Ion:164 Resp: 265338
 Ion Ratio Lower Upper
 164 100
 162 102.8 82.8 124.2
 160 47.2 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 132.66 ng
 RT: 13.77 min Scan# 1066
 Delta R.T. -0.01 min
 Lab File: BF087341.D
 Acq: 24 May 2016 14:35

Tgt Ion:330 Resp: 338263
 Ion Ratio Lower Upper
 330 100
 332 97.2 79.0 118.4
 141 42.8 31.2 46.8



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 92.52 ng
 RT: 11.43 min Scan# 861
 Delta R.T. 0.00 min
 Lab File: BF087341.D
 Acq: 24 May 2016 14:35




Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP


Tgt Ion:172 Resp: 1741258
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.0 43.6
 170 24.5 19.8 29.8



#49
 Dimethylphthalate
 Concen: 9.92 ng
 RT: 12.11 min Scan# 921
 Delta R.T. -0.02 min
 Lab File: BF087341.D
 Acq: 24 May 2016 14:35

Tgt Ion:163 Resp: 210945
 Ion Ratio Lower Upper
 163 100
 194 3.1 2.6 4.0
 164 9.8 8.2 12.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 14.87 min Scan# 1162
Delta R.T. -0.01 min
Lab File: BF087341.D
Acq: 24 May 2016 14:35

Instrument :
BNA_F
ClientSampleId :
SB-05-COMP

Tgt Ion:188 Resp: 464446
Ion Ratio Lower Upper
188 100
94 11.2 6.8 10.2#
80 12.9 7.1 10.7#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.56 min Scan# 1485
Delta R.T. 0.00 min
Lab File: BF087341.D
Acq: 24 May 2016 14:35

Tgt Ion:240 Resp: 320805
Ion Ratio Lower Upper
240 100
120 8.8 11.2 16.8#
236 26.2 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 91.35 ng

RT: 17.21 min Scan# 1367

Delta R.T. -0.01 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tgt Ion:244 Resp: 1378365

Ion Ratio Lower Upper

244 100

212 7.9 6.2 9.2




122 13.5 12.0 18.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#83

Bis(2-ethylhexyl)phthalate

Concen: 4.36 ng

RT: 18.61 min Scan# 1489

Delta R.T. -0.01 min

Lab File: BF087341.D

Acq: 24 May 2016 14:35


Tgt Ion:149 Resp: 65137

Ion Ratio Lower Upper

149 100

167 25.0 21.8 32.6



279 1.5 2.6 4.0#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 20.22 min Scan# 1630
Delta R.T. -0.01 min
Lab File: BF087341.D
Acq: 24 May 2016 14:35

Instrument :
BNA_F
ClientSampleId :
SB-05-COMP

Tgt Ion: 264 Resp: 258014
Ion Ratio Lower Upper
264 100
260 24.3 19.5 29.3
265 21.7 17.3 25.9

