

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052317\
 Data File : BF095349.D
 Acq On : 23 May 2017 14:05
 Operator : SJ/MA
 Sample : I3240-08
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: May 24 01:26:54 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	85741	20.00	ng	-0.01
21) Naphthalene-d8	9.78	136	380760	20.00	ng	0.00
38) Acenaphthene-d10	12.61	164	187832	20.00	ng	-0.01
63) Phenanthrene-d10	15.01	188	324811	20.00	ng	-0.01
75) Chrysene-d12	18.68	240	266489	20.00	ng	-0.01
86) Perylene-d12	20.37	264	165411	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	624067	121.35	ng	-0.01
7) Phenol-d6	7.30	99	701018	113.61	ng	-0.02
23) Nitrobenzene-d5	8.65	82	438748	72.66	ng	-0.02
41) 2,4,6-Tribromophenol	13.90	330	182287	118.50	ng	-0.02
44) 2-Fluorobiphenyl	11.54	172	952367	72.98	ng	-0.02
78) Terphenyl-d14	17.33	244	739229	61.10	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.65	70	52779	12.65	ng	Qvalue # 72
49) Dimethylphthalate	12.25	163	118014	7.65	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052317\
Data File : BF095349.D
Acq On : 23 May 2017 14:05
Operator : SJ/MA
Sample : I3240-08
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: May 24 01:26:54 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.75 min Scan# 989
Delta R.T. -0.01 min
Lab File: BF095349.D
Acq: 23 May 2017 14:05

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 85741
Ion Ratio Lower Upper
152 100
150 159.5 126.2 189.2
115 60.4 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 121.35 ng
RT: 5.72 min Scan# 644
Delta R.T. -0.01 min
Lab File: BF095349.D
Acq: 23 May 2017 14:05

Tgt Ion:112 Resp: 624067
Ion Ratio Lower Upper
112 100
64 54.4 46.0 69.0
63 27.2 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 113.61 ng

RT: 7.30 min Scan# 911

Delta R.T. -0.02 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 701018

Ion Ratio Lower Upper

99 100

42 16.3 13.5 20.3




71 31.6 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 12.65 ng

RT: 8.65 min Scan# 1142

Delta R.T. 0.18 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05

Tgt Ion: 70 Resp: 52779


Ion Ratio Lower Upper

70 100

42 41.0 47.2 70.8#

101 0.0 7.2 10.8#

130 1.6 15.9 23.9#





Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.78 min Scan# 1333

Delta R.T. -0.01 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 380760



Ion Ratio Lower Upper

136 100

137 11.0 8.5 12.7

54 6.5 4.9 7.3

68 4.7 4.1 6.1




Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 72.66 ng

RT: 8.65 min Scan# 1142

Delta R.T. -0.02 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05



Tgt Ion: 82 Resp: 438748

Ion Ratio Lower Upper

82 100

128 46.6 34.0 51.0


54 46.7 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.61 min Scan# 1814

Delta R.T. -0.01 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 187832

Ion Ratio Lower Upper

164 100

162 105.9 82.6 123.8



160 44.7 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 118.50 ng

RT: 13.90 min Scan# 2034

Delta R.T. -0.02 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05


Tgt Ion:330 Resp: 182287

Ion Ratio Lower Upper

330 100

332 96.6 76.6 115.0



141 40.1 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E








#44
 2-Fluorobiphenyl
 Concen: 72.98 ng
 RT: 11.54 min Scan# 1633
 Delta R.T. -0.02 min
 Lab File: BF095349.D
 Acq: 23 May 2017 14:05




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.6	44.4
170	23.4	19.8	29.8



#49
 Dimethylphthalate
 Concen: 7.65 ng
 RT: 12.25 min Scan# 1753
 Delta R.T. -0.01 min
 Lab File: BF095349.D
 Acq: 23 May 2017 14:05

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.6	2.6	4.0
164	10.0	8.4	12.6









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 15.01 min Scan# 2223
Delta R.T. -0.01 min
Lab File: BF095349.D
Acq: 23 May 2017 14:05

Instrument :
BNA_F
ClientSampled :

Tot Ion:188 Resp: 324811
Ion Ratio Lower Upper
188 100
94 9.9 9.4 14.2
80 10.5 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.68 min Scan# 2847
Delta R.T. -0.01 min
Lab File: BF095349.D
Acq: 23 May 2017 14:05

Tgt Ion:240 Resp: 266489
Ion Ratio Lower Upper
240 100
120 14.1 5.8 8.8#
236 25.4 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 61.10 ng

RT: 17.33 min Scan# 2617

Delta R.T. -0.02 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 739229

Ion Ratio Lower Upper

244 100

212 7.0 6.0 9.0




122 13.8 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 20.37 min Scan# 3133

Delta R.T. 0.00 min

Lab File: BF095349.D

Acq: 23 May 2017 14:05


Tgt Ion:264 Resp: 165411

Ion Ratio Lower Upper

264 100

260 23.9 19.5 29.3

265 21.6 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

