

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052317\
 Data File : BF095363.D
 Acq On : 23 May 2017 21:33
 Operator : SJ/MA
 Sample : I3249-06
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-14COMP

Quant Time: May 24 04:21:25 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	105952	20.00	ng	-0.01
21) Naphthalene-d8	9.78	136	424972	20.00	ng	0.00
38) Acenaphthene-d10	12.61	164	183944	20.00	ng	-0.01
63) Phenanthrene-d10	15.01	188	300334	20.00	ng	-0.01
75) Chrysene-d12	18.69	240	160232	20.00	ng	0.00
86) Perylene-d12	20.36	264	168427	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	860168	135.35	ng	-0.02
7) Phenol-d6	7.30	99	1087635	142.64	ng	-0.01
23) Nitrobenzene-d5	8.65	82	624821	92.71	ng	-0.02
41) 2,4,6-Tribromophenol	13.91	330	203350	134.99	ng	-0.01
44) 2-Fluorobiphenyl	11.54	172	1225567	95.90	ng	-0.02
78) Terphenyl-d14	17.33	244	736975	101.31	ng	-0.02
Target Compounds						
49) Dimethylphthalate	12.25	163	167631	11.10	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052317\
Data File : BF095363.D
Acq On : 23 May 2017 21:33
Operator : SJ/MA
Sample : I3249-06
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-14COMP

Quant Time: May 24 04:21:25 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.75 min Scan# 989
Delta R.T. -0.01 min
Lab File: BF095363.D
Acq: 23 May 2017 21:33

Instrument :
BNA_F
ClientSampleId :
SB-14COMP

Tgt Ion:152 Resp: 105952
Ion Ratio Lower Upper
152 100
150 154.0 126.2 189.2
115 59.5 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 135.35 ng
RT: 5.72 min Scan# 643
Delta R.T. -0.02 min
Lab File: BF095363.D
Acq: 23 May 2017 21:33

Tgt Ion:112 Resp: 860168
Ion Ratio Lower Upper
112 100
64 55.9 46.0 69.0
63 26.2 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 142.64 ng

RT: 7.30 min Scan# 912

Delta R.T. -0.01 min

Lab File: BF095363.D

Acq: 23 May 2017 21:33

Instrument :

BNA_F

ClientSampleId :

SB-14COMP


Tgt Ion: 99 Resp: 1087635

Ion Ratio Lower Upper

99 100

42 16.3 13.5 20.3




71 31.3 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.78 min Scan# 1333

Delta R.T. -0.01 min

Lab File: BF095363.D

Acq: 23 May 2017 21:33

Tgt Ion: 136 Resp: 424972


Ion Ratio Lower Upper

136 100

137 10.8 8.5 12.7

54 7.0 4.9 7.3

68 5.5 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 92.71 ng
 RT: 8.65 min Scan# 1142
 Delta R.T. -0.02 min
 Lab File: BF095363.D
 Acq: 23 May 2017 21:33




Instrument :
 BNA_F
 ClientSampleId :
 SB-14COMP

Tgt Ion: 82 Resp: 624821
 Ion Ratio Lower Upper
 82 100
 128 47.3 34.0 51.0
 54 47.0 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.61 min Scan# 1814
 Delta R.T. -0.01 min
 Lab File: BF095363.D
 Acq: 23 May 2017 21:33

Tgt Ion: 164 Resp: 183944
 Ion Ratio Lower Upper
 164 100
 162 105.1 82.6 123.8
 160 44.3 36.2 54.2






#41
 2,4,6-Tribromophenol
 Concen: 134.99 ng
 RT: 13.91 min Scan# 2035
 Delta R.T. -0.01 min
 Lab File: BF095363.D
 Acq: 23 May 2017 21:33

Instrument :
 BNA_F
 ClientSampleId :
 SB-14COMP

Tgt Ion	Ratio	Lower	Upper
330	100		
332	98.7	76.6	115.0
141	40.1	31.4	47.2






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 95.90 ng
 RT: 11.54 min Scan# 1633
 Delta R.T. -0.02 min
 Lab File: BF095363.D
 Acq: 23 May 2017 21:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.6	44.4
170	23.6	19.8	29.8





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 11.10 ng

RT: 12.25 min Scan# 1753

Delta R.T. -0.01 min

Lab File: BF095363.D

Acq: 23 May 2017 21:33

Instrument :

BNA_F

ClientSampleId :

SB-14COMP


Tgt Ion:163 Resp: 167631

Ion Ratio Lower Upper

163 100

194 3.1 2.6 4.0




164 10.0 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 15.01 min Scan# 2223

Delta R.T. -0.01 min

Lab File: BF095363.D

Acq: 23 May 2017 21:33


Tgt Ion:188 Resp: 300334

Ion Ratio Lower Upper

188 100

94 10.5 9.4 14.2



80 10.1 10.2 15.2#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.69 min Scan# 2848
 Delta R.T. -0.01 min
 Lab File: BF095363.D
 Acq: 23 May 2017 21:33

Instrument :
 BNA_F
 ClientSampleId :
 SB-14COMP

Tgt Ion:240 Resp: 160232
 Ion Ratio Lower Upper
 240 100
 120 14.3 5.8 8.8#
 236 24.5 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#78
 Terphenyl-d14
 Concen: 101.31 ng
 RT: 17.33 min Scan# 2617
 Delta R.T. -0.02 min
 Lab File: BF095363.D
 Acq: 23 May 2017 21:33

Tgt Ion:244 Resp: 736975
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 13.4 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 20.36 min Scan# 3133
Delta R.T. -0.00 min
Lab File: BF095363.D
Acq: 23 May 2017 21:33

Instrument :
BNA_F
ClientSampleId :
SB-14COMP

Tgt Ion: 264 Resp: 168427
Ion Ratio Lower Upper
264 100
260 22.8 19.5 29.3
265 21.8 17.2 25.8

