

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052317\
 Data File : BF095373.D
 Acq On : 24 May 2017 5:22
 Operator : SJ/MA
 Sample : I3269-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP

Quant Time: May 24 07:32:02 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 18 17:07:53 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	105707	20.00	ng	-0.01
21) Naphthalene-d8	9.78	136	428466	20.00	ng	0.00
38) Acenaphthene-d10	12.61	164	185474	20.00	ng	-0.01
63) Phenanthrene-d10	15.02	188	310021	20.00	ng	0.00
75) Chrysene-d12	18.69	240	164795	20.00	ng	0.00
86) Perylene-d12	20.37	264	177150	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	706223	111.39	ng	-0.02
7) Phenol-d6	7.30	99	930635	122.33	ng	-0.02
23) Nitrobenzene-d5	8.65	82	532288	78.34	ng	-0.02
41) 2,4,6-Tribromophenol	13.91	330	174713	115.02	ng	-0.01
44) 2-Fluorobiphenyl	11.54	172	1037210	80.49	ng	-0.02
78) Terphenyl-d14	17.32	244	558821	74.69	ng	-0.02
Target Compounds						
49) Dimethylphthalate	12.25	163	150907	9.91	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052317\
Data File : BF095373.D
Acq On : 24 May 2017 5:22
Operator : SJ/MA
Sample : I3269-06
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-05-COMP

Quant Time: May 24 07:32:02 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 18 17:07:53 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.75 min Scan# 989
 Delta R.T. -0.01 min
 Lab File: BF095373.D
 Acq: 24 May 2017 5:22

Instrument :
 BNA_F
 ClientSampleId :
 SB-05-COMP

Tgt Ion:152 Resp: 105707
 Ion Ratio Lower Upper
 152 100
 150 159.1 126.2 189.2
 115 61.5 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 111.39 ng
 RT: 5.72 min Scan# 643
 Delta R.T. -0.02 min
 Lab File: BF095373.D
 Acq: 24 May 2017 5:22

Tgt Ion:112 Resp: 706223
 Ion Ratio Lower Upper
 112 100
 64 54.6 46.0 69.0
 63 26.9 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 122.33 ng

RT: 7.30 min Scan# 911

Delta R.T. -0.02 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tgt Ion: 99 Resp: 930635

Ion Ratio Lower Upper

99 100

42 16.0 13.5 20.3




71 31.0 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.78 min Scan# 1333

Delta R.T. -0.01 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22

Tgt Ion: 136 Resp: 428466


Ion Ratio Lower Upper

136 100

137 11.4 8.5 12.7

54 6.8 4.9 7.3

68 5.8 4.1 6.1





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 78.34 ng
RT: 8.65 min Scan# 1142
Delta R.T. -0.02 min
Lab File: BF095373.D
Acq: 24 May 2017 5:22

Instrument :
BNA_F
ClientSampleId :
SB-05-COMP

Tgt Ion: 82 Resp: 532288
Ion Ratio Lower Upper
82 100
128 46.1 34.0 51.0
54 48.1 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): BF0






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 12.61 min Scan# 1814
Delta R.T. -0.01 min
Lab File: BF095373.D
Acq: 24 May 2017 5:22

Tgt Ion: 164 Resp: 185474
Ion Ratio Lower Upper
164 100
162 99.9 82.6 123.8
160 42.9 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): B
Ion 162.00 (161.70 to 162.70): B
Ion 160.00 (159.70 to 160.70): B





#41

2,4,6-Tribromophenol

Concen: 115.02 ng

RT: 13.91 min Scan# 2035

Delta R.T. -0.01 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tgt Ion:330 Resp: 174713

Ion Ratio Lower Upper

330 100

332 96.9 76.6 115.0




141 40.4 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 80.49 ng

RT: 11.54 min Scan# 1633

Delta R.T. -0.02 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22


Tgt Ion:172 Resp: 1037210

Ion Ratio Lower Upper

172 100

171 35.7 29.6 44.4



170 23.5 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 9.91 ng

RT: 12.25 min Scan# 1753

Delta R.T. -0.01 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tgt Ion:163 Resp: 150907

Ion Ratio Lower Upper

163 100

194 3.9 2.6 4.0




164 10.1 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 15.02 min Scan# 2224

Delta R.T. -0.01 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22


Tgt Ion:188 Resp: 310021

Ion Ratio Lower Upper

188 100

94 9.9 9.4 14.2



80 10.3 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.69 min Scan# 2848

Delta R.T. -0.01 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22

Instrument :

BNA_F

ClientSampleId :

SB-05-COMP


Tgt Ion:240 Resp: 164795

Ion Ratio Lower Upper

240 100

120 15.7 5.8 8.8#




236 25.1 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 74.69 ng

RT: 17.32 min Scan# 2616

Delta R.T. -0.02 min

Lab File: BF095373.D

Acq: 24 May 2017 5:22


Tgt Ion:244 Resp: 558821

Ion Ratio Lower Upper

244 100

212 6.9 6.0 9.0



122 14.5 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 20.37 min Scan# 3133
Delta R.T. 0.00 min
Lab File: BF095373.D
Acq: 24 May 2017 5:22

Instrument :
BNA_F
ClientSampleId :
SB-05-COMP

Tgt Ion: 264 Resp: 177150
Ion Ratio Lower Upper
264 100
260 22.9 19.5 29.3
265 20.2 17.2 25.8

