

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052322\
 Data File : BF128426.D
 Acq On : 24 May 2022 04:01
 Operator : CG\JU
 Sample : N2876-04 10X
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P007-SS011-0006-01

Quant Time: May 24 04:22:42 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 21 05:28:09 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.857	152	110138	20.000	ng	0.00
21) Naphthalene-d8	8.139	136	389035	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	189473	20.000	ng	0.00
64) Phenanthrene-d10	11.386	188	319481	20.000	ng	0.00
76) Chrysene-d12	14.039	240	224370	20.000	ng	-0.01
86) Perylene-d12	15.533	264	166043	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	45694	6.602	ng	0.00
7) Phenol-d6	6.498	99	59460	6.524	ng	0.00
23) Nitrobenzene-d5	7.422	82	35536	4.093	ng	-0.01
42) 2,4,6-Tribromophenol	10.692	330	10684	5.468	ng	0.00
45) 2-Fluorobiphenyl	9.210	172	67973	5.867	ng	-0.01
79) Terphenyl-d14	12.968	244	68647	5.906	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052322\
Data File : BF128426.D
Acq On : 24 May 2022 04:01
Operator : CG\JU
Sample : N2876-04 10X
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P007-SS011-0006-01

Quant Time: May 24 04:22:42 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052022.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 21 05:28:09 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.857 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01




Instrument :
BNA_F
ClientSampleId :
P007-SS011-0006-01


Tgt Ion:152 Resp: 110138
Ion Ratio Lower Upper
152 100
150 152.4 125.3 187.9
115 63.1 48.8 73.2



#5
2-Fluorophenol
Concen: 6.602 ng
RT: 5.481 min Scan# 543
Delta R.T. -0.000 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01


Tgt Ion:112 Resp: 45694
Ion Ratio Lower Upper
112 100
64 62.8 49.5 74.3
63 33.9 26.3 39.5








#7
Phenol-d6
Concen: 6.524 ng
RT: 6.498 min Scan# 716
Delta R.T. -0.000 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01


Instrument :
BNA_F
ClientSampleId :
P007-SS011-0006-01





Tgt Ion: 99 Resp: 59460
Ion Ratio Lower Upper
99 100
42 19.0 16.6 24.8
71 33.1 30.0 45.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.139 min Scan# 995
Delta R.T. -0.006 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01



Tgt Ion: 136 Resp: 389035
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 8.4 6.8 10.2
68 6.3 5.1 7.7









#23
Nitrobenzene-d5
Concen: 4.093 ng
RT: 7.422 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01




Instrument :
BNA_F
ClientSampleId :
P007-SS011-0006-01


Tgt Ion: 82 Resp: 35536
Ion Ratio Lower Upper
82 100
128 39.8 30.0 45.0
54 51.5 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.898 min Scan# 1294
Delta R.T. -0.006 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01

Tgt Ion:164 Resp: 189473
Ion Ratio Lower Upper
164 100
162 96.2 76.0 114.0
160 42.4 34.8 52.2





#42

2,4,6-Tribromophenol

Concen: 5.468 ng

RT: 10.692 min Scan# 1429

Delta R.T. -0.006 min

Lab File: BF128426.D


Acq: 24 May 2022 04:01

Instrument :

BNA_F

ClientSampleId :

P007-SS011-0006-01






Tgt Ion:330 Resp: 10684

Ion Ratio Lower Upper

330 100

332 97.8 79.0 118.4

141 34.5 28.9 43.3



#45

2-Fluorobiphenyl

Concen: 5.867 ng

RT: 9.210 min Scan# 1177

Delta R.T. -0.012 min

Lab File: BF128426.D

Acq: 24 May 2022 04:01




Tgt Ion:172 Resp: 67973


Ion Ratio Lower Upper

172 100

171 33.5 28.6 42.8

170 23.2 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.386 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01




Instrument :
BNA_F
ClientSampleId :
P007-SS011-0006-01


Tgt Ion:188 Resp: 319481
Ion Ratio Lower Upper
188 100
94 10.1 8.0 12.0
80 11.4 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 1998
Delta R.T. -0.012 min
Lab File: BF128426.D
Acq: 24 May 2022 04:01

Tgt Ion:240 Resp: 224370
Ion Ratio Lower Upper
240 100
120 9.8 7.0 10.6
236 25.6 20.3 30.5









#79
 Terphenyl-d14
 Concen: 5.906 ng
 RT: 12.968 min Scan# 1816
 Delta R.T. -0.012 min
 Lab File: BF128426.D
 Acq: 24 May 2022 04:01

Instrument :
 BNA_F
 ClientSampleId :
 P007-SS011-0006-01

Tgt Ion:244 Resp: 68647
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.2 9.4
 122 11.6 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2252
 Delta R.T. -0.000 min
 Lab File: BF128426.D
 Acq: 24 May 2022 04:01

Tgt Ion:264 Resp: 166043
 Ion Ratio Lower Upper
 264 100
 260 23.3 20.1 30.1
 265 22.7 17.5 26.3

