

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052325\
 Data File : BF142530.D
 Acq On : 23 May 2025 12:43
 Operator : RC/JU
 Sample : Q2100-04
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-45

Quant Time: May 23 14:29:03 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 20 16:26:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	118740	20.000	ng	0.00
21) Naphthalene-d8	8.181	136	456173	20.000	ng	0.00
39) Acenaphthene-d10	9.933	164	248248	20.000	ng	-0.01
64) Phenanthrene-d10	11.422	188	426449	20.000	ng	-0.01
76) Chrysene-d12	14.063	240	251802	20.000	ng	-0.01
86) Perylene-d12	15.557	264	225815	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	742208	105.309	ng	0.00
7) Phenol-d6	6.516	99	921872	108.660	ng	-0.02
23) Nitrobenzene-d5	7.457	82	559375	66.865	ng	-0.02
42) 2,4,6-Tribromophenol	10.727	330	313361	113.733	ng	-0.01
45) 2-Fluorobiphenyl	9.257	172	1140977	61.674	ng	-0.01
79) Terphenyl-d14	13.010	244	1073528	58.261	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052325\
Data File : BF142530.D
Acq On : 23 May 2025 12:43
Operator : RC/JU
Sample : Q2100-04
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-45

Quant Time: May 23 14:29:03 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 20 16:26:47 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 800
Delta R.T. -0.006 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43




Instrument :
BNA_F
ClientSampleId :
TP-45


Tgt Ion:152 Resp: 118740
Ion Ratio Lower Upper
152 100
150 155.6 128.2 192.4
115 57.2 48.3 72.5



#5
2-Fluorophenol
Concen: 105.309 ng
RT: 5.516 min Scan# 565
Delta R.T. 0.000 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43

Tgt Ion:112 Resp: 742208
Ion Ratio Lower Upper
112 100
64 58.2 47.5 71.3
63 30.3 24.9 37.3





#7
Phenol-d6
Concen: 108.660 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.018 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43





Instrument :

BNA_F

ClientSampleId :




TP-45


Tgt Ion: 99 Resp: 921872
Ion Ratio Lower Upper
99 100
42 20.3 16.2 24.2
71 34.2 27.3 40.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.181 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43

Tgt Ion:136 Resp: 456173
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 8.3 6.6 10.0
68 5.3 4.1 6.1









#23
Nitrobenzene-d5
Concen: 66.865 ng
RT: 7.457 min Scan# 895
Delta R.T. -0.018 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43




Instrument :
BNA_F
ClientSampleId :
TP-45


Tgt Ion: 82 Resp: 559375
Ion Ratio Lower Upper
82 100
128 47.9 37.4 56.2
54 57.4 46.6 70.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.933 min Scan# 1316
Delta R.T. -0.012 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43

Tgt Ion:164 Resp: 248248
Ion Ratio Lower Upper
164 100
162 100.0 80.2 120.4
160 44.3 35.6 53.4









#42
2,4,6-Tribromophenol
Concen: 113.733 ng
RT: 10.727 min Scan# 1451
Delta R.T. -0.012 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43




Instrument :
BNA_F
ClientSampleId :
TP-45


Tgt Ion:330 Resp: 313361
Ion Ratio Lower Upper
330 100
332 95.5 77.6 116.4
141 28.9 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 61.674 ng
RT: 9.257 min Scan# 1201
Delta R.T. -0.012 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43

Tgt Ion:172 Resp: 1140977
Ion Ratio Lower Upper
172 100
171 35.5 28.6 42.8
170 23.3 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.422 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43




Instrument :
BNA_F
ClientSampleId :
TP-45


Tgt Ion:188 Resp: 426449
Ion Ratio Lower Upper
188 100
94 8.8 6.6 10.0
80 9.6 7.4 11.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.012 min
Lab File: BF142530.D
Acq: 23 May 2025 12:43

Tgt Ion:240 Resp: 251802
Ion Ratio Lower Upper
240 100
120 11.0 7.5 11.3
236 25.5 19.6 29.4









#79
 Terphenyl-d14
 Concen: 58.261 ng
 RT: 13.010 min Scan# 1839
 Delta R.T. -0.006 min
 Lab File: BF142530.D
 Acq: 23 May 2025 12:43

Instrument :
 BNA_F
 ClientSampleId :
 TP-45

Tgt Ion:244 Resp: 1073528
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.3 7.9
 122 10.8 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 2272
 Delta R.T. -0.012 min
 Lab File: BF142530.D
 Acq: 23 May 2025 12:43

Tgt Ion:264 Resp: 225815
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.6 28.0
 265 21.6 17.7 26.5

