

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052416\
 Data File : BF087353.D
 Acq On : 24 May 2016 23:42
 Operator : UM/SJ
 Sample : H3191-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CHS-STA-1711(0-4)

Quant Time: May 25 00:46:41 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 24 01:40:43 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	115866	20.00	ng	-0.06
21) Naphthalene-d8	9.59	136	467902	20.00	ng	-0.06
38) Acenaphthene-d10	12.41	164	222590	20.00	ng	-0.07
63) Phenanthrene-d10	14.82	188	461307	20.00	ng	-0.06
75) Chrysene-d12	18.50	240	383463	20.00	ng	-0.06
86) Perylene-d12	20.18	264	122310	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	974869	147.84	ng	-0.03
7) Phenol-d6	7.11	99	1278158	143.45	ng	-0.06
23) Nitrobenzene-d5	8.47	82	865598	93.24	ng	-0.07
41) 2,4,6-Tribromophenol	13.71	330	334319	156.29	ng	-0.07
44) 2-Fluorobiphenyl	11.36	172	1480658	93.78	ng	-0.07
78) Terphenyl-d14	17.17	244	1516979	84.10	ng	-0.06
Target Compounds						
15) Benzyl Alcohol	7.79	79	15073	2.32	ng	# 39
19) n-Nitroso-di-n-propylamine	8.47	70	118829	17.88	ng	# 74


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052416\
Data File : BF087353.D
Acq On : 24 May 2016 23:42
Operator : UM/SJ
Sample : H3191-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CHS-STA-1711(0-4)

Quant Time: May 25 00:46:41 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 24 01:40:43 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.55 min Scan# 522

Delta R.T. -0.06 min

Lab File: BF087353.D

Acq: 24 May 2016 23:42

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1711(0-4)


Tgt Ion:152 Resp: 115866

Ion Ratio Lower Upper

152 100

150 156.6 125.8 188.6




115 68.3 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 147.84 ng

RT: 5.48 min Scan# 341

Delta R.T. -0.03 min

Lab File: BF087353.D

Acq: 24 May 2016 23:42


Tgt Ion:112 Resp: 974869

Ion Ratio Lower Upper

112 100

64 75.5 52.1 78.1



63 42.2 25.7 38.5#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 143.45 ng

RT: 7.11 min Scan# 483

Delta R.T. -0.06 min

Lab File: BF087353.D

Acq: 24 May 2016 23:42

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1711(0-4)


Tgt Ion: 99 Resp: 1278158

Ion Ratio Lower Upper

99 100

42 25.4 13.6 20.4#




71 36.8 24.6 36.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#15

Benzyl Alcohol

Concen: 2.32 ng

RT: 7.79 min Scan# 543

Delta R.T. -0.11 min

Lab File: BF087353.D

Acq: 24 May 2016 23:42


Tgt Ion: 79 Resp: 15073

Ion Ratio Lower Upper

79 100

108 30.9 68.4 102.6#



77 111.9 50.6 76.0#




Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): BF0

Ion 77.00 (76.70 to 77.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 17.88 ng
RT: 8.47 min Scan# 602
Delta R.T. 0.13 min
Lab File: BF087353.D
Acq: 24 May 2016 23:42




Instrument :
BNA_F
ClientSampleId :
CHS-STA-1711(0-4)


Tgt Ion: 70 Resp: 118829
Ion Ratio Lower Upper
70 100
42 67.1 43.1 64.7#
101 0.0 8.1 12.1#
130 1.6 18.6 28.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 9.59 min Scan# 700
Delta R.T. -0.06 min
Lab File: BF087353.D
Acq: 24 May 2016 23:42

Tgt Ion: 136 Resp: 467902
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 10.9 5.0 7.4#
68 5.5 4.4 6.6









#23
 Nitrobenzene-d5
 Concen: 93.24 ng
 RT: 8.47 min Scan# 602
 Delta R.T. -0.07 min
 Lab File: BF087353.D
 Acq: 24 May 2016 23:42

Instrument :
 BNA_F
 ClientSampleId :
 CHS-STA-1711(0-4)

Tgt Ion: 82 Resp: 865598
 Ion Ratio Lower Upper
 82 100
 128 39.6 40.6 61.0#
 54 68.8 38.1 57.1#




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.41 min Scan# 947
 Delta R.T. -0.07 min
 Lab File: BF087353.D
 Acq: 24 May 2016 23:42

Tgt Ion: 164 Resp: 222590
 Ion Ratio Lower Upper
 164 100
 162 103.3 82.8 124.2
 160 47.4 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 156.29 ng
 RT: 13.71 min Scan# 1061
 Delta R.T. -0.07 min
 Lab File: BF087353.D
 Acq: 24 May 2016 23:42




Instrument :
 BNA_F
 ClientSampleId :
 CHS-STA-1711(0-4)


Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.4	79.0	118.4
141	43.5	31.2	46.8



#44
 2-Fluorobiphenyl
 Concen: 93.78 ng
 RT: 11.36 min Scan# 855
 Delta R.T. -0.07 min
 Lab File: BF087353.D
 Acq: 24 May 2016 23:42

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	29.0	43.6
170	24.4	19.8	29.8









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 14.82 min Scan# 1158
 Delta R.T. -0.06 min
 Lab File: BF087353.D
 Acq: 24 May 2016 23:42




Instrument :
 BNA_F
 ClientSampleId :
 CHS-STA-1711(0-4)


Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.2	6.8	10.2
80	9.5	7.1	10.7



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.50 min Scan# 1480
 Delta R.T. -0.06 min
 Lab File: BF087353.D
 Acq: 24 May 2016 23:42

Tgt Ion	Ratio	Lower	Upper
240	100		
120	14.3	11.2	16.8
236	26.8	21.2	31.8





#78

Terphenyl-d14

Concen: 84.10 ng

RT: 17.17 min Scan# 1363

Delta R.T. -0.06 min

Lab File: BF087353.D

Acq: 24 May 2016 23:42

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1711(0-4)


Tgt Ion:244 Resp: 1516979

Ion Ratio Lower Upper

244 100

212 8.1 6.2 9.2




122 13.9 12.0 18.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 20.18 min Scan# 1627

Delta R.T. -0.05 min

Lab File: BF087353.D

Acq: 24 May 2016 23:42


Tgt Ion:264 Resp: 122310

Ion Ratio Lower Upper

264 100

260 26.9 19.5 29.3

265 21.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

