

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052416\
 Data File : BF087357.D
 Acq On : 25 May 2016 1:57
 Operator : UM/SJ
 Sample : H3191-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CHS-STA-1699(0-4)

Quant Time: May 25 05:18:10 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 00:58:25 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	109836	20.00	ng	0.00
21) Naphthalene-d8	9.59	136	438546	20.00	ng	-0.01
38) Acenaphthene-d10	12.41	164	211474	20.00	ng	-0.01
63) Phenanthrene-d10	14.82	188	428626	20.00	ng	0.00
75) Chrysene-d12	18.50	240	369507	20.00	ng	-0.01
86) Perylene-d12	20.17	264	262195	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	870728	139.30	ng	0.02
7) Phenol-d6	7.10	99	1093204	129.43	ng	-0.01
23) Nitrobenzene-d5	8.47	82	787773	90.53	ng	-0.02
41) 2,4,6-Tribromophenol	13.71	330	315081	155.04	ng	-0.01
44) 2-Fluorobiphenyl	11.37	172	1391949	92.79	ng	-0.01
78) Terphenyl-d14	17.17	244	1463396	84.20	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	1.67	88	47816	14.50	ng	# 22
15) Benzyl Alcohol	7.79	79	13903	2.26	ng	# 43
19) n-Nitroso-di-n-propylamine	8.47	70	106967	16.98	ng	# 74
31) Naphthalene	9.62	128	181109	8.24	ng	99
50) 2,6-Dinitrotoluene	12.41	165	23969	7.02	ng	# 21


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052416\
Data File : BF087357.D
Acq On : 25 May 2016 1:57
Operator : UM/SJ
Sample : H3191-05
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CHS-STA-1699(0-4)

Quant Time: May 25 05:18:10 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 00:58:25 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.56 min Scan# 523

Delta R.T. -0.00 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1699(0-4)


Tgt Ion: 152 Resp: 109836

Ion Ratio Lower Upper

152 100

150 153.0 125.8 188.6




115 62.7 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 14.50 ng

RT: 1.67 min Scan# 7

Delta R.T. -0.19 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57


Tgt Ion: 88 Resp: 47816

Ion Ratio Lower Upper

88 100

58 0.0 59.6 89.4#



43 0.0 21.8 32.6#



Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0





#5

2-Fluorophenol

Concen: 139.30 ng

RT: 5.48 min Scan# 341

Delta R.T. 0.02 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1699(0-4)


Tgt Ion: 112 Resp: 870728

Ion Ratio Lower Upper

112 100

64 65.0 52.1 78.1




63 36.4 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#7

Phenol-d6

Concen: 129.43 ng

RT: 7.10 min Scan# 482

Delta R.T. -0.01 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57


Tgt Ion: 99 Resp: 1093204

Ion Ratio Lower Upper

99 100

42 30.9 13.6 20.4#



71 40.9 24.6 36.8#




Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0





#15

Benzyl Alcohol

Concen: 2.26 ng

RT: 7.79 min Scan# 543

Delta R.T. -0.07 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1699(0-4)


Tgt Ion: 79 Resp: 13903

Ion Ratio Lower Upper

79 100

108 31.6 68.4 102.6#




77 106.1 50.6 76.0#



Abundance Ion 79.00 (78.70 to 79.70): BF0

Ion 108.00 (107.70 to 108.70): BF0

Ion 77.00 (76.70 to 77.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.98 ng

RT: 8.47 min Scan# 602

Delta R.T. 0.18 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57

Tgt Ion: 70 Resp: 106967


Ion Ratio Lower Upper

70 100

42 66.5 43.1 64.7#

101 0.0 8.1 12.1#

130 1.7 18.6 28.0#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.59 min Scan# 700

Delta R.T. -0.01 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1699(0-4)

Tgt Ion:136 Resp: 438546


Ion Ratio Lower Upper

136 100

137 10.8 8.8 13.2

54 11.0 5.0 7.4#

68 5.5 4.4 6.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 90.53 ng

RT: 8.47 min Scan# 602

Delta R.T. -0.02 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57


Tgt Ion: 82 Resp: 787773

Ion Ratio Lower Upper

82 100

128 38.7 40.6 61.0#



54 70.9 38.1 57.1#




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#31
Naphthalene
Concen: 8.24 ng
RT: 9.62 min Scan# 703
Delta R.T. -0.01 min
Lab File: BF087357.D
Acq: 25 May 2016 1:57

Instrument :
BNA_F
ClientSampleId :
CHS-STA-1699(0-4)

Tgt Ion:128 Resp: 181109
Ion Ratio Lower Upper
128 100
129 10.5 8.6 13.0
127 13.3 10.8 16.2




Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 12.41 min Scan# 947
Delta R.T. -0.01 min
Lab File: BF087357.D
Acq: 25 May 2016 1:57

Tgt Ion:164 Resp: 211474
Ion Ratio Lower Upper
164 100
162 102.6 82.8 124.2
160 46.3 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 155.04 ng
 RT: 13.71 min Scan# 1061
 Delta R.T. -0.01 min
 Lab File: BF087357.D
 Acq: 25 May 2016 1:57

Instrument :
 BNA_F
 ClientSampleId :
 CHS-STA-1699(0-4)

Tgt Ion:330 Resp: 315081
 Ion Ratio Lower Upper
 330 100
 332 98.5 79.0 118.4
 141 43.0 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.79 ng
 RT: 11.37 min Scan# 856
 Delta R.T. -0.01 min
 Lab File: BF087357.D
 Acq: 25 May 2016 1:57

Tgt Ion:172 Resp: 1391949
 Ion Ratio Lower Upper
 172 100
 171 35.7 29.0 43.6
 170 24.2 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
 2,6-Dinitrotoluene
 Concen: 7.02 ng
 RT: 12.41 min Scan# 947
 Delta R.T. 0.23 min
 Lab File: BF087357.D
 Acq: 25 May 2016 1:57

Instrument :
 BNA_F
 ClientSampleId :
 CHS-STA-1699(0-4)

Tgt Ion:165 Resp: 23969
 Ion Ratio Lower Upper
 165 100
 63 1.9 51.8 77.8#
 89 2.1 50.7 76.1#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 14.82 min Scan# 1158
 Delta R.T. -0.00 min
 Lab File: BF087357.D
 Acq: 25 May 2016 1:57

Tgt Ion:188 Resp: 428626
 Ion Ratio Lower Upper
 188 100
 94 8.3 6.8 10.2
 80 8.7 7.1 10.7



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.50 min Scan# 1480

Delta R.T. -0.01 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57

Instrument :

BNA_F

ClientSampleId :

CHS-STA-1699(0-4)


Tgt Ion:240 Resp: 369507

Ion Ratio Lower Upper

240 100

120 14.9 11.2 16.8




236 26.5 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 84.20 ng

RT: 17.17 min Scan# 1363

Delta R.T. -0.01 min

Lab File: BF087357.D

Acq: 25 May 2016 1:57


Tgt Ion:244 Resp: 1463396

Ion Ratio Lower Upper

244 100

212 8.1 6.2 9.2



122 13.7 12.0 18.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 20.17 min Scan# 1626
Delta R.T. -0.01 min
Lab File: BF087357.D
Acq: 25 May 2016 1:57

Instrument :
BNA_F
ClientSampleId :
CHS-STA-1699(0-4)

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.5	29.3
265	21.8	17.3	25.9

