

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052516\
 Data File : BF087402.D
 Acq On : 26 May 2016 8:44
 Operator : UM/SJ
 Sample : H3220-16
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-29-COMP

Quant Time: May 26 15:39:34 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF052316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 16:26:52 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	100927	20.00	ng	0.00
21) Naphthalene-d8	9.55	136	392260	20.00	ng	0.00
38) Acenaphthene-d10	12.38	164	162122	20.00	ng	-0.01
63) Phenanthrene-d10	14.78	188	263145	20.00	ng	0.00
75) Chrysene-d12	18.47	240	226994	20.00	ng	-0.01
86) Perylene-d12	20.14	264	154357	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.44	112	926138	161.24	ng	0.02
7) Phenol-d6	7.08	99	1164484	150.04	ng	0.01
23) Nitrobenzene-d5	8.43	82	799514	102.72	ng	-0.01
41) 2,4,6-Tribromophenol	13.68	330	207754	133.35	ng	0.00
44) 2-Fluorobiphenyl	11.34	172	1260042	109.57	ng	0.00
78) Terphenyl-d14	17.13	244	927762	86.89	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	12.02	163	141524	10.90	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052516\
Data File : BF087402.D
Acq On : 26 May 2016 8:44
Operator : UM/SJ
Sample : H3220-16
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-29-COMP

Quant Time: May 26 15:39:34 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF052316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 16:26:52 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.52 min Scan# 519

Delta R.T. 0.00 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44

Instrument :

BNA_F

ClientSampleId :

SB-29-COMP


Tot Ion:152 Resp: 100927

Ion Ratio Lower Upper

152 100

150 155.3 125.8 188.6




115 68.7 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 161.24 ng

RT: 5.44 min Scan# 337

Delta R.T. 0.02 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44


Tgt Ion:112 Resp: 926138

Ion Ratio Lower Upper

112 100

64 76.6 52.1 78.1



63 43.1 25.7 38.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 150.04 ng

RT: 7.08 min Scan# 481

Delta R.T. 0.01 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44

Instrument :

BNA_F

ClientSampleId :

SB-29-COMP


Tot Ion: 99 Resp: 1164484

Ion Ratio Lower Upper

99 100

42 31.7 13.6 20.4#




71 42.3 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.55 min Scan# 697

Delta R.T. 0.00 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44

Tgt Ion: 136 Resp: 392260


Ion Ratio Lower Upper

136 100

137 10.6 8.8 13.2

54 10.4 5.0 7.4#

68 5.1 4.4 6.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 102.72 ng
 RT: 8.43 min Scan# 599
 Delta R.T. -0.01 min
 Lab File: BF087402.D
 Acq: 26 May 2016 8:44




Instrument :
 BNA_F
 ClientSampleId :
 SB-29-COMP


Tot Ion: 82 Resp: 799514
 Ion Ratio Lower Upper
 82 100
 128 37.0 40.6 61.0#
 54 73.3 38.1 57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.38 min Scan# 944
 Delta R.T. -0.01 min
 Lab File: BF087402.D
 Acq: 26 May 2016 8:44

Tgt Ion: 164 Resp: 162122
 Ion Ratio Lower Upper
 164 100
 162 103.9 82.8 124.2
 160 47.4 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 133.35 ng
 RT: 13.68 min Scan# 1058
 Delta R.T. 0.00 min
 Lab File: BF087402.D
 Acq: 26 May 2016 8:44




Instrument :
 BNA_F
 ClientSampleId :
 SB-29-COMP


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	79.0	118.4
141	44.5	31.2	46.8



#44
 2-Fluorobiphenyl
 Concen: 109.57 ng
 RT: 11.34 min Scan# 853
 Delta R.T. 0.00 min
 Lab File: BF087402.D
 Acq: 26 May 2016 8:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.0	43.6
170	24.3	19.8	29.8





#49

Dimethylphthalate

Concen: 10.90 ng

RT: 12.02 min Scan# 913

Delta R.T. -0.02 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44

Instrument :

BNA_F

ClientSampleId :

SB-29-COMP


Tot Ion:163 Resp: 141524

Ion Ratio Lower Upper

163 100

194 3.0 2.6 4.0




164 10.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.78 min Scan# 1154

Delta R.T. 0.00 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44


Tgt Ion:188 Resp: 263145

Ion Ratio Lower Upper

188 100

94 9.3 6.8 10.2



80 9.9 7.1 10.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.47 min Scan# 1477

Delta R.T. -0.01 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44

Instrument :

BNA_F

ClientSampleId :

SB-29-COMP


Tot Ion:240 Resp: 226994

Ion Ratio Lower Upper

240 100

120 11.4 11.2 16.8




236 26.0 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.89 ng

RT: 17.13 min Scan# 1360

Delta R.T. 0.00 min

Lab File: BF087402.D

Acq: 26 May 2016 8:44


Tgt Ion:244 Resp: 927762

Ion Ratio Lower Upper

244 100

212 8.1 6.2 9.2



122 12.3 12.0 18.0






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 20.14 min Scan# 1623
 Delta R.T. 0.00 min
 Lab File: BF087402.D
 Acq: 26 May 2016 8:44

Instrument :
 BNA_F
 ClientSampleId :
 SB-29-COMP

Tot Ion:264	Resp:	154357
Ion Ratio	Lower	Upper
264	100	
260	24.3	19.5 29.3
265	21.8	17.3 25.9

