

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052617\
 Data File : BF095464.D
 Acq On : 26 May 2017 16:54
 Operator : SJ/MA
 Sample : I3222-17
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BLIND-DUPE-X

Quant Time: May 26 18:04:10 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 26 16:50:16 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.74	152	91929	20.00	ng	0.00
21) Naphthalene-d8	9.77	136	367528	20.00	ng	0.00
38) Acenaphthene-d10	12.60	164	164216	20.00	ng	0.00
63) Phenanthrene-d10	15.00	188	248529	20.00	ng	0.00
75) Chrysene-d12	18.68	240	194803	20.00	ng	0.00
86) Perylene-d12	20.35	264	153117	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	647265	117.39	ng	0.00
7) Phenol-d6	7.29	99	774057	117.00	ng	0.00
23) Nitrobenzene-d5	8.64	82	422821	72.55	ng	-0.01
41) 2,4,6-Tribromophenol	13.89	330	123912	92.14	ng	0.00
44) 2-Fluorobiphenyl	11.53	172	842786	73.87	ng	0.00
78) Terphenyl-d14	17.32	244	519198	58.70	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	12.24	163	112935	8.38	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052617\
Data File : BF095464.D
Acq On : 26 May 2017 16:54
Operator : SJ/MA
Sample : I3222-17
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BLIND-DUPE-X

Quant Time: May 26 18:04:10 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 26 16:50:16 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.74 min Scan# 987
Delta R.T. 0.00 min
Lab File: BF095464.D
Acq: 26 May 2017 16:54

Instrument :
BNA_F
ClientSampleId :
BLIND-DUPE-X

Tot Ion:152 Resp: 91929
Ion Ratio Lower Upper
152 100
150 155.2 126.2 189.2
115 56.4 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 117.39 ng
RT: 5.71 min Scan# 641
Delta R.T. 0.00 min
Lab File: BF095464.D
Acq: 26 May 2017 16:54

Tgt Ion:112 Resp: 647265
Ion Ratio Lower Upper
112 100
64 54.7 46.0 69.0
63 26.0 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 117.00 ng

RT: 7.29 min Scan# 910

Delta R.T. -0.01 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54

Instrument :

BNA_F

ClientSampleId :

BLIND-DUPE-X


Tot Ion: 99 Resp: 774057

Ion Ratio Lower Upper

99 100

42 15.1 13.5 20.3




71 30.2 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.77 min Scan# 1331

Delta R.T. 0.01 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54

Tgt Ion:136 Resp: 367528


Ion Ratio Lower Upper

136 100

137 10.2 8.5 12.7

54 7.0 4.9 7.3

68 5.1 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 72.55 ng

RT: 8.64 min Scan# 1140

Delta R.T. -0.01 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54

Instrument :

BNA_F

ClientSampleId :

BLIND-DUPE-X





Tot Ion: 82 Resp: 422821

Ion Ratio Lower Upper

82 100

128 45.8 34.0 51.0

54 46.8 42.2 63.2



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 12.60 min Scan# 1812

Delta R.T. 0.00 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54




Tgt Ion:164 Resp: 164216

Ion Ratio Lower Upper

164 100

162 100.4 82.6 123.8

160 43.9 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 92.14 ng
 RT: 13.89 min Scan# 2033
 Delta R.T. -0.01 min
 Lab File: BF095464.D
 Acq: 26 May 2017 16:54




Instrument :
 BNA_F
 ClientSampleId :
 BLIND-DUPE-X

Tot Ion:330 Resp: 123912
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.6 115.0
 141 39.4 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 73.87 ng
 RT: 11.53 min Scan# 1631
 Delta R.T. -0.01 min
 Lab File: BF095464.D
 Acq: 26 May 2017 16:54

Tgt Ion:172 Resp: 842786
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.6 44.4
 170 23.6 19.8 29.8





#49

Dimethylphthalate

Concen: 8.38 ng

RT: 12.24 min Scan# 1751

Delta R.T. -0.01 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54

Instrument :

BNA_F

ClientSampleId :

BLIND-DUPE-X


Tot Ion:163 Resp: 112935

Ion Ratio Lower Upper

163 100

194 3.5 2.6 4.0




164 10.8 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 15.00 min Scan# 2221

Delta R.T. 0.00 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54


Tgt Ion:188 Resp: 248529

Ion Ratio Lower Upper

188 100

94 10.4 9.4 14.2



80 11.4 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.68 min Scan# 2846

Delta R.T. 0.00 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54

Instrument :

BNA_F

ClientSampleId :

BLIND-DUPE-X


Tot Ion:240 Resp: 194803

Ion Ratio Lower Upper

240 100

120 14.4 5.8 8.8#




236 24.8 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 58.70 ng

RT: 17.32 min Scan# 2615

Delta R.T. -0.01 min

Lab File: BF095464.D

Acq: 26 May 2017 16:54


Tgt Ion:244 Resp: 519198

Ion Ratio Lower Upper

244 100

212 6.9 6.0 9.0



122 13.9 10.3 15.5






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 20.35 min Scan# 3131
Delta R.T. 0.00 min
Lab File: BF095464.D
Acq: 26 May 2017 16:54

Instrument :
BNA_F
ClientSampleId :
BLIND-DUPE-X

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.5	29.3
265	21.2	17.2	25.8

