

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052617\
 Data File : BF095465.D
 Acq On : 26 May 2017 17:27
 Operator : SJ/MA
 Sample : I3221-10
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EX-08

Quant Time: May 26 18:05:50 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 26 16:50:16 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.74	152	90426	20.00	ng	0.00
21) Naphthalene-d8	9.77	136	362802	20.00	ng	0.00
38) Acenaphthene-d10	12.60	164	157985	20.00	ng	0.00
63) Phenanthrene-d10	15.01	188	241146	20.00	ng	0.00
75) Chrysene-d12	18.68	240	190478	20.00	ng	0.00
86) Perylene-d12	20.35	264	155014	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	666466	122.88	ng	0.00
7) Phenol-d6	7.29	99	821721	126.27	ng	0.00
23) Nitrobenzene-d5	8.64	82	450150	78.24	ng	-0.01
41) 2,4,6-Tribromophenol	13.90	330	118600	91.66	ng	0.00
44) 2-Fluorobiphenyl	11.53	172	925337	84.30	ng	0.00
78) Terphenyl-d14	17.32	244	568642	65.75	ng	0.00
Target Compounds						
49) Dimethylphthalate	12.24	163	159399	12.29	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052617\
Data File : BF095465.D
Acq On : 26 May 2017 17:27
Operator : SJ/MA
Sample : I3221-10
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EX-08

Quant Time: May 26 18:05:50 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 26 16:50:16 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.74 min Scan# 987
Delta R.T. 0.00 min
Lab File: BF095465.D
Acq: 26 May 2017 17:27

Instrument :
BNA_F
ClientSampled :
EX-08

Tot Ion:152 Resp: 90426
Ion Ratio Lower Upper
152 100
150 153.2 126.2 189.2
115 59.5 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.88 ng
RT: 5.71 min Scan# 642
Delta R.T. 0.01 min
Lab File: BF095465.D
Acq: 26 May 2017 17:27

Tgt Ion:112 Resp: 666466
Ion Ratio Lower Upper
112 100
64 54.7 46.0 69.0
63 26.3 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 126.27 ng

RT: 7.29 min Scan# 910

Delta R.T. -0.01 min

Lab File: BF095465.D

Acq: 26 May 2017 17:27

Instrument :

BNA_F

ClientSampleId :

EX-08


Tot Ion: 99 Resp: 821721

Ion Ratio Lower Upper

99 100

42 16.3 13.5 20.3




71 30.7 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.77 min Scan# 1331

Delta R.T. 0.01 min

Lab File: BF095465.D

Acq: 26 May 2017 17:27

Tgt Ion: 136 Resp: 362802


Ion Ratio Lower Upper

136 100

137 10.9 8.5 12.7

54 7.0 4.9 7.3

68 5.7 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 78.24 ng
 RT: 8.64 min Scan# 1140
 Delta R.T. -0.01 min
 Lab File: BF095465.D
 Acq: 26 May 2017 17:27




Instrument :
 BNA_F
 ClientSampleId :
 EX-08


Tot Ion: 82 Resp: 450150
 Ion Ratio Lower Upper
 82 100
 128 46.1 34.0 51.0
 54 46.5 42.2 63.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.60 min Scan# 1813
 Delta R.T. 0.01 min
 Lab File: BF095465.D
 Acq: 26 May 2017 17:27

Tgt Ion:164 Resp: 157985
 Ion Ratio Lower Upper
 164 100
 162 102.0 82.6 123.8
 160 42.8 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 91.66 ng
 RT: 13.90 min Scan# 2034
 Delta R.T. 0.00 min
 Lab File: BF095465.D
 Acq: 26 May 2017 17:27

Instrument :
 BNA_F
 ClientSampleId :
 EX-08

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	76.6	115.0
141	39.9	31.4	47.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.30 ng
 RT: 11.53 min Scan# 1631
 Delta R.T. -0.01 min
 Lab File: BF095465.D
 Acq: 26 May 2017 17:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	29.6	44.4
170	23.5	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 12.29 ng

RT: 12.24 min Scan# 1752

Delta R.T. 0.00 min

Lab File: BF095465.D

Acq: 26 May 2017 17:27

Instrument :

BNA_F

ClientSampleId :

EX-08


Tot Ion:163 Resp: 159399

Ion Ratio Lower Upper

163 100

194 3.6 2.6 4.0




164 9.9 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 15.01 min Scan# 2222

Delta R.T. 0.01 min

Lab File: BF095465.D

Acq: 26 May 2017 17:27


Tgt Ion:188 Resp: 241146

Ion Ratio Lower Upper

188 100

94 9.4 9.4 14.2



80 10.8 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.68 min Scan# 2846

Delta R.T. 0.00 min

Lab File: BF095465.D

Acq: 26 May 2017 17:27

Instrument :

BNA_F

ClientSampleId :

EX-08


Tot Ion:240 Resp: 190478

Ion Ratio Lower Upper

240 100

120 14.3 5.8 8.8#




236 23.9 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 65.75 ng

RT: 17.32 min Scan# 2615

Delta R.T. -0.01 min

Lab File: BF095465.D

Acq: 26 May 2017 17:27


Tgt Ion:244 Resp: 568642

Ion Ratio Lower Upper

244 100

212 6.9 6.0 9.0



122 14.4 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 20.35 min Scan# 3131
 Delta R.T. 0.00 min
 Lab File: BF095465.D
 Acq: 26 May 2017 17:27

Instrument :
 BNA_F
 ClientSampleId :
 EX-08

Tot Ion:	264	Resp:	155014
Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.5	29.3
265	21.0	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

