

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052621\
 Data File : BF124062.D
 Acq On : 26 May 2021 13:32
 Operator : JU/CG
 Sample : M2516-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 1-5-TP

Quant Time: May 26 13:56:04 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 14 19:05:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	48209	20.00	ng	-0.01
21) Naphthalene-d8	8.175	136	189260	20.00	ng	#-0.01
39) Acenaphthene-d10	9.933	164	109845	20.00	ng	-0.01
64) Phenanthrene-d10	11.422	188	209726	20.00	ng	0.00
76) Chrysene-d12	14.063	240	133915	20.00	ng	# 0.00
86) Perylene-d12	15.563	264	114698	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	318589	92.79	ng	0.01
7) Phenol-d6	6.522	99	409779	92.00	ng	0.00
23) Nitrobenzene-d5	7.451	82	326400	74.31	ng	-0.01
42) 2,4,6-Tribromophenol	10.722	330	157908	119.69	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	590125	66.11	ng	-0.01
79) Terphenyl-d14	13.010	244	734457	83.07	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.639	163	54297	6.19	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052621\
Data File : BF124062.D
Acq On : 26 May 2021 13:32
Operator : JU/CG
Sample : M2516-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
1-5-TP

Quant Time: May 26 13:56:04 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF051421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 14 19:05:57 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.012 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32




Instrument :
BNA_F
ClientSampleId :
1-5-TP


Tgt Ion:152 Resp: 48209
Ion Ratio Lower Upper
152 100
150 154.0 127.0 190.6
115 65.8 54.3 81.5



#5
2-Fluorophenol
Concen: 92.79 ng
RT: 5.522 min Scan# 584
Delta R.T. 0.012 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32

Tgt Ion:112 Resp: 318589
Ion Ratio Lower Upper
112 100
64 74.6 61.4 92.0
63 41.1 33.0 49.4









#7
Phenol-d6
Concen: 92.00 ng
RT: 6.522 min Scan# 754
Delta R.T. 0.000 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32

Instrument :
BNA_F
ClientSampled :
1-5-TP

Tgt Ion: 99 Resp: 409779




Ion	Ratio	Lower	Upper
99	100		
42	26.1	19.8	29.8
71	44.8	31.1	46.7




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.011 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32

Tgt Ion: 136 Resp: 189260

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.7	13.1
54	12.7	9.8	14.6
68	6.7	4.1	6.1









#23
Nitrobenzene-d5
Concen: 74.31 ng
RT: 7.451 min Scan# 912
Delta R.T. -0.012 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32




Instrument :
BNA_F
ClientSampled :
1-5-TP


Tgt Ion: 82 Resp: 326400
Ion Ratio Lower Upper
82 100
128 35.9 29.4 44.2
54 65.4 54.1 81.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.012 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32


Tgt Ion:164 Resp: 109845
Ion Ratio Lower Upper
164 100
162 104.2 80.7 121.1
160 47.6 37.3 55.9








#42
2,4,6-Tribromophenol
Concen: 119.69 ng
RT: 10.722 min Scan# 1468
Delta R.T. -0.006 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32


Instrument :
BNA_F
ClientSampleId :
1-5-TP





Tgt Ion:330 Resp: 157908
Ion Ratio Lower Upper
330 100
332 98.6 77.1 115.7
141 37.4 27.9 41.9




#45
2-Fluorobiphenyl
Concen: 66.11 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.012 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32



Tgt Ion:172 Resp: 590125
Ion Ratio Lower Upper
172 100
171 36.5 28.1 42.1
170 24.2 19.2 28.8









#50
Dimethylphthalate
Concen: 6.19 ng
RT: 9.639 min Scan# 1284
Delta R.T. -0.023 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32




Instrument :
BNA_F
ClientSampled :
1-5-TP


Tgt Ion:163 Resp: 54297
Ion Ratio Lower Upper
163 100
194 4.6 3.1 4.7
164 10.8 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.422 min Scan# 1587
Delta R.T. -0.005 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32

Tgt Ion:188 Resp: 209726
Ion Ratio Lower Upper
188 100
94 8.2 6.9 10.3
80 9.9 8.2 12.2









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.063 min Scan# 2036
Delta R.T. -0.006 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32




Instrument :
BNA_F
ClientSampled :
1-5-TP


Tgt Ion:240 Resp: 133915
Ion Ratio Lower Upper
240 100
120 11.3 7.2 10.8#
236 24.3 19.0 28.4



#79
Terphenyl-d14
Concen: 83.07 ng
RT: 13.010 min Scan# 1857
Delta R.T. -0.006 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32

Tgt Ion:244 Resp: 734457
Ion Ratio Lower Upper
244 100
212 7.5 5.7 8.5
122 10.6 9.7 14.5





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.563 min Scan# 2291
Delta R.T. 0.012 min
Lab File: BF124062.D
Acq: 26 May 2021 13:32

Instrument :
BNA_F
ClientSampleId :
1-5-TP

Tgt Ion:264	Resp:	114698
Ion Ratio	Lower	Upper
264	100	
260	21.1	18.7 28.1
265	18.9	17.8 26.8

