

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052716\
 Data File : BF087446.D
 Acq On : 27 May 2016 16:46
 Operator : UM/SJ
 Sample : PB90866BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB90866BL

Quant Time: May 27 23:45:37 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 16:26:52 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.48	152	123188	20.00	ng	-0.03
21) Naphthalene-d8	9.52	136	518851	20.00	ng	-0.03
38) Acenaphthene-d10	12.34	164	249537	20.00	ng	-0.05
63) Phenanthrene-d10	14.74	188	490178	20.00	ng	-0.03
75) Chrysene-d12	18.45	240	416797	20.00	ng	-0.03
86) Perylene-d12	20.13	264	283978	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	812448	115.89	ng	-0.02
7) Phenol-d6	7.04	99	1128992	119.18	ng	-0.03
23) Nitrobenzene-d5	8.40	82	740113	71.89	ng	-0.05
41) 2,4,6-Tribromophenol	13.63	330	256257	106.86	ng	-0.05
44) 2-Fluorobiphenyl	11.29	172	1250535	70.65	ng	-0.05
78) Terphenyl-d14	17.10	244	1331673	67.93	ng	-0.03
Target Compounds						
2) 1,4-Dioxane	1.63	88	65883	17.81	ng	# 22
19) n-Nitroso-di-n-propylamine	8.40	70	97544	13.81	ng	# 75


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052716\
Data File : BF087446.D
Acq On : 27 May 2016 16:46
Operator : UM/SJ
Sample : PB90866BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB90866BL

Quant Time: May 27 23:45:37 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 16:26:52 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.48 min Scan# 516

Delta R.T. -0.03 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46

Instrument :

BNA_F

ClientSampled :

PB90866BL


Tgt Ion:152 Resp: 123188

Ion Ratio Lower Upper

152 100

150 155.2 125.8 188.6

115 66.3 51.5 77.3




Abundance Ion 152.00 (151.70 to 152.70): E


Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E

Time-->



Time-->



#2

1,4-Dioxane

Concen: 17.81 ng

RT: 1.63 min Scan# 4

Delta R.T. -0.18 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46


Tgt Ion: 88 Resp: 65883

Ion Ratio Lower Upper

88 100

58 0.0 59.6 89.4#

43 0.0 21.8 32.6#




Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0

Time-->



Time-->



#5

2-Fluorophenol

Concen: 115.89 ng

RT: 5.39 min Scan# 333

Delta R.T. -0.02 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46

Instrument :

BNA_F

ClientSampleId :

PB90866BL


Tgt Ion: 112 Resp: 812448

Ion Ratio Lower Upper

112 100

64 76.1 52.1 78.1




63 43.5 25.7 38.5#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0



#7

Phenol-d6

Concen: 119.18 ng

RT: 7.04 min Scan# 477

Delta R.T. -0.03 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46


Tgt Ion: 99 Resp: 1128992

Ion Ratio Lower Upper

99 100

42 25.7 13.6 20.4#



71 37.7 24.6 36.8#




Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 13.81 ng
RT: 8.40 min Scan# 596
Delta R.T. 0.15 min
Lab File: BF087446.D
Acq: 27 May 2016 16:46

Instrument :
BNA_F
ClientSampled :
PB90866BL

Tgt Ion: 70 Resp: 97544
Ion Ratio Lower Upper
70 100
42 65.7 43.1 64.7#
101 0.0 8.1 12.1#
130 1.7 18.6 28.0#




Abundance Ion 70.00 (69.70 to 70.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 101.00 (100.70 to 101.70): E
Ion 130.00 (129.70 to 130.70): E






#21
Naphthalene-d8
Concen: 20.00 ng
RT: 9.52 min Scan# 694
Delta R.T. -0.03 min
Lab File: BF087446.D
Acq: 27 May 2016 16:46

Tgt Ion: 136 Resp: 518851
Ion Ratio Lower Upper
136 100
137 10.5 8.8 13.2
54 10.2 5.0 7.4#
68 5.0 4.4 6.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 71.89 ng
 RT: 8.40 min Scan# 596
 Delta R.T. -0.05 min
 Lab File: BF087446.D
 Acq: 27 May 2016 16:46




Instrument :
 BNA_F
 ClientSampleId :
 PB90866BL


Tgt Ion: 82 Resp: 740113
 Ion Ratio Lower Upper
 82 100
 128 39.9 40.6 61.0#
 54 69.8 38.1 57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.34 min Scan# 941
 Delta R.T. -0.05 min
 Lab File: BF087446.D
 Acq: 27 May 2016 16:46

Tgt Ion: 164 Resp: 249537
 Ion Ratio Lower Upper
 164 100
 162 104.2 82.8 124.2
 160 47.7 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 106.86 ng
 RT: 13.63 min Scan# 1054
 Delta R.T. -0.05 min
 Lab File: BF087446.D
 Acq: 27 May 2016 16:46




Instrument :
 BNA_F
 ClientSampleID :
 PB90866BL


Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.7	79.0	118.4
141	44.1	31.2	46.8



#44
 2-Fluorobiphenyl
 Concen: 70.65 ng
 RT: 11.29 min Scan# 849
 Delta R.T. -0.05 min
 Lab File: BF087446.D
 Acq: 27 May 2016 16:46

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.0	43.6
170	23.7	19.8	29.8





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.74 min Scan# 1151

Delta R.T. -0.03 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46

Instrument :

BNA_F

ClientSampleId :

PB90866BL


Tgt Ion:188 Resp: 490178

Ion Ratio Lower Upper

188 100

94 9.7 6.8 10.2




80 10.6 7.1 10.7



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 18.45 min Scan# 1475

Delta R.T. -0.03 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46


Tgt Ion:240 Resp: 416797

Ion Ratio Lower Upper

240 100

120 10.9 11.2 16.8#



236 26.2 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 67.93 ng

RT: 17.10 min Scan# 1357

Delta R.T. -0.03 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46

Instrument :

BNA_F

ClientSampleId :

PB90866BL


Tgt Ion:244 Resp: 1331673

Ion Ratio Lower Upper

244 100

212 8.2 6.2 9.2




122 14.4 12.0 18.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 20.13 min Scan# 1622

Delta R.T. -0.01 min

Lab File: BF087446.D

Acq: 27 May 2016 16:46


Tgt Ion:264 Resp: 283978

Ion Ratio Lower Upper

264 100

260 24.1 19.5 29.3

265 21.1 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

