

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052716\
 Data File : BF087458.D
 Acq On : 27 May 2016 23:46
 Operator : UM/SJ
 Sample : H3291-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-12B

Quant Time: May 28 00:35:17 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF052316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 16:26:52 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.48	152	117594	20.00	ng	-0.03
21) Naphthalene-d8	9.52	136	478366	20.00	ng	-0.03
38) Acenaphthene-d10	12.34	164	236751	20.00	ng	-0.05
63) Phenanthrene-d10	14.74	188	451552	20.00	ng	-0.03
75) Chrysene-d12	18.45	240	373342	20.00	ng	-0.03
86) Perylene-d12	20.13	264	262023	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	418736	62.57	ng	-0.03
7) Phenol-d6	7.04	99	374075	41.37	ng	-0.03
23) Nitrobenzene-d5	8.40	82	786710	82.88	ng	-0.05
41) 2,4,6-Tribromophenol	13.63	330	304070	133.65	ng	-0.05
44) 2-Fluorobiphenyl	11.29	172	1413449	84.17	ng	-0.05
78) Terphenyl-d14	17.10	244	1433503	81.63	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052716\
Data File : BF087458.D
Acq On : 27 May 2016 23:46
Operator : UM/SJ
Sample : H3291-02
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-12B

Quant Time: May 28 00:35:17 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF052316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 16:26:52 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.48 min Scan# 516
 Delta R.T. -0.03 min
 Lab File: BF087458.D
 Acq: 27 May 2016 23:46

Instrument :
 BNA_F
 ClientSampleId :
 MW-12B

Tot Ion:152 Resp: 117594
 Ion Ratio Lower Upper
 152 100
 150 156.2 125.8 188.6
 115 69.1 51.5 77.3




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 62.57 ng
 RT: 5.38 min Scan# 332
 Delta R.T. -0.03 min
 Lab File: BF087458.D
 Acq: 27 May 2016 23:46

Tgt Ion:112 Resp: 418736
 Ion Ratio Lower Upper
 112 100
 64 74.6 52.1 78.1
 63 41.7 25.7 38.5#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 41.37 ng

RT: 7.04 min Scan# 477

Delta R.T. -0.03 min

Lab File: BF087458.D

Acq: 27 May 2016 23:46

Instrument :

BNA_F

ClientSampleId :

MW-12B


Tot Ion: 99 Resp: 374075

Ion Ratio Lower Upper

99 100

42 28.3 13.6 20.4#




71 39.1 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.52 min Scan# 694

Delta R.T. -0.03 min

Lab File: BF087458.D

Acq: 27 May 2016 23:46

Tgt Ion: 136 Resp: 478366


Ion Ratio Lower Upper

136 100

137 10.4 8.8 13.2

54 10.4 5.0 7.4#

68 5.2 4.4 6.6





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0








#23
 Nitrobenzene-d5
 Concen: 82.88 ng
 RT: 8.40 min Scan# 596
 Delta R.T. -0.05 min
 Lab File: BF087458.D
 Acq: 27 May 2016 23:46




Instrument :
 BNA_F
 ClientSampleId :
 MW-12B


Tot Ion: 82 Resp: 786710
 Ion Ratio Lower Upper
 82 100
 128 37.8 40.6 61.0#
 54 71.3 38.1 57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.34 min Scan# 941
 Delta R.T. -0.05 min
 Lab File: BF087458.D
 Acq: 27 May 2016 23:46

Tgt Ion: 164 Resp: 236751
 Ion Ratio Lower Upper
 164 100
 162 102.7 82.8 124.2
 160 47.9 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 133.65 ng
 RT: 13.63 min Scan# 1054
 Delta R.T. -0.05 min
 Lab File: BF087458.D
 Acq: 27 May 2016 23:46

Instrument :
 BNA_F
 ClientSampleId :
 MW-12B

Tot Ion:330 Resp: 304070
 Ion Ratio Lower Upper
 330 100
 332 96.4 79.0 118.4
 141 42.6 31.2 46.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.17 ng
 RT: 11.29 min Scan# 849
 Delta R.T. -0.05 min
 Lab File: BF087458.D
 Acq: 27 May 2016 23:46

Tgt Ion:172 Resp: 1413449
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.0 43.6
 170 24.3 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 14.74 min Scan# 1151
Delta R.T. -0.03 min
Lab File: BF087458.D
Acq: 27 May 2016 23:46

Instrument :
BNA_F
ClientSampleId :
MW-12B

Tot Ion:188 Resp: 451552
Ion Ratio Lower Upper
188 100
94 9.3 6.8 10.2
80 10.2 7.1 10.7




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.45 min Scan# 1475
Delta R.T. -0.03 min
Lab File: BF087458.D
Acq: 27 May 2016 23:46

Tgt Ion:240 Resp: 373342
Ion Ratio Lower Upper
240 100
120 10.9 11.2 16.8#
236 26.0 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 81.63 ng

RT: 17.10 min Scan# 1357

Delta R.T. -0.03 min

Lab File: BF087458.D

Acq: 27 May 2016 23:46

Instrument :

BNA_F

ClientSampleId :

MW-12B


Tot Ion:244 Resp: 1433503

Ion Ratio Lower Upper

244 100

212 8.1 6.2 9.2




122 13.9 12.0 18.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 20.13 min Scan# 1622

Delta R.T. -0.01 min

Lab File: BF087458.D

Acq: 27 May 2016 23:46


Tgt Ion:264 Resp: 262023

Ion Ratio Lower Upper

264 100

260 24.9 19.5 29.3

265 21.1 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

