

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052722\
 Data File : BF128509.D
 Acq On : 27 May 2022 14:41
 Operator : CG\JU
 Sample : N2922-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P024-SS001-1824-01

Quant Time: May 27 23:18:22 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 01:51:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	210396	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	820650	20.000	ng	0.00
39) Acenaphthene-d10	9.874	164	475885	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	908540	20.000	ng	0.00
76) Chrysene-d12	14.004	240	560661	20.000	ng	0.00
86) Perylene-d12	15.468	264	419604	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	1077805	84.853	ng	0.00
7) Phenol-d6	6.457	99	1390795	85.876	ng	-0.01
23) Nitrobenzene-d5	7.398	82	916018	64.392	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	418061	92.295	ng	-0.01
45) 2-Fluorobiphenyl	9.198	172	1704059	58.176	ng	0.00
79) Terphenyl-d14	12.957	244	1890324	65.138	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052722\
Data File : BF128509.D
Acq On : 27 May 2022 14:41
Operator : CG\JU
Sample : N2922-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P024-SS001-1824-01

Quant Time: May 27 23:18:22 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 01:51:59 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.839 min Scan# 71
Delta R.T. -0.001 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41




Instrument :
BNA_F
ClientSampleId :
P024-SS001-1824-01


Tgt Ion:152 Resp: 210396
Ion Ratio Lower Upper
152 100
150 155.9 123.7 185.5
115 58.5 49.9 74.9



#5
2-Fluorophenol
Concen: 84.853 ng
RT: 5.451 min Scan# 538
Delta R.T. -0.000 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41

Tgt Ion:112 Resp: 1077805
Ion Ratio Lower Upper
112 100
64 65.6 53.3 79.9
63 34.4 28.0 42.0









#7
Phenol-d6
Concen: 85.876 ng
RT: 6.457 min Scan# 711
Delta R.T. -0.012 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41




Instrument :
BNA_F
ClientSampleId :
P024-SS001-1824-01


Tgt Ion: 99 Resp: 1390795
Ion Ratio Lower Upper
99 100
42 21.9 17.3 25.9
71 36.8 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 992
Delta R.T. -0.006 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41

Tgt Ion: 136 Resp: 820650
Ion Ratio Lower Upper
136 100
137 10.5 8.8 13.2
54 8.7 7.5 11.3
68 5.7 4.7 7.1









#23
Nitrobenzene-d5
Concen: 64.392 ng
RT: 7.398 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41




Instrument :
BNA_F
ClientSampleId :
P024-SS001-1824-01


Tgt Ion: 82 Resp: 916018
Ion Ratio Lower Upper
82 100
128 42.7 34.0 51.0
54 58.7 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.874 min Scan# 1290
Delta R.T. -0.007 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41

Tgt Ion:164 Resp: 475885
Ion Ratio Lower Upper
164 100
162 100.7 79.5 119.3
160 44.2 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 92.295 ng

RT: 10.663 min Scan# 1424

Delta R.T. -0.012 min

Lab File: BF128509.D


Acq: 27 May 2022 14:41

Instrument :

BNA_F

ClientSampleId :

P024-SS001-1824-01






Tgt Ion:330 Resp: 418061

Ion Ratio Lower Upper

330 100

332 96.2 76.8 115.2

141 34.1 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 58.176 ng

RT: 9.198 min Scan# 1175

Delta R.T. -0.006 min

Lab File: BF128509.D

Acq: 27 May 2022 14:41




Tgt Ion:172 Resp: 1704059


Ion Ratio Lower Upper

172 100

171 35.5 28.8 43.2

170 24.4 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41




Instrument :
BNA_F
ClientSampleId :
P024-SS001-1824-01


Tgt Ion:188 Resp: 908540
Ion Ratio Lower Upper
188 100
94 9.1 7.0 10.6
80 9.8 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.004 min Scan# 1992
Delta R.T. -0.006 min
Lab File: BF128509.D
Acq: 27 May 2022 14:41

Tgt Ion:240 Resp: 560661
Ion Ratio Lower Upper
240 100
120 9.7 8.9 13.3
236 25.1 20.8 31.2









#79
 Terphenyl-d14
 Concen: 65.138 ng
 RT: 12.957 min Scan# 1814
 Delta R.T. -0.000 min
 Lab File: BF128509.D
 Acq: 27 May 2022 14:41

Instrument :
 BNA_F
 ClientSampleId :
 P024-SS001-1824-01

Tgt Ion:244 Resp: 1890324
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.1 9.1
 122 9.8 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.468 min Scan# 2241
 Delta R.T. -0.000 min
 Lab File: BF128509.D
 Acq: 27 May 2022 14:41

Tgt Ion:264 Resp: 419604
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.4 27.6
 265 20.9 17.2 25.8

