

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052722\
 Data File : BF128527.D
 Acq On : 28 May 2022 00:00
 Operator : CG\JU
 Sample : N2921-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P013-SS002-2430-01

Quant Time: May 28 03:13:53 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 01:51:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	232594	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	876664	20.000	ng	0.00
39) Acenaphthene-d10	9.875	164	442606	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	723541	20.000	ng	0.00
76) Chrysene-d12	14.010	240	417998	20.000	ng	0.00
86) Perylene-d12	15.468	264	417430	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	1390550	99.027	ng	0.00
7) Phenol-d6	6.463	99	1770364	98.880	ng	0.00
23) Nitrobenzene-d5	7.398	82	1171654	77.100	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	412762	97.977	ng	-0.01
45) 2-Fluorobiphenyl	9.198	172	2040543	74.901	ng	0.00
79) Terphenyl-d14	12.957	244	1503869	69.508	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052722\
Data File : BF128527.D
Acq On : 28 May 2022 00:00
Operator : CG\JU
Sample : N2921-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P013-SS002-2430-01

Quant Time: May 28 03:13:53 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 01:51:59 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.839 min Scan# 71
Delta R.T. -0.001 min
Lab File: BF128527.D
Acq: 28 May 2022 00:00




Instrument :
BNA_F
ClientSampleId :
P013-SS002-2430-01


Tgt Ion:152 Resp: 232594
Ion Ratio Lower Upper
152 100
150 156.2 123.7 185.5
115 59.2 49.9 74.9



#5
2-Fluorophenol
Concen: 99.027 ng
RT: 5.457 min Scan# 539
Delta R.T. 0.006 min
Lab File: BF128527.D
Acq: 28 May 2022 00:00

Tgt Ion:112 Resp: 1390550
Ion Ratio Lower Upper
112 100
64 69.1 53.3 79.9
63 35.8 28.0 42.0









#7
Phenol-d6
Concen: 98.880 ng
RT: 6.463 min Scan# 711
Delta R.T. -0.006 min
Lab File: BF128527.D
Acq: 28 May 2022 00:00

Instrument :
BNA_F
ClientSampleId :
P013-SS002-2430-01

Tgt Ion: 99 Resp: 1770364




Ion	Ratio	Lower	Upper
99	100		
42	21.9	17.3	25.9
71	38.2	28.9	43.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 992
Delta R.T. -0.006 min
Lab File: BF128527.D
Acq: 28 May 2022 00:00

Tgt Ion: 136 Resp: 876664

Ion	Ratio	Lower	Upper
136	100		
137	10.4	8.8	13.2
54	9.1	7.5	11.3
68	6.0	4.7	7.1









#23
Nitrobenzene-d5
Concen: 77.100 ng
RT: 7.398 min Scan# 80
Delta R.T. -0.012 min
Lab File: BF128527.D
Acq: 28 May 2022 00:00




Instrument :
BNA_F
ClientSampleId :
P013-SS002-2430-01


Tgt Ion: 82 Resp: 1171654
Ion Ratio Lower Upper
82 100
128 41.9 34.0 51.0
54 60.7 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.875 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BF128527.D
Acq: 28 May 2022 00:00

Tgt Ion: 164 Resp: 442606
Ion Ratio Lower Upper
164 100
162 101.9 79.5 119.3
160 44.4 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 97.977 ng

RT: 10.663 min Scan# 1424

Delta R.T. -0.012 min

Lab File: BF128527.D

Acq: 28 May 2022 00:00

Instrument :

BNA_F

ClientSampleId :

P013-SS002-2430-01





Tgt Ion:330 Resp: 412762

Ion Ratio Lower Upper

330 100

332 97.8 76.8 115.2

141 34.4 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 74.901 ng

RT: 9.198 min Scan# 1175

Delta R.T. -0.006 min

Lab File: BF128527.D

Acq: 28 May 2022 00:00




Tgt Ion:172 Resp: 2040543


Ion Ratio Lower Upper

172 100

171 35.7 28.8 43.2

170 24.3 19.8 29.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.363 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF128527.D

Acq: 28 May 2022 00:00

Instrument :

BNA_F

ClientSampleId :

P013-SS002-2430-01





Tgt Ion:188 Resp: 723541

Ion Ratio Lower Upper

188 100

94 9.0 7.0 10.6

80 9.4 7.6 11.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.010 min Scan# 1993

Delta R.T. -0.000 min

Lab File: BF128527.D

Acq: 28 May 2022 00:00




Tgt Ion:240 Resp: 417998


Ion Ratio Lower Upper

240 100

120 9.1 8.9 13.3

236 25.8 20.8 31.2









#79
 Terphenyl-d14
 Concen: 69.508 ng
 RT: 12.957 min Scan# 1814
 Delta R.T. -0.000 min
 Lab File: BF128527.D
 Acq: 28 May 2022 00:00

Instrument :
 BNA_F
 ClientSampleId :
 P013-SS002-2430-01

Tgt Ion:244 Resp: 1503869
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.1 9.1
 122 10.5 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.468 min Scan# 2241
 Delta R.T. -0.000 min
 Lab File: BF128527.D
 Acq: 28 May 2022 00:00

Tgt Ion:264 Resp: 417430
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.4 27.6
 265 19.6 17.2 25.8

