

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052722\
 Data File : BF128531.D
 Acq On : 28 May 2022 02:01
 Operator : CG\JU
 Sample : N2921-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P013-SS005-0006-01

Quant Time: May 28 03:14:22 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 01:51:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	232404	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	888074	20.000	ng	0.00
39) Acenaphthene-d10	9.874	164	458610	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	762965	20.000	ng	0.00
76) Chrysene-d12	14.004	240	463172	20.000	ng	0.00
86) Perylene-d12	15.468	264	431360	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	1656913	118.093	ng	0.02
7) Phenol-d6	6.469	99	2121875	118.610	ng	0.00
23) Nitrobenzene-d5	7.404	82	1431175	92.967	ng	0.00
42) 2,4,6-Tribromophenol	10.668	330	518835	118.857	ng	0.00
45) 2-Fluorobiphenyl	9.198	172	2455649	86.992	ng	0.00
79) Terphenyl-d14	12.957	244	2074642	86.536	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052722\
Data File : BF128531.D
Acq On : 28 May 2022 02:01
Operator : CG\JU
Sample : N2921-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P013-SS005-0006-01

Quant Time: May 28 03:14:22 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 01:51:59 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.839 min Scan# 71
Delta R.T. -0.001 min
Lab File: BF128531.D
Acq: 28 May 2022 02:01




Instrument :
BNA_F
ClientSampleId :
P013-SS005-0006-01


Tgt Ion:152 Resp: 232404
Ion Ratio Lower Upper
152 100
150 153.7 123.7 185.5
115 60.0 49.9 74.9



#5
2-Fluorophenol
Concen: 118.093 ng
RT: 5.469 min Scan# 541
Delta R.T. 0.017 min
Lab File: BF128531.D
Acq: 28 May 2022 02:01

Tgt Ion:112 Resp: 1656913
Ion Ratio Lower Upper
112 100
64 66.1 53.3 79.9
63 35.7 28.0 42.0









#7
Phenol-d6
Concen: 118.610 ng
RT: 6.469 min Scan# 711
Delta R.T. -0.000 min
Lab File: BF128531.D
Acq: 28 May 2022 02:01




Instrument :
BNA_F
ClientSampleId :
P013-SS005-0006-01


Tgt Ion: 99 Resp: 2121875
Ion Ratio Lower Upper
99 100
42 21.4 17.3 25.9
71 37.8 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 992
Delta R.T. -0.006 min
Lab File: BF128531.D
Acq: 28 May 2022 02:01

Tgt Ion:136 Resp: 888074
Ion Ratio Lower Upper
136 100
137 10.5 8.8 13.2
54 9.0 7.5 11.3
68 5.8 4.7 7.1





#23

Nitrobenzene-d5

Concen: 92.967 ng

RT: 7.404 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF128531.D


Acq: 28 May 2022 02:01

Instrument :

BNA_F

ClientSampleId :

P013-SS005-0006-01






Tgt Ion: 82 Resp: 1431175

Ion Ratio Lower Upper

82 100

128 43.6 34.0 51.0

54 57.8 46.9 70.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.874 min Scan# 1290

Delta R.T. -0.007 min

Lab File: BF128531.D

Acq: 28 May 2022 02:01




Tgt Ion:164 Resp: 458610


Ion Ratio Lower Upper

164 100

162 101.1 79.5 119.3

160 44.8 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 118.857 ng

RT: 10.668 min Scan# 1426

Delta R.T. -0.006 min

Lab File: BF128531.D

Acq: 28 May 2022 02:01

Instrument :

BNA_F

ClientSampleId :

P013-SS005-0006-01





Tgt Ion:330 Resp: 518835

Ion Ratio Lower Upper

330 100

332 96.2 76.8 115.2

141 34.8 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 86.992 ng

RT: 9.198 min Scan# 1175

Delta R.T. -0.006 min

Lab File: BF128531.D

Acq: 28 May 2022 02:01




Tgt Ion:172 Resp: 2455649


Ion Ratio Lower Upper

172 100

171 36.0 28.8 43.2

170 24.1 19.8 29.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.363 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF128531.D

Acq: 28 May 2022 02:01

Instrument :

BNA_F

ClientSampleId :

P013-SS005-0006-01





Tgt Ion:188 Resp: 762965

Ion Ratio Lower Upper

188 100

94 8.2 7.0 10.6

80 9.0 7.6 11.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.004 min Scan# 1992

Delta R.T. -0.006 min

Lab File: BF128531.D

Acq: 28 May 2022 02:01




Tgt Ion:240 Resp: 463172


Ion Ratio Lower Upper

240 100

120 9.7 8.9 13.3

236 25.5 20.8 31.2









#79
 Terphenyl-d14
 Concen: 86.536 ng
 RT: 12.957 min Scan# 1814
 Delta R.T. -0.000 min
 Lab File: BF128531.D
 Acq: 28 May 2022 02:01

Instrument :
 BNA_F
 ClientSampleId :
 P013-SS005-0006-01

Tgt Ion:244 Resp: 2074642
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.1 9.1
 122 10.3 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.468 min Scan# 2241
 Delta R.T. -0.000 min
 Lab File: BF128531.D
 Acq: 28 May 2022 02:01

Tgt Ion:264 Resp: 431360
 Ion Ratio Lower Upper
 264 100
 260 24.7 18.4 27.6
 265 21.5 17.2 25.8

