

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052816\
 Data File : BF087506.D
 Acq On : 29 May 2016 6:35
 Operator : UM/SJ
 Sample : H3272-06
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-11B

Quant Time: May 30 04:36:08 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 30 04:10:04 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.47	152	110070	20.00	ng	0.00
21) Naphthalene-d8	9.50	136	449256	20.00	ng	-0.01
38) Acenaphthene-d10	12.32	164	204515	20.00	ng	-0.01
63) Phenanthrene-d10	14.73	188	382379	20.00	ng	0.00
75) Chrysene-d12	18.43	240	286751	20.00	ng	0.00
86) Perylene-d12	20.11	264	196427	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	366163	58.45	ng	0.01
7) Phenol-d6	7.03	99	310114	36.64	ng	-0.01
23) Nitrobenzene-d5	8.39	82	796676	89.37	ng	-0.01
41) 2,4,6-Tribromophenol	13.62	330	273483	139.15	ng	-0.01
44) 2-Fluorobiphenyl	11.28	172	1304073	89.89	ng	-0.01
78) Terphenyl-d14	17.09	244	1125906	83.48	ng	0.00
Target Compounds						
49) Dimethylphthalate	11.99	163	37410	2.28	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF052816\
Data File : BF087506.D
Acq On : 29 May 2016 6:35
Operator : UM/SJ
Sample : H3272-06
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-11B

Quant Time: May 30 04:36:08 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF052316.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 30 04:10:04 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.47 min Scan# 515

Delta R.T. 0.00 min

Lab File: BF087506.D

Acq: 29 May 2016 6:35

Instrument :

BNA_F

ClientSampled :

MW-11B


Tgt Ion:152 Resp: 110070

Ion Ratio Lower Upper

152 100

150 155.3 125.8 188.6




115 63.1 51.5 77.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 58.45 ng

RT: 5.37 min Scan# 331

Delta R.T. 0.01 min

Lab File: BF087506.D

Acq: 29 May 2016 6:35


Tgt Ion:112 Resp: 366163

Ion Ratio Lower Upper

112 100

64 73.1 52.1 78.1



63 41.0 25.7 38.5#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 36.64 ng

RT: 7.03 min Scan# 476

Delta R.T. -0.01 min

Lab File: BF087506.D

Acq: 29 May 2016 6:35

Instrument :

BNA_F

ClientSampleId :

MW-11B


Tgt Ion: 99 Resp: 310114

Ion Ratio Lower Upper

99 100

42 28.5 13.6 20.4#




71 39.1 24.6 36.8#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.50 min Scan# 692

Delta R.T. -0.01 min

Lab File: BF087506.D

Acq: 29 May 2016 6:35

Tgt Ion: 136 Resp: 449256


Ion Ratio Lower Upper

136 100

137 11.0 8.8 13.2

54 12.4 5.0 7.4#

68 5.7 4.4 6.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 89.37 ng
 RT: 8.39 min Scan# 595
 Delta R.T. -0.01 min
 Lab File: BF087506.D
 Acq: 29 May 2016 6:35




Instrument :
 BNA_F
 ClientSampleId :
 MW-11B


Tgt Ion: 82 Resp: 796676
 Ion Ratio Lower Upper
 82 100
 128 40.5 40.6 61.0#
 54 66.9 38.1 57.1#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 12.32 min Scan# 939
 Delta R.T. -0.01 min
 Lab File: BF087506.D
 Acq: 29 May 2016 6:35

Tgt Ion: 164 Resp: 204515
 Ion Ratio Lower Upper
 164 100
 162 104.5 82.8 124.2
 160 47.1 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 139.15 ng
 RT: 13.62 min Scan# 1053
 Delta R.T. -0.01 min
 Lab File: BF087506.D
 Acq: 29 May 2016 6:35




Instrument :
 BNA_F
 ClientSampled :
 MW-11B


Tgt Ion:330 Resp: 273483
 Ion Ratio Lower Upper
 330 100
 332 97.1 79.0 118.4
 141 43.0 31.2 46.8



#44
 2-Fluorobiphenyl
 Concen: 89.89 ng
 RT: 11.28 min Scan# 848
 Delta R.T. -0.01 min
 Lab File: BF087506.D
 Acq: 29 May 2016 6:35

Tgt Ion:172 Resp: 1304073
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.0 43.6
 170 24.8 19.8 29.8





#49

Dimethylphthalate

Concen: 2.28 ng

RT: 11.99 min Scan# 910

Delta R.T. -0.01 min

Lab File: BF087506.D

Acq: 29 May 2016 6:35

Instrument :

BNA_F

ClientSampleId :

MW-11B


Tgt Ion:163 Resp: 37410

Ion Ratio Lower Upper

163 100

194 3.7 2.6 4.0




164 10.9 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 14.73 min Scan# 1150

Delta R.T. 0.00 min

Lab File: BF087506.D

Acq: 29 May 2016 6:35


Tgt Ion:188 Resp: 382379

Ion Ratio Lower Upper

188 100

94 8.2 6.8 10.2



80 9.1 7.1 10.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 18.43 min Scan# 1474
 Delta R.T. 0.00 min
 Lab File: BF087506.D
 Acq: 29 May 2016 6:35




Instrument :
 BNA_F
 ClientSampleId :
 MW-11B


Tgt Ion:240 Resp: 286751
 Ion Ratio Lower Upper
 240 100
 120 12.3 11.2 16.8
 236 25.9 21.2 31.8



#78
 Terphenyl-d14
 Concen: 83.48 ng
 RT: 17.09 min Scan# 1356
 Delta R.T. 0.00 min
 Lab File: BF087506.D
 Acq: 29 May 2016 6:35

Tgt Ion:244 Resp: 1125906
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.2 9.2
 122 12.3 12.0 18.0





#86
Perylene-d12
Concen: 20.00 ng
RT: 20.11 min Scan# 1621
Delta R.T. 0.01 min
Lab File: BF087506.D
Acq: 29 May 2016 6:35

Instrument :
BNA_F
ClientSampleId :
MW-11B

Tgt Ion:	264	Resp:	196427
Ion Ratio		Lower	Upper
264	100		
260	23.6	19.5	29.3
265	21.7	17.3	25.9

