

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052822\
 Data File : BF128552.D
 Acq On : 28 May 2022 17:06
 Operator : CG\JU
 Sample : N2931-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P009-SS003-1824-01

Quant Time: May 28 22:43:06 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 01:51:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.840	152	156559	20.000	ng	0.00
21) Naphthalene-d8	8.116	136	599973	20.000	ng	-0.01
39) Acenaphthene-d10	9.875	164	335158	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	591450	20.000	ng	0.00
76) Chrysene-d12	13.998	240	374987	20.000	ng	-0.01
86) Perylene-d12	15.463	264	327120	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	752902	79.658	ng	0.00
7) Phenol-d6	6.457	99	982188	81.501	ng	-0.01
23) Nitrobenzene-d5	7.398	82	652196	62.709	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	252836	79.256	ng	-0.01
45) 2-Fluorobiphenyl	9.198	172	1212160	58.758	ng	0.00
79) Terphenyl-d14	12.951	244	1260568	64.945	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052822\
Data File : BF128552.D
Acq On : 28 May 2022 17:06
Operator : CG\JU
Sample : N2931-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P009-SS003-1824-01


Quant Time: May 28 22:43:06 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 01:51:59 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.840 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06

Instrument :
BNA_F
ClientSampleId :
P009-SS003-1824-01







Tgt Ion:152 Resp: 156559
Ion Ratio Lower Upper
152 100
150 154.2 123.7 185.5
115 58.1 49.9 74.9



#5
2-Fluorophenol
Concen: 79.658 ng
RT: 5.451 min Scan# 538
Delta R.T. -0.000 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06

Tgt Ion:112 Resp: 752902
Ion Ratio Lower Upper
112 100
64 64.3 53.3 79.9
63 34.1 28.0 42.0









#7
Phenol-d6
Concen: 81.501 ng
RT: 6.457 min Scan# 711
Delta R.T. -0.012 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06




Instrument :
BNA_F
ClientSampleId :
P009-SS003-1824-01


Tgt Ion: 99 Resp: 982188
Ion Ratio Lower Upper
99 100
42 22.4 17.3 25.9
71 38.2 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 991
Delta R.T. -0.012 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06

Tgt Ion: 136 Resp: 599973
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 9.9 7.5 11.3
68 6.4 4.7 7.1









#23
Nitrobenzene-d5
Concen: 62.709 ng
RT: 7.398 min Scan# 80
Delta R.T. -0.012 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06




Instrument :
BNA_F
ClientSampleId :
P009-SS003-1824-01


Tgt Ion: 82 Resp: 652196
Ion Ratio Lower Upper
82 100
128 42.0 34.0 51.0
54 58.2 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.875 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06

Tgt Ion: 164 Resp: 335158
Ion Ratio Lower Upper
164 100
162 99.6 79.5 119.3
160 44.0 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 79.256 ng

RT: 10.663 min Scan# 1424

Delta R.T. -0.012 min

Lab File: BF128552.D

Acq: 28 May 2022 17:06

Instrument :

BNA_F

ClientSampleId :

P009-SS003-1824-01





Tgt Ion:330 Resp: 252836

Ion Ratio Lower Upper

330 100

332 96.7 76.8 115.2

141 35.2 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 58.758 ng

RT: 9.198 min Scan# 1175

Delta R.T. -0.006 min

Lab File: BF128552.D

Acq: 28 May 2022 17:06




Tgt Ion:172 Resp: 1212160


Ion Ratio Lower Upper

172 100

171 34.9 28.8 43.2

170 23.7 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06




Instrument :
BNA_F
ClientSampleId :
P009-SS003-1824-01


Tgt Ion:188 Resp: 591450
Ion Ratio Lower Upper
188 100
94 8.2 7.0 10.6
80 8.9 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.998 min Scan# 1991
Delta R.T. -0.012 min
Lab File: BF128552.D
Acq: 28 May 2022 17:06


Tgt Ion:240 Resp: 374987
Ion Ratio Lower Upper
240 100
120 11.4 8.9 13.3
236 24.9 20.8 31.2








#79
 Terphenyl-d14
 Concen: 64.945 ng
 RT: 12.951 min Scan# 1814
 Delta R.T. -0.006 min
 Lab File: BF128552.D
 Acq: 28 May 2022 17:06

Instrument :
 BNA_F
 ClientSampleId :
 P009-SS003-1824-01



Tgt Ion:244 Resp: 1260568
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.1 9.1
 122 10.4 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.463 min Scan# 2240
 Delta R.T. -0.006 min
 Lab File: BF128552.D
 Acq: 28 May 2022 17:06

Tgt Ion:264 Resp: 327120
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.4 27.6
 265 20.4 17.2 25.8

