

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052822\
 Data File : BF128556.D
 Acq On : 28 May 2022 19:08
 Operator : CG\JU
 Sample : N2933-01
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P023-SS001-0612-01

Quant Time: May 28 22:43:32 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 01:51:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	155778	20.000	ng	0.00
21) Naphthalene-d8	8.116	136	603522	20.000	ng	-0.01
39) Acenaphthene-d10	9.875	164	326916	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	554319	20.000	ng	0.00
76) Chrysene-d12	13.998	240	336225	20.000	ng	-0.01
86) Perylene-d12	15.468	264	327356	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	1012580	107.669	ng	0.00
7) Phenol-d6	6.463	99	1285926	107.240	ng	0.00
23) Nitrobenzene-d5	7.398	82	886679	84.754	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	343038	110.242	ng	-0.01
45) 2-Fluorobiphenyl	9.198	172	1531254	76.097	ng	0.00
79) Terphenyl-d14	12.951	244	1356396	77.939	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052822\
Data File : BF128556.D
Acq On : 28 May 2022 19:08
Operator : CG\JU
Sample : N2933-01
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P023-SS001-0612-01


Quant Time: May 28 22:43:32 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 01:51:59 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.839 min Scan# 71
Delta R.T. -0.001 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08

Instrument :
BNA_F
ClientSampleId :
P023-SS001-0612-01







Tgt Ion:152 Resp: 155778
Ion Ratio Lower Upper
152 100
150 154.5 123.7 185.5
115 59.4 49.9 74.9



#5
2-Fluorophenol
Concen: 107.669 ng
RT: 5.457 min Scan# 539
Delta R.T. 0.006 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08

Tgt Ion:112 Resp: 1012580
Ion Ratio Lower Upper
112 100
64 64.6 53.3 79.9
63 35.0 28.0 42.0









#7
Phenol-d6
Concen: 107.240 ng
RT: 6.463 min Scan# 711
Delta R.T. -0.006 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08

Instrument :
BNA_F
ClientSampleId :
P023-SS001-0612-01

Tgt Ion: 99 Resp: 1285926




Ion	Ratio	Lower	Upper
99	100		
42	21.6	17.3	25.9
71	38.6	28.9	43.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 991
Delta R.T. -0.012 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08

Tgt Ion: 136 Resp: 603522

Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.8	13.2
54	10.1	7.5	11.3
68	6.1	4.7	7.1









#23
Nitrobenzene-d5
Concen: 84.754 ng
RT: 7.398 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08




Instrument :
BNA_F
ClientSampleId :
P023-SS001-0612-01


Tgt Ion: 82 Resp: 886679
Ion Ratio Lower Upper
82 100
128 40.9 34.0 51.0
54 59.7 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.875 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08

Tgt Ion: 164 Resp: 326916
Ion Ratio Lower Upper
164 100
162 98.0 79.5 119.3
160 43.9 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 110.242 ng

RT: 10.663 min Scan# 1424

Delta R.T. -0.012 min

Lab File: BF128556.D


Acq: 28 May 2022 19:08

Instrument :

BNA_F

ClientSampleId :

P023-SS001-0612-01






Tgt Ion:330 Resp: 343038

Ion Ratio Lower Upper

330 100

332 96.2 76.8 115.2

141 35.1 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 76.097 ng

RT: 9.198 min Scan# 1175

Delta R.T. -0.006 min

Lab File: BF128556.D

Acq: 28 May 2022 19:08




Tgt Ion:172 Resp: 1531254


Ion Ratio Lower Upper

172 100

171 35.8 28.8 43.2

170 24.1 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08




Instrument :
BNA_F
ClientSampleId :
P023-SS001-0612-01


Tgt Ion:188 Resp: 554319
Ion Ratio Lower Upper
188 100
94 8.2 7.0 10.6
80 8.7 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.998 min Scan# 1991
Delta R.T. -0.012 min
Lab File: BF128556.D
Acq: 28 May 2022 19:08


Tgt Ion:240 Resp: 336225
Ion Ratio Lower Upper
240 100
120 11.0 8.9 13.3
236 26.0 20.8 31.2








#79
 Terphenyl-d14
 Concen: 77.939 ng
 RT: 12.951 min Scan# 1813
 Delta R.T. -0.006 min
 Lab File: BF128556.D
 Acq: 28 May 2022 19:08

Instrument :
 BNA_F
 ClientSampleId :
 P023-SS001-0612-01



Tgt Ion:244 Resp: 1356396
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.1 9.1
 122 10.9 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.468 min Scan# 2241
 Delta R.T. -0.000 min
 Lab File: BF128556.D
 Acq: 28 May 2022 19:08

Tgt Ion:264 Resp: 327356
 Ion Ratio Lower Upper
 264 100
 260 22.7 18.4 27.6
 265 20.4 17.2 25.8

