

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052915\
 Data File : BF079577.D
 Acq On : 29 May 2015 23:27
 Operator : TP/IZ
 Sample : G2438-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FG-SP-001-150528

Quant Time: May 30 00:40:09 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF052615.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 29 23:13:06 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	75260	20.00	ng	0.00
21) Naphthalene-d8	8.52	136	307340	20.00	ng	-0.01
38) Acenaphthene-d10	10.70	164	152885	20.00	ng	0.00
63) Phenanthrene-d10	12.53	188	287628	20.00	ng	0.00
75) Chrysene-d12	15.79	240	247576	20.00	ng	-0.08
86) Perylene-d12	17.51	264	236736m	20.00	ng	-0.30
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	470460	108.42	ng	0.00
7) Phenol-d6	6.55	99	624256	112.87	ng	0.00
23) Nitrobenzene-d5	7.66	82	356336	67.02	ng	0.00
41) 2,4,6-Tribromophenol	11.67	330	185370	110.39	ng	-0.01
44) 2-Fluorobiphenyl	9.87	172	622833	58.12	ng	-0.01
78) Terphenyl-d14	14.51	244	662359	62.79	ng	-0.01
Target Compounds						
49) Dimethylphthalate	10.39	163	66932	5.94	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF052915\
Data File : BF079577.D
Acq On : 29 May 2015 23:27
Operator : TP/IZ
Sample : G2438-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FG-SP-001-150528

Quant Time: May 30 00:40:09 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF052615.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 29 23:13:06 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.95 min Scan# 504
Delta R.T. -0.00 min
Lab File: BF079577.D
Acq: 29 May 2015 23:27

Instrument :
BNA_F
ClientSampleId :
FG-SP-001-150528

Tot Ion:152 Resp: 75260
Ion Ratio Lower Upper
152 100
150 162.3 124.0 186.0
115 64.9 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 108.42 ng
RT: 5.23 min Scan# 354
Delta R.T. -0.00 min
Lab File: BF079577.D
Acq: 29 May 2015 23:27

Tgt Ion:112 Resp: 470460
Ion Ratio Lower Upper
112 100
64 51.6 43.5 65.3
63 26.3 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 112.87 ng

RT: 6.55 min Scan# 469

Delta R.T. -0.00 min

Lab File: BF079577.D

Acq: 29 May 2015 23:27

Instrument :

BNA_F

ClientSampleId :

FG-SP-001-150528


Tot Ion: 99 Resp: 624256

Ion Ratio Lower Upper

99 100

42 16.1 11.9 17.9




71 30.0 22.1 33.1



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.52 min Scan# 642

Delta R.T. -0.01 min

Lab File: BF079577.D

Acq: 29 May 2015 23:27

Tgt Ion: 136 Resp: 307340


Ion Ratio Lower Upper

136 100

137 11.5 8.5 12.7

54 8.3 6.6 9.8

68 6.5 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 67.02 ng
 RT: 7.66 min Scan# 566
 Delta R.T. -0.00 min
 Lab File: BF079577.D
 Acq: 29 May 2015 23:27




Instrument :
 BNA_F
 ClientSampleId :
 FG-SP-001-150528

Tot Ion	82	Resp	356336
Ion Ratio	Lower	Upper	
82	100		
128	52.7	30.8	46.2#
54	45.3	42.8	64.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.70 min Scan# 832
 Delta R.T. -0.00 min
 Lab File: BF079577.D
 Acq: 29 May 2015 23:27

Tgt Ion	164	Resp	152885
Ion Ratio	Lower	Upper	
164	100		
162	103.8	82.6	124.0
160	48.2	37.7	56.5









#41
 2,4,6-Tribromophenol
 Concen: 110.39 ng
 RT: 11.67 min Scan# 917
 Delta R.T. -0.01 min
 Lab File: BF079577.D
 Acq: 29 May 2015 23:27




Instrument :
 BNA_F
 ClientSampleId :
 FG-SP-001-150528


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	0.0	0.0#
141	31.0	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 58.12 ng
 RT: 9.87 min Scan# 760
 Delta R.T. -0.01 min
 Lab File: BF079577.D
 Acq: 29 May 2015 23:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.5	42.7
170	24.6	19.7	29.5





#49

Dimethylphthalate

Concen: 5.94 ng

RT: 10.39 min Scan# 805

Delta R.T. -0.01 min

Lab File: BF079577.D

Acq: 29 May 2015 23:27

Instrument :

BNA_F

ClientSampleId :

FG-SP-001-150528


Tot Ion:163 Resp: 66932

Ion Ratio Lower Upper

163 100

194 3.1 2.4 3.6




164 10.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 12.53 min Scan# 992

Delta R.T. -0.00 min

Lab File: BF079577.D

Acq: 29 May 2015 23:27


Tgt Ion:188 Resp: 287628

Ion Ratio Lower Upper

188 100

94 9.2 9.8 14.6#



80 9.1 10.5 15.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrvsene-d12

Concen: 20.00 ng

RT: 15.79 min Scan# 1278

Delta R.T. -0.08 min

Lab File: BF079577.D

Acq: 29 May 2015 23:27

Instrument :

BNA_F

ClientSampleId :

FG-SP-001-150528


Tot Ion:240 Resp: 247576

Ion Ratio Lower Upper

240 100

120 11.9 10.8 16.2




236 25.6 21.0 31.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 62.79 ng

RT: 14.51 min Scan# 1166

Delta R.T. -0.01 min

Lab File: BF079577.D

Acq: 29 May 2015 23:27


Tgt Ion:244 Resp: 662359

Ion Ratio Lower Upper

244 100

212 6.8 5.2 7.8



122 13.5 8.0 12.0#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.00 ng m

RT: 17.51 min Scan# 1428

Delta R.T. -0.30 min

Lab File: BF079577.D

Acq: 29 May 2015 23:27

Instrument :

BNA_F

ClientSampleId :

FG-SP-001-150528

Tot Ion:264 Resp: 236736

Ion Ratio Lower Upper

264 100

260 23.8 19.8 29.8

265 21.3 17.8 26.6

