

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052922\
 Data File : BF128579.D
 Acq On : 29 May 2022 19:01
 Operator : CG\JU
 Sample : N2951-01
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P035-SS001-0006-01

Quant Time: May 30 00:52:18 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 01:51:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	140746	20.000	ng	0.00
21) Naphthalene-d8	8.122	136	507402	20.000	ng	0.00
39) Acenaphthene-d10	9.875	164	240245	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	388700	20.000	ng	0.00
76) Chrysene-d12	13.998	240	313786	20.000	ng	-0.01
86) Perylene-d12	15.468	264	232270	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	800205	94.174	ng	0.00
7) Phenol-d6	6.463	99	1004208	92.690	ng	0.00
23) Nitrobenzene-d5	7.398	82	698195	79.380	ng	-0.01
42) 2,4,6-Tribromophenol	10.663	330	225286	98.519	ng	-0.01
45) 2-Fluorobiphenyl	9.198	172	1229824	83.166	ng	0.00
79) Terphenyl-d14	12.951	244	1132959	69.756	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052922\
Data File : BF128579.D
Acq On : 29 May 2022 19:01
Operator : CG\JU
Sample : N2951-01
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P035-SS001-0006-01


Quant Time: May 30 00:52:18 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 01:51:59 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.839 min Scan# 71
Delta R.T. -0.001 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01

Instrument :
BNA_F
ClientSampleId :
P035-SS001-0006-01







Tgt Ion:152 Resp: 140746
Ion Ratio Lower Upper
152 100
150 155.9 123.7 185.5
115 60.3 49.9 74.9



#5
2-Fluorophenol
Concen: 94.174 ng
RT: 5.457 min Scan# 539
Delta R.T. 0.006 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01

Tgt Ion:112 Resp: 800205
Ion Ratio Lower Upper
112 100
64 69.0 53.3 79.9
63 37.8 28.0 42.0









#7
Phenol-d6
Concen: 92.690 ng
RT: 6.463 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01




Instrument :
BNA_F
ClientSampleId :
P035-SS001-0006-01


Tgt Ion: 99 Resp: 1004208
Ion Ratio Lower Upper
99 100
42 23.2 17.3 25.9
71 41.0 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.122 min Scan# 992
Delta R.T. -0.006 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01

Tgt Ion: 136 Resp: 507402
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 9.0 7.5 11.3
68 4.8 4.7 7.1





#23

Nitrobenzene-d5

Concen: 79.380 ng

RT: 7.398 min Scan# 869

Delta R.T. -0.012 min

Lab File: BF128579.D

Acq: 29 May 2022 19:01

Instrument :

BNA_F

ClientSampleId :

P035-SS001-0006-01





Tgt Ion: 82 Resp: 698195

Ion Ratio Lower Upper

82 100

128 39.8 34.0 51.0

54 59.6 46.9 70.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.875 min Scan# 1290

Delta R.T. -0.006 min

Lab File: BF128579.D

Acq: 29 May 2022 19:01




Tgt Ion: 164 Resp: 240245


Ion Ratio Lower Upper

164 100

162 104.0 79.5 119.3

160 46.5 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 98.519 ng

RT: 10.663 min Scan# 1426

Delta R.T. -0.012 min

Lab File: BF128579.D

Acq: 29 May 2022 19:01

Instrument :

BNA_F

ClientSampleId :

P035-SS001-0006-01





Tgt Ion:330 Resp: 225286

Ion Ratio Lower Upper

330 100

332 96.9 76.8 115.2

141 35.9 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 83.166 ng

RT: 9.198 min Scan# 1175

Delta R.T. -0.006 min

Lab File: BF128579.D

Acq: 29 May 2022 19:01




Tgt Ion:172 Resp: 1229824


Ion Ratio Lower Upper

172 100

171 35.1 28.8 43.2

170 23.6 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01




Instrument :
BNA_F
ClientSampleId :
P035-SS001-0006-01


Tgt Ion:188 Resp: 388700
Ion Ratio Lower Upper
188 100
94 7.5 7.0 10.6
80 7.7 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.998 min Scan# 1991
Delta R.T. -0.012 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01


Tgt Ion:240 Resp: 313786
Ion Ratio Lower Upper
240 100
120 10.2 8.9 13.3
236 25.3 20.8 31.2








#79
Terphenyl-d14
Concen: 69.756 ng
RT: 12.951 min Scan# 1814
Delta R.T. -0.006 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01

Instrument :
BNA_F
ClientSampleId :
P035-SS001-0006-01



Tgt Ion:244 Resp: 1132959

Ion	Ratio	Lower	Upper
244	100		
212	7.2	6.1	9.1
122	10.2	8.8	13.2



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.468 min Scan# 2241
Delta R.T. -0.000 min
Lab File: BF128579.D
Acq: 29 May 2022 19:01

Tgt Ion:264 Resp: 232270

Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.4	27.6
265	22.2	17.2	25.8

