

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060117\
 Data File : BF095597.D
 Acq On : 1 Jun 2017 16:28
 Operator : SJ/MA
 Sample : I3379-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S22-0022

Quant Time: Jun 01 18:59:27 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 01 18:51:16 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	93618	20.00	ng	0.00
21) Naphthalene-d8	9.57	136	384236	20.00	ng	0.00
38) Acenaphthene-d10	12.39	164	176618	20.00	ng	0.00
63) Phenanthrene-d10	14.80	188	341116	20.00	ng	0.00
75) Chrysene-d12	18.49	240	293311	20.00	ng	0.00
86) Perylene-d12	20.17	264	204331	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	324048	57.71	ng	0.01
7) Phenol-d6	7.10	99	242393	35.98	ng	0.00
23) Nitrobenzene-d5	8.45	82	541785	88.91	ng	-0.01
41) 2,4,6-Tribromophenol	13.69	330	203898	140.96	ng	0.00
44) 2-Fluorobiphenyl	11.35	172	1026694	83.67	ng	0.00
78) Terphenyl-d14	17.15	244	968349	72.72	ng	0.00
Target Compounds						
49) Dimethylphthalate	12.05	163	44971	3.102	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060117\
Data File : BF095597.D
Acq On : 1 Jun 2017 16:28
Operator : SJ/MA
Sample : I3379-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S22-0022

Quant Time: Jun 01 18:59:27 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF050217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 01 18:51:16 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.53 min Scan# 994
Delta R.T. -0.01 min
Lab File: BF095597.D
Acq: 1 Jun 2017 16:28

Instrument :
BNA_F
ClientSampleId :
S22-0022

Tgt Ion:152 Resp: 93618
Ion Ratio Lower Upper
152 100
150 161.2 126.2 189.2
115 62.0 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 57.709 ng
RT: 5.46 min Scan# 641
Delta R.T. 0.01 min
Lab File: BF095597.D
Acq: 1 Jun 2017 16:28

Tgt Ion:112 Resp: 324048
Ion Ratio Lower Upper
112 100
64 52.1 46.0 69.0
63 25.6 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 35.977 ng

RT: 7.10 min Scan# 921

Delta R.T. 0.01 min

Lab File: BF095597.D

Acq: 1 Jun 2017 16:28

Instrument :

BNA_F

ClientSampled :

S22-0022


Tgt Ion: 99 Resp: 242393

Ion Ratio Lower Upper

99 100

42 15.5 13.5 20.3




71 30.8 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 9.57 min Scan# 1340

Delta R.T. -0.01 min

Lab File: BF095597.D

Acq: 1 Jun 2017 16:28

Tgt Ion: 136 Resp: 384236


Ion Ratio Lower Upper

136 100

137 10.4 8.5 12.7

54 6.7 4.9 7.3

68 5.2 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 88.915 ng

RT: 8.45 min Scan# 1150

Delta R.T. -0.01 min

Lab File: BF095597.D

Acq: 1 Jun 2017 16:28

Instrument :

BNA_F

ClientSampleId :

S22-0022


Tgt Ion: 82 Resp: 541785

Ion Ratio Lower Upper

82 100

128 48.8 34.0 51.0




54 46.6 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 12.39 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BF095597.D

Acq: 1 Jun 2017 16:28


Tgt Ion: 164 Resp: 176618

Ion Ratio Lower Upper

164 100

162 105.8 82.6 123.8



160 44.4 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 140.965 ng
 RT: 13.69 min Scan# 2041
 Delta R.T. -0.01 min
 Lab File: BF095597.D
 Acq: 1 Jun 2017 16:28




Instrument :
 BNA_F
 ClientSampleId :
 S22-0022


Tgt Ion:330 Resp: 203898
 Ion Ratio Lower Upper
 330 100
 332 96.8 76.6 115.0
 141 38.5 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 83.670 ng
 RT: 11.35 min Scan# 1642
 Delta R.T. -0.01 min
 Lab File: BF095597.D
 Acq: 1 Jun 2017 16:28

Tgt Ion:172 Resp: 1026694
 Ion Ratio Lower Upper
 172 100
 171 36.7 29.6 44.4
 170 24.0 19.8 29.8





#49

Dimethylphthalate

Concen: 3.102 ng

RT: 12.05 min Scan# 1761

Delta R.T. -0.01 min

Lab File: BF095597.D

Acq: 1 Jun 2017 16:28

Instrument :

BNA_F

ClientSampleId :

S22-0022


Tgt Ion:163 Resp: 44971

Ion Ratio Lower Upper

163 100

194 3.2 2.6 4.0




164 10.1 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 14.80 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BF095597.D

Acq: 1 Jun 2017 16:28


Tgt Ion:188 Resp: 341116

Ion Ratio Lower Upper

188 100

94 10.1 9.4 14.2



80 10.7 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#75
Chrysene-d12
Concen: 20.000 ng
RT: 18.49 min Scan# 2857
Delta R.T. -0.01 min
Lab File: BF095597.D
Acq: 1 Jun 2017 16:28




Instrument :
BNA_F
ClientSampleId :
S22-0022


Tgt Ion:240 Resp: 293311
Ion Ratio Lower Upper
240 100
120 15.4 5.8 8.8#
236 24.8 20.5 30.7



#78
Terphenyl-d14
Concen: 72.716 ng
RT: 17.15 min Scan# 2629
Delta R.T. -0.00 min
Lab File: BF095597.D
Acq: 1 Jun 2017 16:28

Tgt Ion:244 Resp: 968349
Ion Ratio Lower Upper
244 100
212 7.2 6.0 9.0
122 13.6 10.3 15.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 20.17 min Scan# 3142
Delta R.T. -0.00 min
Lab File: BF095597.D
Acq: 1 Jun 2017 16:28

Instrument :
BNA_F
ClientSampleId :
S22-0022

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.5	29.3
265	21.1	17.2	25.8

