

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060222\
 Data File : BF128657.D
 Acq On : 03 Jun 2022 00:39
 Operator : CG\JU
 Sample : N2990-07
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P028-SS001-0612-02

Quant Time: Jun 03 03:28:19 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 02 17:07:23 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.822	152	115106	20.000	ng	0.00
21) Naphthalene-d8	8.104	136	438702	20.000	ng	0.00
39) Acenaphthene-d10	9.863	164	239897	20.000	ng	0.00
64) Phenanthrene-d10	11.351	188	426137	20.000	ng	# 0.00
76) Chrysene-d12	13.992	240	242494	20.000	ng	# 0.00
86) Perylene-d12	15.457	264	204947	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	612200	84.716	ng	0.00
7) Phenol-d6	6.487	99	789810	89.536	ng	-0.01
23) Nitrobenzene-d5	7.387	82	588858	62.494	ng	0.00
42) 2,4,6-Tribromophenol	10.657	330	207140	73.078	ng	0.00
45) 2-Fluorobiphenyl	9.187	172	1101126	64.297	ng	0.00
79) Terphenyl-d14	12.939	244	1018568	72.987	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060222\
Data File : BF128657.D
Acq On : 03 Jun 2022 00:39
Operator : CG\JU
Sample : N2990-07
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P028-SS001-0612-02

Quant Time: Jun 03 03:28:19 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 02 17:07:23 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.822 min Scan# 771
Delta R.T. -0.006 min
Lab File: BF128657.D
Acq: 03 Jun 2022 00:39




Instrument :
BNA_F
ClientSampleId :
P028-SS001-0612-02

Tgt Ion:152 Resp: 115106
Ion Ratio Lower Upper
152 100
150 159.6 123.7 185.5
115 68.8 49.9 74.9



#5
2-Fluorophenol
Concen: 84.716 ng
RT: 5.475 min Scan# 542
Delta R.T. 0.000 min
Lab File: BF128657.D
Acq: 03 Jun 2022 00:39

Tgt Ion:112 Resp: 612200
Ion Ratio Lower Upper
112 100
64 68.3 53.3 79.9
63 39.7 28.0 42.0









#7
Phenol-d6
Concen: 89.536 ng
RT: 6.487 min Scan# 716
Delta R.T. -0.011 min
Lab File: BF128657.D
Acq: 03 Jun 2022 00:39




Instrument :
BNA_F
ClientSampleId :
P028-SS001-0612-02

Tgt Ion: 99 Resp: 789810
Ion Ratio Lower Upper
99 100
42 25.8 17.3 25.9
71 46.2 28.9 43.3#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.104 min Scan# 989
Delta R.T. -0.006 min
Lab File: BF128657.D
Acq: 03 Jun 2022 00:39

Tgt Ion: 136 Resp: 438702
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 9.7 7.5 11.3
68 4.7 4.7 7.1





#23

Nitrobenzene-d5

Concen: 62.494 ng

RT: 7.387 min Scan# 8

Delta R.T. -0.005 min

Lab File: BF128657.D

Acq: 03 Jun 2022 00:39

Instrument :

BNA_F

ClientSampleId :

P028-SS001-0612-02





Tgt Ion: 82 Resp: 588858

Ion Ratio Lower Upper

82 100

128 37.3 34.0 51.0

54 63.6 46.9 70.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.863 min Scan# 1288

Delta R.T. -0.006 min

Lab File: BF128657.D

Acq: 03 Jun 2022 00:39




Tgt Ion:164 Resp: 239897


Ion Ratio Lower Upper

164 100

162 102.5 79.5 119.3

160 46.1 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 73.078 ng

RT: 10.657 min Scan# 1423

Delta R.T. -0.006 min

Lab File: BF128657.D


Acq: 03 Jun 2022 00:39

Instrument :

BNA_F

ClientSampleId :

P028-SS001-0612-02





Tgt Ion:330 Resp: 207140

Ion Ratio Lower Upper

330 100

332 96.9 76.8 115.2

141 38.1 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 64.297 ng

RT: 9.187 min Scan# 1173

Delta R.T. -0.005 min

Lab File: BF128657.D

Acq: 03 Jun 2022 00:39




Tgt Ion:172 Resp: 1101126

Ion Ratio Lower Upper

172 100

171 35.0 28.8 43.2

170 23.1 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.351 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128657.D
Acq: 03 Jun 2022 00:39




Instrument :
BNA_F
ClientSampleId :
P028-SS001-0612-02


Tgt Ion:188 Resp: 426137
Ion Ratio Lower Upper
188 100
94 6.7 7.0 10.6#
80 6.8 7.6 11.4#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.992 min Scan# 1990
Delta R.T. -0.006 min
Lab File: BF128657.D
Acq: 03 Jun 2022 00:39

Tgt Ion:240 Resp: 242494
Ion Ratio Lower Upper
240 100
120 8.1 8.9 13.3#
236 26.7 20.8 31.2









#79
 Terphenyl-d14
 Concen: 72.987 ng
 RT: 12.939 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128657.D
 Acq: 03 Jun 2022 00:39

Instrument :
 BNA_F
 ClientSampleId :
 P028-SS001-0612-02

Tgt Ion:244 Resp: 1018568
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.1 9.1
 122 10.5 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.457 min Scan# 2239
 Delta R.T. -0.005 min
 Lab File: BF128657.D
 Acq: 03 Jun 2022 00:39

Tgt Ion:264 Resp: 204947
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.4 27.6
 265 20.5 17.2 25.8

