

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060324\
 Data File : BF138113.D
 Acq On : 03 Jun 2024 18:26
 Operator : CG\JU
 Sample : P2560-02
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BKG-2

Quant Time: Jun 04 04:50:46 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF053124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 01 01:21:05 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.034	152	138026	20.000	ng	0.00
21) Naphthalene-d8	8.316	136	532297	20.000	ng	0.00
39) Acenaphthene-d10	10.081	164	297338	20.000	ng	0.00
64) Phenanthrene-d10	11.575	188	475895	20.000	ng	0.00
76) Chrysene-d12	14.227	240	247273	20.000	ng	-0.01
86) Perylene-d12	15.798	264	293884	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.663	112	646311	83.707	ng	0.00
7) Phenol-d6	6.651	99	798227	80.282	ng	-0.01
23) Nitrobenzene-d5	7.592	82	493837	54.060	ng	-0.01
42) 2,4,6-Tribromophenol	10.875	330	225775	65.097	ng	0.00
45) 2-Fluorobiphenyl	9.392	172	1033657	51.531	ng	0.00
79) Terphenyl-d14	13.163	244	801258	46.872	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060324\
Data File : BF138113.D
Acq On : 03 Jun 2024 18:26
Operator : CG\JU
Sample : P2560-02
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BKG-2

Quant Time: Jun 04 04:50:46 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF053124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 01 01:21:05 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.034 min Scan# 841
Delta R.T. -0.000 min
Lab File: BF138113.D
Acq: 03 Jun 2024 18:26




Instrument :
BNA_F
ClientSampleId :
BKG-2


Tgt Ion:152 Resp: 138026
Ion Ratio Lower Upper
152 100
150 149.5 125.4 188.0
115 56.1 51.6 77.4



#5
2-Fluorophenol
Concen: 83.707 ng
RT: 5.663 min Scan# 608
Delta R.T. 0.000 min
Lab File: BF138113.D
Acq: 03 Jun 2024 18:26

Tgt Ion:112 Resp: 646311
Ion Ratio Lower Upper
112 100
64 53.2 41.4 62.2
63 27.5 21.5 32.3





#7
Phenol-d6
Concen: 80.282 ng
RT: 6.651 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF138113.D
Acq: 03 Jun 2024 18:26





Instrument :

BNA_F

ClientSampleId :




BKG-2


Tgt Ion: 99 Resp: 798227
Ion Ratio Lower Upper
99 100
42 15.2 11.9 17.9
71 33.1 26.8 40.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.316 min Scan# 1059
Delta R.T. -0.006 min
Lab File: BF138113.D
Acq: 03 Jun 2024 18:26

Tgt Ion: 136 Resp: 532297
Ion Ratio Lower Upper
136 100
137 10.6 8.7 13.1
54 6.2 5.4 8.0
68 5.0 4.3 6.5









#23
Nitrobenzene-d5
Concen: 54.060 ng
RT: 7.592 min Scan# 91
Delta R.T. -0.012 min
Lab File: BF138113.D
Acq: 03 Jun 2024 18:26




Instrument :
BNA_F
ClientSampleId :
BKG-2


Tgt Ion: 82 Resp: 493837
Ion Ratio Lower Upper
82 100
128 49.3 39.9 59.9
54 46.1 37.0 55.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.081 min Scan# 1359
Delta R.T. -0.006 min
Lab File: BF138113.D
Acq: 03 Jun 2024 18:26

Tgt Ion:164 Resp: 297338
Ion Ratio Lower Upper
164 100
162 99.9 81.7 122.5
160 42.4 34.5 51.7





#42

2,4,6-Tribromophenol

Concen: 65.097 ng

RT: 10.875 min Scan# 1494

Delta R.T. -0.006 min

Lab File: BF138113.D

Acq: 03 Jun 2024 18:26

Instrument :

BNA_F

ClientSampleId :

BKG-2





Tgt Ion:330 Resp: 225775

Ion Ratio Lower Upper

330 100

332 97.0 77.3 115.9

141 27.4 21.4 32.0



#45

2-Fluorobiphenyl

Concen: 51.531 ng

RT: 9.392 min Scan# 1242

Delta R.T. -0.006 min

Lab File: BF138113.D

Acq: 03 Jun 2024 18:26




Tgt Ion:172 Resp: 1033657


Ion Ratio Lower Upper

172 100

171 35.3 29.0 43.4

170 23.4 18.6 28.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.575 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF138113.D

Acq: 03 Jun 2024 18:26

Instrument :

BNA_F

ClientSampleId :

BKG-2





Tgt Ion:188 Resp: 475895

Ion Ratio Lower Upper

188 100

94 9.2 7.4 11.0

80 9.2 7.8 11.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.227 min Scan# 2064

Delta R.T. -0.012 min

Lab File: BF138113.D

Acq: 03 Jun 2024 18:26




Tgt Ion:240 Resp: 247273


Ion Ratio Lower Upper

240 100

120 10.4 7.1 10.7

236 24.9 20.4 30.6









#79
 Terphenyl-d14
 Concen: 46.872 ng
 RT: 13.163 min Scan# 1883
 Delta R.T. -0.006 min
 Lab File: BF138113.D
 Acq: 03 Jun 2024 18:26

Instrument :
 BNA_F
 ClientSampleId :
 BKG-2

Tgt Ion:244 Resp: 801258
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.4 8.2
 122 9.7 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.798 min Scan# 2331
 Delta R.T. -0.006 min
 Lab File: BF138113.D
 Acq: 03 Jun 2024 18:26

Tgt Ion:264 Resp: 293884
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.9 28.3
 265 21.1 16.7 25.1

