

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060416\
 Data File : BF087667.D
 Acq On : 4 Jun 2016 15:44
 Operator : UM/SJ
 Sample : PB91074TB
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB91074TB

Quant Time: Jun 05 00:57:56 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 04 11:07:28 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	120184	20.00	ng	-0.01
21) Naphthalene-d8	8.15	136	499855	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	225652	20.00	ng	-0.01
63) Phenanthrene-d10	11.38	188	454067	20.00	ng	0.00
75) Chrysene-d12	14.01	240	372883	20.00	ng	-0.01
86) Perylene-d12	15.44	264	289122	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	776140	104.38	ng	0.01
7) Phenol-d6	6.49	99	1114962	119.57	ng	0.00
23) Nitrobenzene-d5	7.42	82	597915	69.21	ng	-0.01
41) 2,4,6-Tribromophenol	10.68	330	232700	102.73	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	1077746	69.12	ng	-0.01
78) Terphenyl-d14	12.97	244	1006203	65.85	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.42	70	77314	13.28	ng	# 78
50) 2,6-Dinitrotoluene	9.90	165	29132	7.81	ng	# 40
56) 2,4-Dinitrotoluene	9.90	165	29134	6.13	ng	# 38
64) 4,6-Dinitro-2-methylphenol	10.68	198	442	2.18	ng	# 1
66) 4-Bromophenyl-phenylether	10.68	248	14112	3.13	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060416\
Data File : BF087667.D
Acq On : 4 Jun 2016 15:44
Operator : UM/SJ
Sample : PB91074TB
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB91074TB

Quant Time: Jun 05 00:57:56 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 04 11:07:28 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.86 min Scan# 461
Delta R.T. -0.01 min
Lab File: BF087667.D
Acq: 4 Jun 2016 15:44

Instrument :
BNA_F
ClientSampleId :
PB91074TB

Tgt Ion	Ratio	Lower	Upper
152	100		
150	157.6	123.8	185.6
115	64.9	39.6	59.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 104.38 ng
RT: 5.46 min Scan# 339
Delta R.T. 0.01 min
Lab File: BF087667.D
Acq: 4 Jun 2016 15:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.3	42.2	63.2
63	30.7	21.8	32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 119.57 ng

RT: 6.49 min Scan# 429

Delta R.T. -0.00 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44

Instrument :

BNA_F

ClientSampleId :

PB91074TB


Tgt Ion: 99 Resp: 1114962

Ion Ratio Lower Upper

99 100

42 13.3 12.2 18.2




71 28.9 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 13.28 ng

RT: 7.42 min Scan# 510

Delta R.T. 0.14 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44

Tgt Ion: 70 Resp: 77314


Ion Ratio Lower Upper

70 100

42 48.8 49.6 74.4#

101 0.0 7.1 10.7#

130 2.3 15.4 23.2#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): E

Ion 130.00 (129.70 to 130.70): E





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.15 min Scan# 574

Delta R.T. -0.00 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44

Instrument :

BNA_F

ClientSampleId :

PB91074TB

Tgt Ion:136 Resp: 499855


Ion Ratio Lower Upper

136 100

137 10.6 9.1 13.7

54 5.9 6.6 10.0#

68 4.6 5.1 7.7#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 69.21 ng

RT: 7.42 min Scan# 510

Delta R.T. -0.01 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44


Tgt Ion: 82 Resp: 597915

Ion Ratio Lower Upper

82 100

128 43.8 35.9 53.9



54 52.4 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.90 min Scan# 727
 Delta R.T. -0.01 min
 Lab File: BF087667.D
 Acq: 4 Jun 2016 15:44

Instrument :
 BNA_F
 ClientSampleId :
 PB91074TB

Tgt Ion:164 Resp: 225652
 Ion Ratio Lower Upper
 164 100
 162 103.6 85.4 128.2
 160 47.4 39.5 59.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 102.73 ng
 RT: 10.68 min Scan# 796
 Delta R.T. -0.00 min
 Lab File: BF087667.D
 Acq: 4 Jun 2016 15:44

Tgt Ion:330 Resp: 232700
 Ion Ratio Lower Upper
 330 100
 332 94.5 0.0 0.0#
 141 40.8 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 69.12 ng
 RT: 9.22 min Scan# 668
 Delta R.T. -0.01 min
 Lab File: BF087667.D
 Acq: 4 Jun 2016 15:44




Instrument :
 BNA_F
 ClientSampleId :
 PB91074TB


Tgt Ion:172 Resp: 1077746
 Ion Ratio Lower Upper
 172 100
 171 35.9 28.6 43.0
 170 24.1 19.2 28.8



#50
 2,6-Dinitrotoluene
 Concen: 7.81 ng
 RT: 9.90 min Scan# 727
 Delta R.T. 0.21 min
 Lab File: BF087667.D
 Acq: 4 Jun 2016 15:44

Tgt Ion:165 Resp: 29132
 Ion Ratio Lower Upper
 165 100
 63 1.5 28.1 42.1#
 89 1.5 32.2 48.2#






#56
 2,4-Dinitrotoluene
 Concen: 6.13 ng
 RT: 9.90 min Scan# 727
 Delta R.T. -0.19 min
 Lab File: BF087667.D
 Acq: 4 Jun 2016 15:44

Instrument :
 BNA_F
 ClientSampleId :
 PB91074TB

Tgt Ion:	165	Resp:	29134
Ion	Ratio	Lower	Upper
165	100		
63	1.5	22.0	33.0#
89	1.5	41.1	61.7#
182	0.0	2.0	3.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0


Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.38 min Scan# 857
 Delta R.T. -0.00 min
 Lab File: BF087667.D
 Acq: 4 Jun 2016 15:44



Tgt Ion:	188	Resp:	454067
Ion	Ratio	Lower	Upper
188	100		
94	7.9	9.0	13.6#
80	8.1	10.0	15.0#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#64

4,6-Dinitro-2-methylphenol

Concen: 2.18 ng

RT: 10.68 min Scan# 796

Delta R.T. 0.19 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44

Instrument :

BNA_F

ClientSampleId :

PB91074TB


Tgt Ion:198 Resp: 442

Ion Ratio Lower Upper

198 100

51 146.7 39.6 79.6#


105 174.5 36.6 76.6#



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BF0

Ion 105.00 (104.70 to 105.70): E



Abundance


Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BF0

Ion 105.00 (104.70 to 105.70): E

10.68

Time-->



#66

4-Bromophenyl-phenylether

Concen: 3.13 ng

RT: 10.68 min Scan# 796

Delta R.T. -0.25 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44


Tgt Ion:248 Resp: 14112

Ion Ratio Lower Upper

248 100

250 205.2 77.1 115.7#

141 584.3 50.6 76.0#




Abundance Ion 248.00 (247.70 to 248.70): E


Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E

10.68

Time-->





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.01 min Scan# 1087

Delta R.T. -0.01 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44

Instrument :

BNA_F

ClientSampleId :

PB91074TB


Tgt Ion:240 Resp: 372883

Ion Ratio Lower Upper

240 100

120 13.8 6.8 10.2#




236 25.9 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 65.85 ng

RT: 12.97 min Scan# 996

Delta R.T. 0.00 min

Lab File: BF087667.D

Acq: 4 Jun 2016 15:44


Tgt Ion:244 Resp: 1006203

Ion Ratio Lower Upper

244 100

212 7.6 6.0 9.0



122 13.3 11.2 16.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.44 min Scan# 1212
 Delta R.T. -0.00 min
 Lab File: BF087667.D
 Acq: 4 Jun 2016 15:44

Instrument :
 BNA_F
 ClientSampleId :
 PB91074TB

Tgt Ion: 264 Resp: 289122
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.2 28.8
 265 21.7 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

