

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060416\
 Data File : BF087683.D
 Acq On : 5 Jun 2016 2:08
 Operator : UM/SJ
 Sample : H3383-01
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WEST-WALL-4BGL

Quant Time: Jun 05 04:41:46 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060416.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 04 11:07:28 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.86	152	120263	20.00	ng	-0.01
21) Naphthalene-d8	8.15	136	481592	20.00	ng	0.00
38) Acenaphthene-d10	9.90	164	230108	20.00	ng	-0.01
63) Phenanthrene-d10	11.38	188	446186	20.00	ng	0.00
75) Chrysene-d12	14.01	240	361516	20.00	ng	-0.01
86) Perylene-d12	15.44	264	280946	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	960952	129.15	ng	0.01
7) Phenol-d6	6.49	99	1284566	137.66	ng	0.00
23) Nitrobenzene-d5	7.43	82	752253	90.37	ng	0.00
41) 2,4,6-Tribromophenol	10.68	330	272617	118.03	ng	0.00
44) 2-Fluorobiphenyl	9.22	172	1214001	79.23	ng	-0.01
78) Terphenyl-d14	12.97	244	1088890	73.50	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.42	70	97341	16.70	ng	# 78
49) Dimethylphthalate	9.61	163	100318	6.00	ng	99
56) 2,4-Dinitrotoluene	9.90	165	29715	6.13	ng	# 38
64) 4,6-Dinitro-2-methylphenol	10.68	198	557	2.23	ng	# 1
66) 4-Bromophenyl-phenylether	10.68	248	16896	3.82	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060416\
Data File : BF087683.D
Acq On : 5 Jun 2016 2:08
Operator : UM/SJ
Sample : H3383-01
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WEST-WALL-4BGL

Quant Time: Jun 05 04:41:46 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060416.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 04 11:07:28 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.86 min Scan# 461

Delta R.T. -0.01 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08

Instrument :

BNA_F

ClientSampleId :

WEST-WALL-4BGL


Tgt Ion:152 Resp: 120263

Ion Ratio Lower Upper

152 100

150 158.3 123.8 185.6




115 64.8 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 129.15 ng

RT: 5.46 min Scan# 339

Delta R.T. 0.01 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08


Tgt Ion:112 Resp: 960952

Ion Ratio Lower Upper

112 100

64 54.3 42.2 63.2



63 28.2 21.8 32.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 137.66 ng

RT: 6.49 min Scan# 429

Delta R.T. -0.00 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08

Instrument :

BNA_F

ClientSampleId :

WEST-WALL-4BGL


Tgt Ion: 99 Resp: 1284566

Ion Ratio Lower Upper

99 100

42 16.2 12.2 18.2




71 32.7 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.70 ng

RT: 7.42 min Scan# 510

Delta R.T. 0.14 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08

Tgt Ion: 70 Resp: 97341


Ion Ratio Lower Upper

70 100

42 49.0 49.6 74.4#

101 0.0 7.1 10.7#

130 2.1 15.4 23.2#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.15 min Scan# 574

Delta R.T. -0.00 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08

Instrument :

BNA_F

ClientSampleId :

WEST-WALL-4BGL

Tgt Ion: 136 Resp: 481592


Ion Ratio Lower Upper

136 100

137 10.6 9.1 13.7

54 5.5 6.6 10.0#

68 4.5 5.1 7.7#




Abundance Ion 136.00 (135.70 to 136.70): E



Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->



#23

Nitrobenzene-d5

Concen: 90.37 ng

RT: 7.43 min Scan# 511

Delta R.T. -0.00 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08


Tgt Ion: 82 Resp: 752253

Ion Ratio Lower Upper

82 100

128 57.2 35.9 53.9#


54 43.2 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0


Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



Time-->









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.90 min Scan# 727
Delta R.T. -0.01 min
Lab File: BF087683.D
Acq: 5 Jun 2016 2:08

Instrument :
BNA_F
ClientSampleId :
WEST-WALL-4BGL

Tgt Ion:164 Resp: 230108
Ion Ratio Lower Upper
164 100
162 102.3 85.4 128.2
160 46.7 39.5 59.3




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 118.03 ng
RT: 10.68 min Scan# 796
Delta R.T. -0.00 min
Lab File: BF087683.D
Acq: 5 Jun 2016 2:08

Tgt Ion:330 Resp: 272617
Ion Ratio Lower Upper
330 100
332 97.2 0.0 0.0#
141 39.0 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 79.23 ng
 RT: 9.22 min Scan# 668
 Delta R.T. -0.01 min
 Lab File: BF087683.D
 Acq: 5 Jun 2016 2:08

Instrument :
 BNA_F
 ClientSampleId :
 WEST-WALL-4BGL

Tgt Ion:172 Resp: 1214001
 Ion Ratio Lower Upper
 172 100
 171 36.3 28.6 43.0
 170 24.6 19.2 28.8




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#49
 Dimethylphthalate
 Concen: 6.00 ng
 RT: 9.61 min Scan# 702
 Delta R.T. -0.02 min
 Lab File: BF087683.D
 Acq: 5 Jun 2016 2:08

Tgt Ion:163 Resp: 100318
 Ion Ratio Lower Upper
 163 100
 194 3.0 2.8 4.2
 164 10.5 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#56
 2,4-Dinitrotoluene
 Concen: 6.13 ng
 RT: 9.90 min Scan# 727
 Delta R.T. -0.19 min
 Lab File: BF087683.D
 Acq: 5 Jun 2016 2:08




Instrument :
 BNA_F
 ClientSampleId :
 WEST-WALL-4BGL


Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.1	22.0	33.0#
89	1.7	41.1	61.7#
182	0.0	2.0	3.0#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.38 min Scan# 857
 Delta R.T. -0.00 min
 Lab File: BF087683.D
 Acq: 5 Jun 2016 2:08

Tgt Ion	Ratio	Lower	Upper
188	100		
94	7.5	9.0	13.6#
80	7.4	10.0	15.0#





#64

4,6-Dinitro-2-methylphenol

Concen: 2.23 ng

RT: 10.68 min Scan# 796

Delta R.T. 0.19 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08

Instrument :

BNA_F

ClientSampleId :

WEST-WALL-4BGL


Tgt Ion:198 Resp: 557

Ion Ratio Lower Upper

198 100

51 152.7 39.6 79.6#




105 159.5 36.6 76.6#



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BF0

Ion 105.00 (104.70 to 105.70): E



#66

4-Bromophenyl-phenylether

Concen: 3.82 ng

RT: 10.68 min Scan# 796

Delta R.T. -0.25 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08


Tgt Ion:248 Resp: 16896

Ion Ratio Lower Upper

248 100

250 197.7 77.1 115.7#



141 575.8 50.6 76.0#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.01 min Scan# 1087

Delta R.T. -0.01 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08

Instrument :

BNA_F

ClientSampleId :

WEST-WALL-4BGL


Tgt Ion:240 Resp: 361516

Ion Ratio Lower Upper

240 100

120 12.1 6.8 10.2#




236 25.7 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 73.50 ng

RT: 12.97 min Scan# 996

Delta R.T. 0.00 min

Lab File: BF087683.D

Acq: 5 Jun 2016 2:08


Tgt Ion:244 Resp: 1088890

Ion Ratio Lower Upper

244 100

212 7.7 6.0 9.0



122 13.5 11.2 16.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.44 min Scan# 1212
Delta R.T. -0.00 min
Lab File: BF087683.D
Acq: 5 Jun 2016 2:08

Instrument :
BNA_F
ClientSampleId :
WEST-WALL-4BGL

Tgt Ion: 264 Resp: 280946
Ion Ratio Lower Upper
264 100
260 23.5 19.2 28.8
265 21.2 16.9 25.3

