

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060421\
 Data File : BF124133.D
 Acq On : 4 Jun 2021 11:32
 Operator : JU/CG
 Sample : M2580-11
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 18-B4(2-4)

Quant Time: Jun 04 13:16:02 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 04 09:56:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	40306	20.00	ng	0.00
21) Naphthalene-d8	8.145	136	154832	20.00	ng	0.00
39) Acenaphthene-d10	9.898	164	82490	20.00	ng	0.00
64) Phenanthrene-d10	11.386	188	119135	20.00	ng	0.00
76) Chrysene-d12	14.033	240	90174	20.00	ng	0.00
86) Perylene-d12	15.515	264	93641	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.492	112	267647	99.96	ng	0.00
7) Phenol-d6	6.504	99	333469	92.66	ng	0.00
23) Nitrobenzene-d5	7.428	82	228426	58.51	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	92178	78.87	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	448132	68.36	ng	0.00
79) Terphenyl-d14	12.974	244	342782	52.19	ng	0.00
Target Compounds						
						Qvalue
10) Phenol	6.516	94	7967	2.05	ng	73
17) 2-Methylphenol	7.275	107	5538	2.29	ng	87
19) n-Nitroso-di-n-propyla...	7.428	70	34260	13.48	ng	# 71
25) Isophorone	7.428	82	228422	32.47	ng	# 69
27) 2,4-Dimethylphenol	7.810	122	7524	3.05	ng	97
31) Naphthalene	8.169	128	19430	2.10	ng	98
32) Benzoic acid	7.933	122	4130	2.73	ng	# 15
50) Dimethylphthalate	9.616	163	34035	4.99	ng	99
56) 4-Nitrophenol	10.104	139	7410	7.08	ng	# 1
58) Fluorene	10.445	166	22835	3.53	ng	97
67) 4-Bromophenyl-phenylether	10.692	248	6091	3.72	ng	# 1
71) Phenanthrene	11.410	178	132129	17.75	ng	95
72) Anthracene	11.463	178	22835	3.05	ng	97
73) Carbazole	11.616	167	19457	2.98	ng	# 96
75) Fluoranthene	12.610	202	213318	27.31	ng	96
77) Benzidine	12.692	184	348	4.21	ng	# 1
78) Pyrene	12.833	202	161745	18.68	ng	98
81) Benzo(a)anthracene	14.021	228	60400	9.19	ng	97
83) Chrysene	14.057	228	73598	11.61	ng	97
84) Bis(2-ethylhexyl)phtha...	14.009	149	18444	4.41	ng	100
87) Indeno(1,2,3-cd)pyrene	17.003	276	31602	8.02	ng	# 89
88) Benzo(b)fluoranthene	15.080	252	139567	19.19	ng	# 93
89) Benzo(k)fluoranthene	15.080	252	139567	20.27	ng	# 94
90) Benzo(a)pyrene	15.451	252	45640	7.22	ng	# 91
91) Dibenzo(a,h)anthracene	17.009	278	9299	5.45	ng	# 93
92) Benzo(g,h,i)perylene	17.450	276	27021	7.60	ng	# 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060421\
Data File : BF124133.D
Acq On : 4 Jun 2021 11:32
Operator : JU/CG
Sample : M2580-11
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)

Quant Time: Jun 04 13:16:02 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 04 09:56:24 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:152 Resp: 40306
Ion Ratio Lower Upper
152 100
150 161.5 127.0 190.6
115 71.6 54.3 81.5



#5
2-Fluorophenol
Concen: 99.96 ng
RT: 5.492 min Scan# 579
Delta R.T. -0.000 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:112 Resp: 267647
Ion Ratio Lower Upper
112 100
64 74.8 61.4 92.0
63 42.9 33.0 49.4









#7
Phenol-d6
Concen: 92.66 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion: 99 Resp: 333469
Ion Ratio Lower Upper
99 100
42 23.6 19.8 29.8
71 48.6 31.1 46.7#



#10
Phenol
Concen: 2.05 ng
RT: 6.516 min Scan# 753
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion: 94 Resp: 7967
Ion Ratio Lower Upper
94 100
65 55.4 18.1 58.1
66 66.3 29.0 69.0





#17

2-Methylphenol

Concen: 2.29 ng

RT: 7.275 min Scan# 882

Delta R.T. 0.147 min

Lab File: BF124133.D

Acq: 4 Jun 2021 11:32

Tgt Ion:107 Resp: 5538





Ion Ratio Lower Upper

107 100

108 95.0 89.8 134.8

77 45.5 40.9 61.3

79 56.7 40.2 60.4



#19

n-Nitroso-di-n-propylamine

Concen: 13.48 ng

RT: 7.428 min Scan# 908

Delta R.T. 0.147 min

Lab File: BF124133.D

Acq: 4 Jun 2021 11:32

Tgt Ion: 70 Resp: 34260




Ion Ratio Lower Upper


70 100

42 52.4 60.1 90.1#

101 0.0 7.4 11.2#


130 0.9 14.2 21.2#








#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.145 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)







Tgt Ion:	136	Resp:	154832
Ion Ratio	Lower	Upper	
136	100		
137	9.7	8.7	13.1
54	10.2	9.8	14.6
68	5.0	4.1	6.1



#23
Nitrobenzene-d5
Concen: 58.51 ng
RT: 7.428 min Scan# 908
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:	82	Resp:	228426
Ion Ratio	Lower	Upper	
82	100		
128	36.8	29.4	44.2
54	62.7	54.1	81.1









#25
Isophorone
Concen: 32.47 ng
RT: 7.428 min Scan# 908
Delta R.T. -0.265 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion: 82 Resp: 228422
Ion Ratio Lower Upper
82 100
95 0.0 5.8 8.6#
138 0.0 11.8 17.8#



#27
2,4-Dimethylphenol
Concen: 3.05 ng
RT: 7.810 min Scan# 973
Delta R.T. 0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion: 122 Resp: 7524
Ion Ratio Lower Upper
122 100
107 130.0 106.3 159.5
121 53.5 45.4 68.0









#31
Naphthalene
Concen: 2.10 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:128 Resp: 19430
Ion Ratio Lower Upper
128 100
129 11.7 8.9 13.3
127 12.2 10.8 16.2



#32
Benzoic acid
Concen: 2.73 ng
RT: 7.933 min Scan# 994
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:122 Resp: 4130
Ion Ratio Lower Upper
122 100
105 0.0 107.8 147.8#
77 49.1 81.6 121.6#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.898 min Scan# 1328
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:164 Resp: 82490
Ion Ratio Lower Upper
164 100
162 105.9 80.7 121.1
160 38.4 37.3 55.9



#42
2,4,6-Tribromophenol
Concen: 78.87 ng
RT: 10.692 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:330 Resp: 92178
Ion Ratio Lower Upper
330 100
332 102.2 77.1 115.7
141 37.6 27.9 41.9









#45
2-Fluorobiphenyl
Concen: 68.36 ng
RT: 9.222 min Scan# 1213
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:172 Resp: 448132
Ion Ratio Lower Upper
172 100
171 35.8 28.1 42.1
170 23.2 19.2 28.8



#50
Dimethylphthalate
Concen: 4.99 ng
RT: 9.616 min Scan# 1280
Delta R.T. -0.012 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:163 Resp: 34035
Ion Ratio Lower Upper
163 100
194 4.4 3.1 4.7
164 10.1 8.2 12.2









#56
4-Nitrophenol
Concen: 7.08 ng
RT: 10.104 min Scan# 1363
Delta R.T. 0.082 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:139 Resp: 7410
Ion Ratio Lower Upper
139 100
109 3.9 63.2 103.2#
65 5.6 110.0 150.0#



#58
Fluorene
Concen: 3.53 ng
RT: 10.445 min Scan# 1421
Delta R.T. -0.012 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:166 Resp: 22835
Ion Ratio Lower Upper
166 100
165 94.5 73.5 110.3
167 11.7 10.7 16.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.386 min Scan# 1581
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:188 Resp: 119135
Ion Ratio Lower Upper
188 100
94 7.8 6.9 10.3
80 10.2 8.2 12.2



#67
4-Bromophenyl-phenylether
Concen: 3.72 ng
RT: 10.692 min Scan# 1463
Delta R.T. -0.241 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:248 Resp: 6091
Ion Ratio Lower Upper
248 100
250 204.1 77.4 116.2#
141 488.0 63.7 95.5#









#71
Phenanthrene
Concen: 17.75 ng
RT: 11.410 min Scan# 1585
Delta R.T. -0.012 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:178 Resp: 132129
Ion Ratio Lower Upper
178 100
176 16.4 15.6 23.4
179 14.9 12.5 18.7



#72
Anthracene
Concen: 3.05 ng
RT: 11.463 min Scan# 1594
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:178 Resp: 22835
Ion Ratio Lower Upper
178 100
176 21.2 15.4 23.0
179 14.9 12.6 18.8









#73
 Carbazole
 Concen: 2.98 ng
 RT: 11.616 min Scan# 1620
 Delta R.T. -0.006 min
 Lab File: BF124133.D
 Acq: 4 Jun 2021 11:32




Instrument :
 BNA_F
 ClientSampleId :
 18-B4(2-4)


Tgt Ion:167	Resp:	19457
Ion Ratio	Lower	Upper
167	100	
166	20.7	17.0 25.6
139	16.0	10.4 15.6#



#75
 Fluoranthene
 Concen: 27.31 ng
 RT: 12.610 min Scan# 1789
 Delta R.T. -0.000 min
 Lab File: BF124133.D
 Acq: 4 Jun 2021 11:32

Tgt Ion:202	Resp:	213318
Ion Ratio	Lower	Upper
202	100	
101	8.2	0.0 30.9
203	18.1	0.0 37.5









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.033 min Scan# 2031
Delta R.T. 0.000 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:240 Resp: 90174
Ion Ratio Lower Upper
240 100
120 8.1 7.2 10.8
236 24.5 19.0 28.4



#77
Benzidine
Concen: 4.21 ng
RT: 12.692 min Scan# 1803
Delta R.T. -0.029 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:184 Resp: 348
Ion Ratio Lower Upper
184 100
185 464.1 12.1 18.1#
183 107.8 7.8 11.8#





#78

Pyrene

Concen: 18.68 ng

RT: 12.833 min Scan# 1827

Delta R.T. -0.006 min

Lab File: BF124133.D

Acq: 4 Jun 2021 11:32





Tgt Ion:202 Resp: 161745

Ion Ratio Lower Upper

202 100

200 19.7 16.1 24.1

203 17.5 14.8 22.2



#79

Terphenyl-d14

Concen: 52.19 ng

RT: 12.974 min Scan# 1851

Delta R.T. -0.006 min

Lab File: BF124133.D

Acq: 4 Jun 2021 11:32




Tgt Ion:244 Resp: 342782


Ion Ratio Lower Upper

244 100

212 7.1 5.7 8.5

122 8.7 9.7 14.5#









#81
Benzo(a)anthracene
Concen: 9.19 ng
RT: 14.021 min Scan# 2029
Delta R.T. -0.000 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:228 Resp: 60400
Ion Ratio Lower Upper
228 100
226 30.4 22.4 33.6
229 19.5 16.0 24.0



#83
Chrysene
Concen: 11.61 ng
RT: 14.057 min Scan# 2035
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:228 Resp: 73598
Ion Ratio Lower Upper
228 100
226 29.5 24.3 36.5
229 22.5 16.2 24.2









#84
Bis(2-ethylhexyl)phthalate
Concen: 4.41 ng
RT: 14.009 min Scan# 2027
Delta R.T. -0.000 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:149 Resp: 18444
Ion Ratio Lower Upper
149 100
167 27.3 21.8 32.6
279 4.9 3.3 4.9



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.515 min Scan# 2283
Delta R.T. 0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:264 Resp: 93641
Ion Ratio Lower Upper
264 100
260 25.1 18.7 28.1
265 21.9 17.8 26.8









#87
Indeno(1,2,3-cd)pyrene
Concen: 8.02 ng
RT: 17.003 min Scan# 2536
Delta R.T. 0.000 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32




Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)


Tgt Ion:276 Resp: 31602
Ion Ratio Lower Upper
276 100
138 30.0 16.2 24.2#
277 26.6 20.1 30.1



#88
Benzo(b)fluoranthene
Concen: 19.19 ng
RT: 15.080 min Scan# 2209
Delta R.T. -0.000 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:252 Resp: 139567
Ion Ratio Lower Upper
252 100
253 20.1 18.1 27.1
125 12.6 6.2 9.4#





#89

Benzo(k)fluoranthene

Concen: 20.27 ng

RT: 15.080 min Scan# 2209

Delta R.T. -0.029 min

Lab File: BF124133.D

Acq: 4 Jun 2021 11:32

Tgt Ion:252 Resp: 139567

Ion Ratio Lower Upper

252 100

253 20.1 17.9 26.9





125 12.6 7.0 10.6#

Instrument :

BNA_F

ClientSampleId :

18-B4(2-4)



#90

Benzo(a)pyrene

Concen: 7.22 ng

RT: 15.451 min Scan# 2272

Delta R.T. -0.000 min

Lab File: BF124133.D

Acq: 4 Jun 2021 11:32




Tgt Ion:252 Resp: 45640


Ion Ratio Lower Upper

252 100

253 21.3 18.4 27.6

125 18.0 8.0 12.0#









#91
Dibenzo(a,h)anthracene
Concen: 5.45 ng
RT: 17.009 min Scan# 2537
Delta R.T. -0.012 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Instrument :
BNA_F
ClientSampleId :
18-B4(2-4)

Tgt Ion:278 Resp: 9299
Ion Ratio Lower Upper
278 100
139 17.4 10.2 15.2#
279 21.8 19.4 29.0



#92
Benzo(g,h,i)perylene
Concen: 7.60 ng
RT: 17.450 min Scan# 2612
Delta R.T. -0.006 min
Lab File: BF124133.D
Acq: 4 Jun 2021 11:32

Tgt Ion:276 Resp: 27021
Ion Ratio Lower Upper
276 100
277 25.3 18.2 27.2
138 26.5 13.8 20.6#

