

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060425\
 Data File : BF142613.D
 Acq On : 04 Jun 2025 18:18
 Operator : RC/JU
 Sample : Q2173-06
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jun 04 18:43:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 20 16:26:47 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	121906	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	452909	20.000	ng	-0.01
39) Acenaphthene-d10	9.933	164	225259	20.000	ng	-0.01
64) Phenanthrene-d10	11.422	188	316248	20.000	ng	-0.01
76) Chrysene-d12	14.063	240	220763	20.000	ng	-0.01
86) Perylene-d12	15.557	264	275706	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	706902	97.695	ng	0.00
7) Phenol-d6	6.522	99	748163	85.895	ng	-0.01
23) Nitrobenzene-d5	7.457	82	655007	78.861	ng	-0.02
42) 2,4,6-Tribromophenol	10.722	330	238869	95.544	ng	-0.02
45) 2-Fluorobiphenyl	9.251	172	1286765	76.652	ng	-0.02
79) Terphenyl-d14	13.010	244	952538	58.963	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.457	70	86628	16.048	ng	# 76
25) Isophorone	7.457	82	641895	46.223	ng	# 63
51) 2,6-Dinitrotoluene	9.933	165	28065	8.749	ng	# 27
57) 2,4-Dinitrotoluene	9.933	165	28065	6.699	ng	# 28
67) 4-Bromophenyl-phenylether	10.722	248	14803	3.959	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060425\
Data File : BF142613.D
Acq On : 04 Jun 2025 18:18
Operator : RC/JU
Sample : Q2173-06
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :


Quant Time: Jun 04 18:43:19 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 20 16:26:47 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 800
Delta R.T. -0.006 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:152 Resp: 121906
Ion Ratio Lower Upper
152 100
150 155.1 128.2 192.4
115 55.3 48.3 72.5



#5
2-Fluorophenol
Concen: 97.695 ng
RT: 5.522 min Scan# 566
Delta R.T. 0.006 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Tgt Ion:112 Resp: 706902
Ion Ratio Lower Upper
112 100
64 58.6 47.5 71.3
63 30.0 24.9 37.3









#7
Phenol-d6
Concen: 85.895 ng
RT: 6.522 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 99 Resp: 748163
Ion Ratio Lower Upper
99 100
42 19.1 16.2 24.2
71 32.6 27.3 40.9



#19
n-Nitroso-di-n-propylamine
Concen: 16.048 ng
RT: 7.457 min Scan# 895
Delta R.T. 0.130 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18


Tgt Ion: 70 Resp: 86628
Ion Ratio Lower Upper
70 100
42 51.4 52.4 78.6#
101 0.0 7.8 11.8#
130 2.5 18.0 27.0#








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1017
Delta R.T. -0.012 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:136 Resp: 452909
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 8.6 6.6 10.0
68 5.5 4.1 6.1



#23
Nitrobenzene-d5
Concen: 78.861 ng
RT: 7.457 min Scan# 895
Delta R.T. -0.017 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Tgt Ion: 82 Resp: 655007
Ion Ratio Lower Upper
82 100
128 48.7 37.4 56.2
54 56.0 46.6 70.0









#25
Isophorone
Concen: 46.223 ng
RT: 7.457 min Scan# 89
Delta R.T. -0.276 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 82 Resp: 641895
Ion Ratio Lower Upper
82 100
95 0.0 6.0 9.0#
138 0.0 15.5 23.3#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.933 min Scan# 1316
Delta R.T. -0.012 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18


Tgt Ion:164 Resp: 225259
Ion Ratio Lower Upper
164 100
162 99.3 80.2 120.4
160 44.5 35.6 53.4








#42
2,4,6-Tribromophenol
Concen: 95.544 ng
RT: 10.722 min Scan# 1452
Delta R.T. -0.017 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:330 Resp: 238869
Ion Ratio Lower Upper
330 100
332 96.3 77.6 116.4
141 29.7 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 76.652 ng
RT: 9.251 min Scan# 1200
Delta R.T. -0.017 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Tgt Ion:172 Resp: 1286765
Ion Ratio Lower Upper
172 100
171 35.5 28.6 42.8
170 23.3 18.9 28.3









#51
2,6-Dinitrotoluene
Concen: 8.749 ng
RT: 9.933 min Scan# 11
Delta R.T. 0.206 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:165 Resp: 28065
Ion Ratio Lower Upper
165 100
63 1.0 42.9 64.3#
89 0.9 40.2 60.4#



#57
2,4-Dinitrotoluene
Concen: 6.699 ng
RT: 9.933 min Scan# 1316
Delta R.T. -0.200 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Tgt Ion:165 Resp: 28065
Ion Ratio Lower Upper
165 100
63 1.0 33.6 50.4#
89 0.9 50.2 75.4#
182 0.0 2.2 3.4#









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.422 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:188 Resp: 316248
Ion Ratio Lower Upper
188 100
94 8.8 6.6 10.0
80 9.5 7.4 11.0



#67
4-Bromophenyl-phenylether
Concen: 3.959 ng
RT: 10.722 min Scan# 1450
Delta R.T. -0.253 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18


Tgt Ion:248 Resp: 14803
Ion Ratio Lower Upper
248 100
250 203.9 79.0 118.4#
141 470.4 58.4 87.6#








#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 20
Delta R.T. -0.012 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:240 Resp: 220763
Ion Ratio Lower Upper
240 100
120 10.7 7.5 11.3
236 24.7 19.6 29.4



#79
Terphenyl-d14
Concen: 58.963 ng
RT: 13.010 min Scan# 1839
Delta R.T. -0.006 min
Lab File: BF142613.D
Acq: 04 Jun 2025 18:18


Tgt Ion:244 Resp: 952538
Ion Ratio Lower Upper
244 100
212 6.3 5.3 7.9
122 10.2 8.2 12.2





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.557 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BF142613.D
 Acq: 04 Jun 2025 18:18

Instrument :
 BNA_F
 ClientSampleId :



Tgt Ion:264 Resp: 275706
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.6 28.0
 265 21.2 17.7 26.5

