

Data Path : Z:\HPCHEM1\BNA F\DATA\BF060617\
 Data File : BF095720.D
 Acq On : 6 Jun 2017 21:04
 Operator : SJ/MA
 Sample : I3457-07
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jun 07 02:48:07 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 05 16:15:31 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.38	152	79157	20.00	ng	-0.02
21) Naphthalene-d8	9.41	136	336150	20.00	ng	-0.02
38) Acenaphthene-d10	12.23	164	166325	20.00	ng	-0.02
63) Phenanthrene-d10	14.63	188	297469	20.00	ng	-0.02
75) Chrysene-d12	18.34	240	204108	20.00	ng	-0.02
86) Perylene-d12	20.01	264	139062	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	520237	104.73	ng	-0.01
7) Phenol-d6	6.93	99	620006	104.25	ng	-0.02
23) Nitrobenzene-d5	8.29	82	360695	66.64	ng	-0.03
41) 2,4,6-Tribromophenol	13.53	330	142723	96.99	ng	-0.02
44) 2-Fluorobiphenyl	11.19	172	660612	55.27	ng	-0.02
78) Terphenyl-d14	17.00	244	487621	59.29	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	8.29	70	43692	11.59	ng	Qvalue # 78
49) Dimethylphthalate	11.89	163	107601	8.52	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF060617\
Data File : BF095720.D
Acq On : 6 Jun 2017 21:04
Operator : SJ/MA
Sample : I3457-07
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jun 07 02:48:07 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 05 16:15:31 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.38 min Scan# 985
Delta R.T. -0.02 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 79157
Ion Ratio Lower Upper
152 100
150 161.5 126.2 189.2
115 61.1 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 104.73 ng
RT: 5.27 min Scan# 627
Delta R.T. -0.01 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04

Tgt Ion:112 Resp: 520237
Ion Ratio Lower Upper
112 100
64 54.6 46.0 69.0
63 26.1 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 104.25 ng

RT: 6.93 min Scan# 909

Delta R.T. -0.02 min

Lab File: BF095720.D

Acq: 6 Jun 2017 21:04

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 620006

Ion Ratio Lower Upper

99 100

42 15.8 13.5 20.3




71 32.4 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 11.59 ng

RT: 8.29 min Scan# 1140

Delta R.T. 0.16 min

Lab File: BF095720.D

Acq: 6 Jun 2017 21:04

Tgt Ion: 70 Resp: 43692


Ion Ratio Lower Upper

70 100

42 46.5 47.2 70.8#

101 0.0 7.2 10.8#

130 3.0 15.9 23.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 9.41 min Scan# 1330

Delta R.T. -0.02 min

Lab File: BF095720.D

Acq: 6 Jun 2017 21:04

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136 Resp: 336150


Ion Ratio Lower Upper

136 100

137 11.3 8.5 12.7

54 6.3 4.9 7.3

68 5.6 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 66.64 ng

RT: 8.29 min Scan# 1140

Delta R.T. -0.03 min

Lab File: BF095720.D

Acq: 6 Jun 2017 21:04


Tgt Ion: 82 Resp: 360695

Ion Ratio Lower Upper

82 100

128 46.4 34.0 51.0



54 46.8 42.2 63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 12.23 min Scan# 1810
Delta R.T. -0.02 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04

Instrument :
BNA_F
ClientSampleId :

Tot Ion:164 Resp: 166325
Ion Ratio Lower Upper
164 100
162 98.6 82.6 123.8
160 42.8 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 96.99 ng
RT: 13.53 min Scan# 2030
Delta R.T. -0.02 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04

Tgt Ion:330 Resp: 142723
Ion Ratio Lower Upper
330 100
332 95.0 76.6 115.0
141 38.0 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 55.27 ng
RT: 11.19 min Scan# 1633
Delta R.T. -0.02 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04




Instrument :
BNA_F
ClientSampleId :


Tot Ion:172 Resp: 660612
Ion Ratio Lower Upper
172 100
171 35.0 29.6 44.4
170 23.2 19.8 29.8



#49
Dimethylphthalate
Concen: 8.52 ng
RT: 11.89 min Scan# 1751
Delta R.T. -0.03 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04

Tgt Ion:163 Resp: 107601
Ion Ratio Lower Upper
163 100
194 3.9 2.6 4.0
164 9.8 8.4 12.6









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 14.63 min Scan# 2217
Delta R.T. -0.02 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04




Instrument :
BNA_F
ClientSampled :


Tot Ion:188 Resp: 297469
Ion Ratio Lower Upper
188 100
94 9.9 9.4 14.2
80 11.0 10.2 15.2



#75
Chrysene-d12
Concen: 20.00 ng
RT: 18.34 min Scan# 2848
Delta R.T. -0.02 min
Lab File: BF095720.D
Acq: 6 Jun 2017 21:04

Tgt Ion:240 Resp: 204108
Ion Ratio Lower Upper
240 100
120 14.5 5.8 8.8#
236 24.0 20.5 30.7









#78
 Terphenyl-d14
 Concen: 59.29 ng
 RT: 17.00 min Scan# 2620
 Delta R.T. -0.02 min
 Lab File: BF095720.D
 Acq: 6 Jun 2017 21:04

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:244 Resp: 487621
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 14.5 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 20.01 min Scan# 3132
 Delta R.T. -0.01 min
 Lab File: BF095720.D
 Acq: 6 Jun 2017 21:04

Tgt Ion:264 Resp: 139062
 Ion Ratio Lower Upper
 264 100
 260 22.6 19.5 29.3
 265 21.9 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

