

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060622\
 Data File : BF128705.D
 Acq On : 06 Jun 2022 19:28
 Operator : CG\JU
 Sample : N3186-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 2513-2514

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF128705.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.475	539	542	553	rBV	1467501	1502820	100.00%	8.829%
2	6.069	637	643	646	rBV2	23509	30298	2.02%	0.178%
3	6.492	711	715	722	rVB	1473889	1486068	98.89%	8.730%
4	6.563	722	727	731	rVV2	29202	29485	1.96%	0.173%
5	6.822	766	771	776	rVB	567981	478560	31.84%	2.811%
6	6.969	793	796	800	rVB2	35738	36641	2.44%	0.215%
7	7.092	812	817	820	rVB3	40760	52031	3.46%	0.306%
8	7.210	833	837	841	rVV2	36277	49411	3.29%	0.290%
9	7.345	856	860	861	rBV2	27680	30339	2.02%	0.178%
10	7.386	863	867	870	rVV	1110563	1009621	67.18%	5.931%
11	7.416	870	872	876	rVB2	40213	36414	2.42%	0.214%
12	7.469	876	881	883	rBV5	43705	62850	4.18%	0.369%
13	7.528	883	891	894	rBV3	33125	68650	4.57%	0.403%
14	7.598	901	903	906	rBV	40549	41754	2.78%	0.245%
15	7.628	906	908	911	rVB2	47658	35038	2.33%	0.206%
16	7.722	922	924	926	rVV	42530	39699	2.64%	0.233%
17	7.745	926	928	932	rVB4	53794	47820	3.18%	0.281%
18	7.781	932	934	937	rVB2	33762	38367	2.55%	0.225%
19	7.822	937	941	943	rBV3	32098	32059	2.13%	0.188%
20	7.857	943	947	951	rBV4	33887	48487	3.23%	0.285%
21	7.922	956	958	963	rVB3	28346	33309	2.22%	0.196%
22	7.975	964	967	970	rBV3	31062	41704	2.78%	0.245%
23	8.057	975	981	983	rBV5	35276	61759	4.11%	0.363%
24	8.104	983	989	992	rVV	658619	601304	40.01%	3.532%
25	8.163	996	999	1002	rVB	171021	151032	10.05%	0.887%
26	8.192	1002	1004	1007	rBV3	45660	45417	3.02%	0.267%
27	8.257	1012	1015	1017	rBV4	27880	33344	2.22%	0.196%
28	8.310	1021	1024	1026	rVB2	52374	53565	3.56%	0.315%
29	8.398	1034	1039	1045	rBV6	88272	129712	8.63%	0.762%
30	8.451	1045	1048	1051	rBV3	41098	36439	2.42%	0.214%
31	8.486	1051	1054	1057	rVB4	51785	57154	3.80%	0.336%
32	8.528	1057	1061	1063	rBV	228367	199656	13.29%	1.173%
33	8.569	1066	1068	1070	rVB2	41636	32881	2.19%	0.193%
34	8.610	1072	1075	1077	rBV2	56454	42670	2.84%	0.251%
35	8.645	1077	1081	1084	rBV4	48846	65137	4.33%	0.383%
36	8.698	1087	1090	1093	rBV2	81015	90197	6.00%	0.530%

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060622\
 Data File : BF128705.D
 Acq On : 06 Jun 2022 19:28
 Operator : CG\JU
 Sample : N3186-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 2513-2514

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

37	8.757	1098	1100	1103	rVV2	57958	74651	4.97%	0.439%
38	8.792	1103	1106	1109	rVB2	88409	96680	6.43%	0.568%
39	8.892	1119	1123	1124	rBV3	32878	46976	3.13%	0.276%
40	8.980	1135	1138	1140	rBV3	59543	55766	3.71%	0.328%
41	9.010	1141	1143	1148	rVB5	49708	67592	4.50%	0.397%
42	9.063	1148	1152	1155	rVB4	28807	43043	2.86%	0.253%
43	9.098	1156	1158	1160	rBV2	48376	32784	2.18%	0.193%
44	9.127	1160	1163	1168	rBV	262304	230125	15.31%	1.352%
45	9.180	1168	1172	1175	rBV	1573386	1272569	84.68%	7.476%
46	9.263	1182	1186	1190	rBV3	182068	226949	15.10%	1.333%
47	9.304	1190	1193	1195	rBV2	46542	49407	3.29%	0.290%
48	9.380	1203	1206	1209	rVB4	39359	35126	2.34%	0.206%
49	9.451	1214	1218	1221	rVV4	62520	73585	4.90%	0.432%
50	9.492	1223	1225	1227	rVV2	31306	36825	2.45%	0.216%
51	9.516	1227	1229	1231	rVV2	98297	91056	6.06%	0.535%
52	9.539	1231	1233	1235	rVV2	80678	71392	4.75%	0.419%
53	9.580	1235	1240	1243	rVV3	322497	391077	26.02%	2.297%
54	9.610	1243	1245	1247	rVV2	70444	63489	4.22%	0.373%
55	9.639	1248	1250	1253	rVB3	51221	42296	2.81%	0.248%
56	9.727	1262	1265	1269	rBV4	68152	93652	6.23%	0.550%
57	9.769	1269	1272	1274	rVV2	105553	107465	7.15%	0.631%
58	9.792	1274	1276	1280	rVV	127177	113883	7.58%	0.669%
59	9.833	1280	1283	1284	rVV2	75680	80465	5.35%	0.473%
60	9.863	1284	1288	1290	rVV	605643	550147	36.61%	3.232%
61	9.898	1292	1294	1298	rVV5	54786	72046	4.79%	0.423%
62	9.969	1302	1306	1309	rVB2	71843	82355	5.48%	0.484%
63	10.022	1310	1315	1317	rBV5	50043	82280	5.48%	0.483%
64	10.057	1318	1321	1324	rVV3	86204	107978	7.19%	0.634%
65	10.116	1327	1331	1338	rVB6	95221	184026	12.25%	1.081%
66	10.180	1338	1342	1344	rBV3	78018	89515	5.96%	0.526%
67	10.233	1348	1351	1354	rVB3	48820	51574	3.43%	0.303%
68	10.269	1354	1357	1359	rBV4	65299	73037	4.86%	0.429%
69	10.292	1359	1361	1363	rVB	127873	90692	6.03%	0.533%
70	10.322	1363	1366	1368	rBV2	45298	43311	2.88%	0.254%
71	10.345	1368	1370	1376	rVB6	53578	81962	5.45%	0.482%
72	10.404	1376	1380	1381	rBV4	51926	62445	4.16%	0.367%
73	10.510	1393	1398	1404	rVB	236007	285426	18.99%	1.677%
74	10.563	1404	1407	1411	rVB4	55746	72644	4.83%	0.427%
75	10.604	1411	1414	1415	rBV3	29845	31105	2.07%	0.183%
76	10.651	1419	1422	1425	rVB	918514	766049	50.97%	4.500%

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060622\
 Data File : BF128705.D
 Acq On : 06 Jun 2022 19:28
 Operator : CG\JU
 Sample : N3186-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 2513-2514

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

77	10.780	1439	1444	1447	rBV	414100	479218	31.89%	2.815%
78	10.992	1477	1480	1483	rVB5	48220	50101	3.33%	0.294%
79	11.104	1495	1499	1504	rVB5	44414	71538	4.76%	0.420%
80	11.216	1515	1518	1520	rVV	92843	87896	5.85%	0.516%
81	11.245	1520	1523	1529	rVB	234472	256700	17.08%	1.508%
82	11.351	1537	1541	1543	rBV	479938	430374	28.64%	2.528%
83	11.592	1578	1582	1586	rBV4	60117	81739	5.44%	0.480%
84	11.639	1588	1590	1593	rVB	57368	46672	3.11%	0.274%
85	11.880	1628	1631	1635	rVV	105325	92602	6.16%	0.544%
86	12.051	1658	1660	1663	rVB	46167	36723	2.44%	0.216%
87	12.327	1704	1707	1710	rBV4	43082	47833	3.18%	0.281%
88	12.398	1717	1719	1722	rBV3	44009	41456	2.76%	0.244%
89	12.439	1724	1726	1728	rVB3	42341	32507	2.16%	0.191%
90	12.563	1744	1747	1752	rVB	50689	46562	3.10%	0.274%
91	12.663	1762	1764	1772	rBV7	34163	42366	2.82%	0.249%
92	12.792	1783	1786	1787	rBV	46028	36531	2.43%	0.215%
93	12.810	1787	1789	1792	rVB	43461	36053	2.40%	0.212%
94	12.933	1806	1810	1814	rBV	1081832	955960	63.61%	5.616%
95	13.168	1848	1850	1855	rBV5	19473	28753	1.91%	0.169%
96	13.633	1925	1929	1933	rVB	106037	97538	6.49%	0.573%
97	13.892	1966	1973	1976	rVB5	46655	87340	5.81%	0.513%
98	13.992	1985	1990	1993	rBV	505005	470395	31.30%	2.763%
99	14.092	2003	2007	2011	rBV	107754	114743	7.64%	0.674%
100	15.456	2235	2239	2243	rBV	340253	395450	26.31%	2.323%




Sum of corrected areas: 17022187

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060622\
Data File : BF128705.D
Acq On : 06 Jun 2022 19:28
Operator : CG\JU
Sample : N3186-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
2513-2514

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library :
TIC Integration Parameters: rteint.p



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060622\
Data File : BF128705.D
Acq On : 06 Jun 2022 19:28
Operator : CG\JU
Sample : N3186-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
2513-2514

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library :
TIC Integration Parameters: rteint.p

No Library Search Compounds Detected

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060622\
Data File : BF128705.D
Acq On : 06 Jun 2022 19:28
Operator : CG\JU
Sample : N3186-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
2513-2514

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library :
TIC Integration Parameters: rteint.p

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------