

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF060719\
 Data File : BF114896.D
 Acq On : 7 Jun 2019 14:16
 Operator : HP/JU
 Sample : K3198-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMP-DPC-81626-FB-07

Quant Time: Jun 08 05:15:25 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 04 16:57:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	261015	20.00	ng	-0.01
21) Naphthalene-d8	7.94	136	990835	20.00	ng	-0.01
39) Acenaphthene-d10	9.68	164	480400	20.00	ng	-0.02
64) Phenanthrene-d10	11.16	188	935750	20.00	ng	-0.01
76) Chrysene-d12	13.79	240	632887	20.00	ng	0.00
87) Perylene-d12	15.22	264	671476	20.00	ng	0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	1158407	77.55	ng	0.00
7) Phenol-d6	6.29	99	1468538	80.79	ng	-0.01
23) Nitrobenzene-d5	7.22	82	879403	54.64	ng	-0.02
42) 2,4,6-Tribromophenol	10.47	330	402245	77.70	ng	-0.01
45) 2-Fluorobiphenyl	9.02	172	1722518	67.17	ng	-0.01
79) Terphenyl-d14	12.74	244	1871905	57.52	ng	-0.01
Target Compounds						
25) Isophorone	7.22	82	864828	27.178	ng	# 61
50) Dimethylphthalate	9.69	163	135426	3.860	ng	# 1
51) 2,6-Dinitrotoluene	9.68	165	62198	7.538	ng	# 33
57) 2,4-Dinitrotoluene	9.68	165	62198	5.996	ng	# 32
58) Fluorene	10.23	166	1534	Below Cal		# 88
67) 4-Bromophenyl-phenylether	10.47	248	25770	2.425	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF060719\
Data File : BF114896.D
Acq On : 7 Jun 2019 14:16
Operator : HP/JU
Sample : K3198-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMP-DPC-81626-FB-07

Quant Time: Jun 08 05:15:25 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 04 16:57:15 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.66 min Scan# 777
Delta R.T. -0.01 min
Lab File: BF114896.D
Acq: 7 Jun 2019 14:16

Instrument :
BNA_F
ClientSampleId :
COMP-DPC-81626-FB-07

Tgt Ion:152 Resp: 261015
Ion Ratio Lower Upper
152 100
150 154.4 124.0 186.0
115 58.2 46.3 69.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 77.549 ng
RT: 5.26 min Scan# 540
Delta R.T. 0.00 min
Lab File: BF114896.D
Acq: 7 Jun 2019 14:16

Tgt Ion:112 Resp: 1158407
Ion Ratio Lower Upper
112 100
64 52.5 44.6 66.8
63 26.5 23.0 34.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 80.794 ng

RT: 6.29 min Scan# 715

Delta R.T. -0.01 min

Lab File: BF114896.D

Acq: 7 Jun 2019 14:16

Instrument :

BNA_F

ClientSampleId :

COMP-DPC-81626-FB-07


Tgt Ion: 99 Resp: 1468538

Ion Ratio Lower Upper




99 100

42 16.7 13.3 19.9

71 32.4 26.3 39.5



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.94 min Scan# 995

Delta R.T. -0.01 min

Lab File: BF114896.D

Acq: 7 Jun 2019 14:16

Tgt Ion: 136 Resp: 990835


Ion Ratio Lower Upper

136 100



137 11.1 9.1 13.7


54 6.2 5.4 8.0

68 5.5 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 54.635 ng
RT: 7.22 min Scan# 872
Delta R.T. -0.02 min
Lab File: BF114896.D
Acq: 7 Jun 2019 14:16




Instrument :
BNA_F
ClientSampleId :
COMP-DPC-81626-FB-07


Tgt Ion: 82 Resp: 879403
Ion Ratio Lower Upper
82 100
128 49.6 41.8 62.6
54 46.4 37.9 56.9



#25
Isophorone
Concen: 27.178 ng
RT: 7.22 min Scan# 872
Delta R.T. -0.28 min
Lab File: BF114896.D
Acq: 7 Jun 2019 14:16

Tgt Ion: 82 Resp: 864828
Ion Ratio Lower Upper
82 100
95 0.1 5.8 8.8#
138 0.0 16.9 25.3#









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.68 min Scan# 1291
 Delta R.T. -0.02 min
 Lab File: BF114896.D
 Acq: 7 Jun 2019 14:16




Instrument :
 BNA_F
 ClientSampleId :
 COMP-DPC-81626-FB-07


Tgt Ion:164 Resp: 480400
 Ion Ratio Lower Upper
 164 100
 162 101.9 82.3 123.5
 160 44.3 36.7 55.1



#42
 2,4,6-Tribromophenol
 Concen: 77.697 ng
 RT: 10.47 min Scan# 1425
 Delta R.T. -0.01 min
 Lab File: BF114896.D
 Acq: 7 Jun 2019 14:16

Tgt Ion:330 Resp: 402245
 Ion Ratio Lower Upper
 330 100
 332 95.4 77.3 115.9
 141 33.5 26.2 39.4









#45
 2-Fluorobiphenyl
 Concen: 67.168 ng
 RT: 9.02 min Scan# 1178
 Delta R.T. -0.01 min
 Lab File: BF114896.D
 Acq: 7 Jun 2019 14:16

Instrument :
 BNA_F
 ClientSampleId :
 COMP-DPC-81626-FB-07

Tgt Ion:172 Resp: 1722518
 Ion Ratio Lower Upper
 172 100
 171 37.3 32.3 48.5
 170 25.0 22.4 33.6




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 Dimethylphthalate
 Concen: 3.860 ng
 RT: 9.69 min Scan# 1292
 Delta R.T. 0.25 min
 Lab File: BF114896.D
 Acq: 7 Jun 2019 14:16

Tgt Ion:163 Resp: 135426
 Ion Ratio Lower Upper
 163 100
 194 0.0 3.4 5.2#
 164 318.1 8.6 13.0#



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#51
 2,6-Dinitrotoluene
 Concen: 7.538 ng
 RT: 9.68 min Scan# 1291
 Delta R.T. 0.19 min
 Lab File: BF114896.D
 Acq: 7 Jun 2019 14:16

Instrument :
 BNA_F
 ClientSampleId :
 COMP-DPC-81626-FB-07

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.3	35.1	52.7#
89	1.5	38.2	57.2#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1






#57
 2,4-Dinitrotoluene
 Concen: 5.996 ng
 RT: 9.68 min Scan# 1291
 Delta R.T. -0.21 min
 Lab File: BF114896.D
 Acq: 7 Jun 2019 14:16

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.3	27.0	40.4#
89	1.5	47.0	70.6#
182	0.7	2.2	3.2#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E





#58

Fluorene

Concen: Below Cal

RT: 10.23 min Scan# 1384

Delta R.T. -0.02 min

Lab File: BF114896.D

Acq: 7 Jun 2019 14:16

Instrument :

BNA_F

ClientSampleId :

COMP-DPC-81626-FB-07





Tgt Ion:166 Resp: 1534

Ion Ratio Lower Upper

166 100

165 87.3 77.9 116.9

167 25.4 11.3 16.9#



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.16 min Scan# 1542

Delta R.T. -0.01 min

Lab File: BF114896.D

Acq: 7 Jun 2019 14:16




Tgt Ion:188 Resp: 935750


Ion Ratio Lower Upper

188 100

94 10.3 7.6 11.4

80 10.4 8.3 12.5









#67
4-Bromophenyl-phenylether
Concen: 2.425 ng
RT: 10.47 min Scan# 1425
Delta R.T. -0.25 min
Lab File: BF114896.D
Acq: 7 Jun 2019 14:16

Instrument :
BNA_F
ClientSampleId :
COMP-DPC-81626-FB-07

Tgt Ion: 248 Resp: 25770
Ion Ratio Lower Upper
248 100
250 188.5 77.5 116.3#
141 414.5 61.8 92.8#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.79 min Scan# 1990
Delta R.T. 0.00 min
Lab File: BF114896.D
Acq: 7 Jun 2019 14:16

Tgt Ion: 240 Resp: 632887
Ion Ratio Lower Upper
240 100
120 11.6 9.0 13.4
236 26.6 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 57.521 ng

RT: 12.74 min Scan# 1811

Delta R.T. -0.01 min

Lab File: BF114896.D

Acq: 7 Jun 2019 14:16

Instrument :

BNA_F

ClientSampleId :

COMP-DPC-81626-FB-07


Tgt Ion:244 Resp: 1871905

Ion Ratio Lower Upper

244 100

212 7.1 6.5 9.7




122 12.3 10.5 15.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.22 min Scan# 2233

Delta R.T. 0.05 min

Lab File: BF114896.D

Acq: 7 Jun 2019 14:16


Tgt Ion:264 Resp: 671476

Ion Ratio Lower Upper

264 100

260 24.4 20.1 30.1

265 21.9 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

