

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060915\
 Data File : BF079843.D
 Acq On : 9 Jun 2015 20:41
 Operator : TP/IZ
 Sample : G2533-09
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-1

Quant Time: Jun 10 01:57:18 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 09 15:11:40 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.42	152	50538	20.00	ng	0.00
21) Naphthalene-d8	8.71	136	201225	20.00	ng	0.00
38) Acenaphthene-d10	10.48	164	103381	20.00	ng	0.00
63) Phenanthrene-d10	11.99	188	220592	20.00	ng	-0.01
75) Chrysene-d12	14.89	240	207766	20.00	ng	-0.17
86) Perylene-d12	16.77	264	191214	20.00	ng	-0.25
System Monitoring Compounds						
5) 2-Fluorophenol	6.03	112	176759	57.64	ng	0.00
7) Phenol-d6	7.02	99	141934	35.77	ng	0.00
23) Nitrobenzene-d5	7.98	82	282138	81.00	ng	0.00
41) 2,4,6-Tribromophenol	11.28	330	119604	133.68	ng	0.00
44) 2-Fluorobiphenyl	9.78	172	654668	89.07	ng	0.00
78) Terphenyl-d14	13.65	244	794541	86.21	ng	-0.09


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF060915\
Data File : BF079843.D
Acq On : 9 Jun 2015 20:41
Operator : TP/IZ
Sample : G2533-09
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-1

Quant Time: Jun 10 01:57:18 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 09 15:11:40 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.42 min Scan# 545

Delta R.T. 0.00 min

Lab File: BF079843.D

Acq: 9 Jun 2015 20:41

Instrument :

BNA_F

ClientSampleId :

MW-1


Tgt Ion:152 Resp: 50538

Ion Ratio Lower Upper

152 100

150 157.2 131.4 197.2




115 61.8 56.5 84.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 57.64 ng

RT: 6.03 min Scan# 424

Delta R.T. 0.00 min

Lab File: BF079843.D

Acq: 9 Jun 2015 20:41


Tgt Ion:112 Resp: 176759

Ion Ratio Lower Upper

112 100

64 58.9 44.2 66.4



63 29.7 22.8 34.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 35.77 ng

RT: 7.02 min Scan# 510

Delta R.T. 0.00 min

Lab File: BF079843.D

Acq: 9 Jun 2015 20:41

Instrument :

BNA_F

ClientSampleId :

MW-1


Tgt Ion: 99 Resp: 141934

Ion Ratio Lower Upper

99 100

42 16.0 13.7 20.5




71 29.9 25.1 37.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.71 min Scan# 658

Delta R.T. 0.00 min

Lab File: BF079843.D

Acq: 9 Jun 2015 20:41

Tgt Ion: 136 Resp: 201225


Ion Ratio Lower Upper

136 100

137 11.2 9.3 13.9

54 9.3 8.1 12.1

68 7.0 4.8 7.2





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 81.00 ng
RT: 7.98 min Scan# 594
Delta R.T. 0.00 min
Lab File: BF079843.D
Acq: 9 Jun 2015 20:41

Instrument :
BNA_F
ClientSampleId :
MW-1

Tgt Ion: 82 Resp: 282138
Ion Ratio Lower Upper
82 100
128 49.1 35.2 52.8
54 47.8 39.2 58.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.48 min Scan# 813
Delta R.T. 0.00 min
Lab File: BF079843.D
Acq: 9 Jun 2015 20:41

Tgt Ion: 164 Resp: 103381
Ion Ratio Lower Upper
164 100
162 103.6 89.8 134.8
160 44.4 39.6 59.4



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 133.68 ng
 RT: 11.28 min Scan# 883
 Delta R.T. 0.00 min
 Lab File: BF079843.D
 Acq: 9 Jun 2015 20:41

Instrument :
 BNA_F
 ClientSampleId :
 MW-1

Tgt Ion:330 Resp: 119604
 Ion Ratio Lower Upper
 330 100
 332 97.4 76.8 115.2
 141 34.6 29.1 43.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 89.07 ng
 RT: 9.78 min Scan# 752
 Delta R.T. 0.00 min
 Lab File: BF079843.D
 Acq: 9 Jun 2015 20:41

Tgt Ion:172 Resp: 654668
 Ion Ratio Lower Upper
 172 100
 171 36.3 28.5 42.7
 170 24.5 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.99 min Scan# 945
Delta R.T. -0.01 min
Lab File: BF079843.D
Acq: 9 Jun 2015 20:41




Instrument :
BNA_F
ClientSampleId :
MW-1


Tgt Ion:188 Resp: 220592
Ion Ratio Lower Upper
188 100
94 8.3 7.4 11.0
80 8.5 8.0 12.0



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.89 min Scan# 1199
Delta R.T. -0.17 min
Lab File: BF079843.D
Acq: 9 Jun 2015 20:41

Tgt Ion:240 Resp: 207766
Ion Ratio Lower Upper
240 100
120 6.7 6.6 9.8
236 24.7 20.2 30.4









#78
 Terphenyl-d14
 Concen: 86.21 ng
 RT: 13.65 min Scan# 1090
 Delta R.T. -0.09 min
 Lab File: BF079843.D
 Acq: 9 Jun 2015 20:41

Instrument :
 BNA_F
 ClientSampleId :
 MW-1

Tgt Ion:244 Resp: 794541
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 9.9 8.2 12.2



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.77 min Scan# 1363
 Delta R.T. -0.25 min
 Lab File: BF079843.D
 Acq: 9 Jun 2015 20:41

Tgt Ion:264 Resp: 191214
 Ion Ratio Lower Upper
 264 100
 260 22.7 19.5 29.3
 265 21.5 18.0 27.0

