

Data Path : S:\HPCHEM1\BNA_F\DATA\BF060916\
 Data File : BF087848.D
 Acq On : 9 Jun 2016 13:10
 Operator : UM/SJ
 Sample : H3477-05
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 1300-05-CB-06072016

Quant Time: Jun 09 14:40:24 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 07 18:51:55 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	129802	20.00	ng	-0.02
21) Naphthalene-d8	8.10	136	495872	20.00	ng	-0.02
38) Acenaphthene-d10	9.85	164	248118	20.00	ng	-0.03
63) Phenanthrene-d10	11.33	188	440868	20.00	ng	-0.03
75) Chrysene-d12	13.95	240	357880	20.00	ng	-0.03
86) Perylene-d12	15.36	264	258886	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	716284	94.34	ng	-0.01
7) Phenol-d6	6.46	99	971199	105.54	ng	-0.02
23) Nitrobenzene-d5	7.38	82	542514	63.89	ng	-0.03
41) 2,4,6-Tribromophenol	10.64	330	230455	87.96	ng	-0.03
44) 2-Fluorobiphenyl	9.18	172	1052034	65.33	ng	-0.03
78) Terphenyl-d14	12.91	244	878075	55.83	ng	-0.03
Target Compounds						
10) Phenol	6.47	94	6305	Below Cal		98
19) n-Nitroso-di-n-propylamine	7.38	70	70968	12.06 ng	#	73
45) 1,1'-Biphenyl	9.18	154	1859	Below Cal	#	1
49) Dimethylphthalate	9.58	163	177134	9.86 ng		98
56) 2,4-Dinitrotoluene	9.85	165	32358	6.12 ng	#	37
57) Fluorene	10.64	166	12286	Below Cal	#	93
64) 4,6-Dinitro-2-methylphenol	10.64	198	433	2.31 ng	#	1
66) 4-Bromophenyl-phenylether	10.64	248	14913	3.15 ng	#	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : S:\HPCHEM1\BNA_F\DATA\BF060916\
Data File : BF087848.D
Acq On : 9 Jun 2016 13:10
Operator : UM/SJ
Sample : H3477-05
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
1300-05-CB-06072016

Quant Time: Jun 09 14:40:24 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 07 18:51:55 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.82 min Scan# 458

Delta R.T. -0.02 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016


Tgt Ion:152 Resp: 129802

Ion Ratio Lower Upper

152 100

150 152.8 123.8 185.6



115 53.6 39.6 59.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 94.34 ng

RT: 5.42 min Scan# 335

Delta R.T. -0.01 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10


Tgt Ion:112 Resp: 716284

Ion Ratio Lower Upper

112 100

64 56.5 42.2 63.2



63 29.5 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 105.54 ng

RT: 6.46 min Scan# 426

Delta R.T. -0.02 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016




Tgt Ion: 99 Resp: 971199

Ion Ratio Lower Upper

99 100

42 16.5 12.2 18.2

71 32.9 23.4 35.0



#19

n-Nitroso-di-n-propylamine

Concen: 12.06 ng

RT: 7.38 min Scan# 507

Delta R.T. 0.11 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Tgt Ion: 70 Resp: 70968




Ion Ratio Lower Upper


70 100

42 43.9 49.6 74.4#

101 0.0 7.1 10.7#

130 2.2 15.4 23.2#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.10 min Scan# 570

Delta R.T. -0.02 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016

Tgt Ion:136 Resp: 495872


Ion Ratio Lower Upper

136 100

137 11.3 9.1 13.7

54 8.3 6.6 10.0

68 6.7 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 63.89 ng

RT: 7.38 min Scan# 507

Delta R.T. -0.03 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10


Tgt Ion: 82 Resp: 542514

Ion Ratio Lower Upper

82 100

128 46.4 35.9 53.9



54 48.6 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.85 min Scan# 723

Delta R.T. -0.03 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016


Tgt Ion:164 Resp: 248118

Ion Ratio Lower Upper

164 100

162 103.8 85.4 128.2




160 46.9 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 87.96 ng

RT: 10.64 min Scan# 792

Delta R.T. -0.03 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10


Tgt Ion:330 Resp: 230455

Ion Ratio Lower Upper

330 100

332 96.2 0.0 0.0#



141 38.9 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 65.33 ng
RT: 9.18 min Scan# 664
Delta R.T. -0.03 min
Lab File: BF087848.D
Acq: 9 Jun 2016 13:10

Instrument :
BNA_F
ClientSampleId :
1300-05-CB-06072016

Tgt Ion:172 Resp: 1052034
Ion Ratio Lower Upper
172 100
171 36.1 28.6 43.0
170 24.4 19.2 28.8




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#45
1,1'-Biphenyl
Concen: Below Cal
RT: 9.18 min Scan# 664
Delta R.T. -0.12 min
Lab File: BF087848.D
Acq: 9 Jun 2016 13:10

Tgt Ion:154 Resp: 1859
Ion Ratio Lower Upper
154 100
153 908.2 20.6 60.6#
76 1837.7 0.0 35.1#



Abundance Ion 154.00 (153.70 to 154.70): E
Ion 153.00 (152.70 to 153.70): E
Ion 76.00 (75.70 to 76.70): BF0





#49

Dimethylphthalate

Concen: 9.86 ng

RT: 9.58 min Scan# 699

Delta R.T. -0.03 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016


Tgt Ion:163 Resp: 177134

Ion Ratio Lower Upper

163 100

194 3.9 2.8 4.2




164 9.7 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#56

2,4-Dinitrotoluene

Concen: 6.12 ng

RT: 9.85 min Scan# 723

Delta R.T. -0.22 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Tgt Ion:165 Resp: 32358


Ion Ratio Lower Upper

165 100

63 1.2 22.0 33.0#

89 1.3 41.1 61.7#

182 0.0 2.0 3.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#57

Fluorene

Concen: Below Cal

RT: 10.64 min Scan# 792

Delta R.T. 0.21 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016


Tgt Ion:166 Resp: 12286

Ion Ratio Lower Upper

166 100

165 99.5 77.8 116.8




167 32.0 11.2 16.8#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.33 min Scan# 852

Delta R.T. -0.03 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10


Tgt Ion:188 Resp: 440868

Ion Ratio Lower Upper

188 100

94 14.1 9.0 13.6#



80 15.1 10.0 15.0#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#64

4,6-Dinitro-2-methylphenol

Concen: 2.31 ng

RT: 10.64 min Scan# 792

Delta R.T. 0.16 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016


Tgt Ion:198 Resp: 433

Ion Ratio Lower Upper

198 100

51 155.8 39.6 79.6#




105 192.1 36.6 76.6#



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BF0

Ion 105.00 (104.70 to 105.70): E



#66

4-Bromophenyl-phenylether

Concen: 3.15 ng

RT: 10.64 min Scan# 792

Delta R.T. -0.27 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10


Tgt Ion:248 Resp: 14913

Ion Ratio Lower Upper

248 100

250 200.0 77.1 115.7#



141 539.0 50.6 76.0#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.95 min Scan# 1082

Delta R.T. -0.03 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10

Instrument :

BNA_F

ClientSampleId :

1300-05-CB-06072016


Tgt Ion:240 Resp: 357880

Ion Ratio Lower Upper

240 100

120 12.3 6.8 10.2#




236 26.3 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 55.83 ng

RT: 12.91 min Scan# 991

Delta R.T. -0.03 min

Lab File: BF087848.D

Acq: 9 Jun 2016 13:10


Tgt Ion:244 Resp: 878075

Ion Ratio Lower Upper

244 100

212 7.6 6.0 9.0



122 13.8 11.2 16.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.36 min Scan# 1205
Delta R.T. -0.03 min
Lab File: BF087848.D
Acq: 9 Jun 2016 13:10

Instrument :
BNA_F
ClientSampleId :
1300-05-CB-06072016

Tgt Ion:	264	Resp:	258886
Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.2	28.8
265	21.6	16.9	25.3

