

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061015\
 Data File : BF079862.D
 Acq On : 10 Jun 2015 13:52
 Operator : TP/IZ
 Sample : G2536-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P5-24(UNFILTERED)

Quant Time: Jun 11 01:52:46 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 11 00:53:15 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.42	152	47323	20.00	ng	0.00
21) Naphthalene-d8	8.71	136	184844	20.00	ng	0.00
38) Acenaphthene-d10	10.48	164	95615	20.00	ng	-0.01
63) Phenanthrene-d10	11.99	188	189638	20.00	ng	-0.01
75) Chrysene-d12	15.01	240	190945	20.00	ng	-0.07
86) Perylene-d12	16.95	264	171287	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	6.03	112	164767	57.38	ng	0.00
7) Phenol-d6	7.02	99	123718	33.30	ng	0.00
23) Nitrobenzene-d5	7.98	82	277620	86.76	ng	0.00
41) 2,4,6-Tribromophenol	11.28	330	116943	141.33	ng	0.00
44) 2-Fluorobiphenyl	9.78	172	720763	106.02	ng	0.00
78) Terphenyl-d14	13.70	244	823454	97.22	ng	-0.03
Target Compounds						
83) Bis(2-ethylhexyl)phthalate	14.97	149	28664	4.65	ng	Qvalue # 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061015\
Data File : BF079862.D
Acq On : 10 Jun 2015 13:52
Operator : TP/IZ
Sample : G2536-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P5-24(UNFILTERED)

Quant Time: Jun 11 01:52:46 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 11 00:53:15 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.42 min Scan# 545

Delta R.T. 0.00 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52

Instrument :

BNA_F

ClientSampleId :

P5-24(UNFILTERED)





Tgt Ion:152 Resp: 47323

Ion Ratio Lower Upper

152 100

150 158.4 131.4 197.2

115 60.5 56.5 84.7



#5

2-Fluorophenol

Concen: 57.38 ng

RT: 6.03 min Scan# 424

Delta R.T. 0.00 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52




Tgt Ion:112 Resp: 164767


Ion Ratio Lower Upper

112 100

64 53.9 44.2 66.4

63 27.5 22.8 34.2





#7

Phenol-d6

Concen: 33.30 ng

RT: 7.02 min Scan# 510

Delta R.T. 0.00 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52

Instrument :

BNA_F

ClientSampleId :

P5-24(UNFILTERED)


Tgt Ion: 99 Resp: 123718

Ion Ratio Lower Upper

99 100

42 14.1 13.7 20.5




71 27.1 25.1 37.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.71 min Scan# 658

Delta R.T. 0.00 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52

Tgt Ion: 136 Resp: 184844


Ion Ratio Lower Upper

136 100

137 10.6 9.3 13.9

54 8.4 8.1 12.1

68 5.9 4.8 7.2





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 86.76 ng

RT: 7.98 min Scan# 594

Delta R.T. 0.00 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52

Instrument :

BNA_F

ClientSampleId :

P5-24(UNFILTERED)


Tgt Ion: 82 Resp: 277620

Ion Ratio Lower Upper

82 100

128 53.8 35.2 52.8#




54 44.8 39.2 58.8



Abundance Ion 82.00 (81.70 to 82.70): BF079828.D (-588) (-)

Ion 128.00 (127.70 to 128.70): BF079828.D (-588) (-)

Ion 54.00 (53.70 to 54.70): BF079828.D (-588) (-)



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.48 min Scan# 813

Delta R.T. -0.01 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52


Tgt Ion: 164 Resp: 95615

Ion Ratio Lower Upper

164 100

162 102.6 89.8 134.8



160 44.4 39.6 59.4




Abundance Ion 164.00 (163.70 to 164.70): BF079828.D (-811) (-)

Ion 162.00 (161.70 to 162.70): BF079828.D (-811) (-)

Ion 160.00 (159.70 to 160.70): BF079828.D (-811) (-)









#41
 2,4,6-Tribromophenol
 Concen: 141.33 ng
 RT: 11.28 min Scan# 883
 Delta R.T. 0.00 min
 Lab File: BF079862.D
 Acq: 10 Jun 2015 13:52




Instrument :
 BNA_F
 ClientSampleId :
 P5-24(UNFILTERED)


Tgt Ion:330 Resp: 116943
 Ion Ratio Lower Upper
 330 100
 332 97.1 76.8 115.2
 141 36.4 29.1 43.7



#44
 2-Fluorobiphenyl
 Concen: 106.02 ng
 RT: 9.78 min Scan# 752
 Delta R.T. 0.00 min
 Lab File: BF079862.D
 Acq: 10 Jun 2015 13:52

Tgt Ion:172 Resp: 720763
 Ion Ratio Lower Upper
 172 100
 171 36.2 28.5 42.7
 170 24.3 18.8 28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.99 min Scan# 945
Delta R.T. -0.01 min
Lab File: BF079862.D
Acq: 10 Jun 2015 13:52

Instrument :
BNA_F
ClientSampleId :
P5-24(UNFILTERED)

Tgt Ion:188 Resp: 189638
Ion Ratio Lower Upper
188 100
94 11.8 7.4 11.0#
80 13.9 8.0 12.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.01 min Scan# 1209
Delta R.T. -0.07 min
Lab File: BF079862.D
Acq: 10 Jun 2015 13:52

Tgt Ion:240 Resp: 190945
Ion Ratio Lower Upper
240 100
120 13.7 6.6 9.8#
236 24.7 20.2 30.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 97.22 ng

RT: 13.70 min Scan# 1095

Delta R.T. -0.03 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52

Instrument :

BNA_F

ClientSampleId :

P5-24(UNFILTERED)


Tgt Ion:244 Resp: 823454

Ion Ratio Lower Upper

244 100

212 7.2 5.6 8.4




122 14.9 8.2 12.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#83

Bis(2-ethylhexyl)phthalate

Concen: 4.65 ng

RT: 14.97 min Scan# 1206

Delta R.T. -0.06 min

Lab File: BF079862.D

Acq: 10 Jun 2015 13:52


Tgt Ion:149 Resp: 28664

Ion Ratio Lower Upper

149 100

167 28.1 18.7 28.1



279 3.4 1.7 2.5#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 16.95 min Scan# 1379
Delta R.T. -0.08 min
Lab File: BF079862.D
Acq: 10 Jun 2015 13:52

Instrument :
BNA_F
ClientSampleId :
P5-24(UNFILTERED)

Tgt Ion: 264 Resp: 171287
Ion Ratio Lower Upper
264 100
260 23.1 19.5 29.3
265 21.4 18.0 27.0

