

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061015\
 Data File : BF079875.D
 Acq On : 10 Jun 2015 20:13
 Operator : TP/IZ
 Sample : G2523-08
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PZ-8-6-3-15

Quant Time: Jun 11 02:19:51 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 11 00:53:15 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.42	152	52615	20.00	ng	0.00
21) Naphthalene-d8	8.71	136	209356	20.00	ng	0.00
38) Acenaphthene-d10	10.48	164	107309	20.00	ng	-0.01
63) Phenanthrene-d10	11.99	188	213045	20.00	ng	-0.01
75) Chrysene-d12	14.99	240	220644	20.00	ng	-0.08
86) Perylene-d12	16.93	264	202390	20.00	ng	-0.10
System Monitoring Compounds						
5) 2-Fluorophenol	6.03	112	163534	51.22	ng	0.00
7) Phenol-d6	7.02	99	127546	30.88	ng	0.00
23) Nitrobenzene-d5	7.98	82	265903	73.37	ng	0.00
41) 2,4,6-Tribromophenol	11.28	330	135679	146.10	ng	0.00
44) 2-Fluorobiphenyl	9.78	172	671042	87.95	ng	0.00
78) Terphenyl-d14	13.70	244	858311	87.70	ng	-0.03


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061015\
Data File : BF079875.D
Acq On : 10 Jun 2015 20:13
Operator : TP/IZ
Sample : G2523-08
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PZ-8-6-3-15

Quant Time: Jun 11 02:19:51 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 11 00:53:15 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.42 min Scan# 545
Delta R.T. -0.00 min
Lab File: BF079875.D
Acq: 10 Jun 2015 20:13

Instrument :
BNA_F
ClientSampleId :
PZ-8-6-3-15

Tgt Ion:152 Resp: 52615
Ion Ratio Lower Upper
152 100
150 157.2 131.4 197.2
115 61.0 56.5 84.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 51.22 ng
RT: 6.03 min Scan# 424
Delta R.T. 0.00 min
Lab File: BF079875.D
Acq: 10 Jun 2015 20:13

Tgt Ion:112 Resp: 163534
Ion Ratio Lower Upper
112 100
64 56.5 44.2 66.4
63 28.4 22.8 34.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 30.88 ng

RT: 7.02 min Scan# 510

Delta R.T. -0.00 min

Lab File: BF079875.D

Acq: 10 Jun 2015 20:13

Instrument :

BNA_F

ClientSampleId :

PZ-8-6-3-15


Tgt Ion: 99 Resp: 127546

Ion Ratio Lower Upper

99 100

42 15.1 13.7 20.5




71 28.5 25.1 37.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.71 min Scan# 658

Delta R.T. -0.00 min

Lab File: BF079875.D

Acq: 10 Jun 2015 20:13

Tgt Ion: 136 Resp: 209356


Ion Ratio Lower Upper

136 100

137 11.3 9.3 13.9

54 8.9 8.1 12.1

68 6.5 4.8 7.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 73.37 ng
 RT: 7.98 min Scan# 594
 Delta R.T. 0.00 min
 Lab File: BF079875.D
 Acq: 10 Jun 2015 20:13




Instrument :
 BNA_F
 ClientSampleId :
 PZ-8-6-3-15


Tgt Ion: 82 Resp: 265903
 Ion Ratio Lower Upper
 82 100
 128 51.5 35.2 52.8
 54 45.0 39.2 58.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.48 min Scan# 813
 Delta R.T. -0.01 min
 Lab File: BF079875.D
 Acq: 10 Jun 2015 20:13

Tgt Ion: 164 Resp: 107309
 Ion Ratio Lower Upper
 164 100
 162 104.8 89.8 134.8
 160 45.1 39.6 59.4









#41
 2,4,6-Tribromophenol
 Concen: 146.10 ng
 RT: 11.28 min Scan# 883
 Delta R.T. -0.00 min
 Lab File: BF079875.D
 Acq: 10 Jun 2015 20:13

Instrument :
 BNA_F
 ClientSampleId :
 PZ-8-6-3-15

Tgt Ion:330 Resp: 135679
 Ion Ratio Lower Upper
 330 100
 332 96.7 76.8 115.2
 141 35.2 29.1 43.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.95 ng
 RT: 9.78 min Scan# 752
 Delta R.T. -0.00 min
 Lab File: BF079875.D
 Acq: 10 Jun 2015 20:13

Tgt Ion:172 Resp: 671042
 Ion Ratio Lower Upper
 172 100
 171 35.9 28.5 42.7
 170 24.4 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.99 min Scan# 945

Delta R.T. -0.01 min

Lab File: BF079875.D

Acq: 10 Jun 2015 20:13

Instrument :

BNA_F

ClientSampleId :

PZ-8-6-3-15


Tgt Ion:188 Resp: 213045

Ion Ratio Lower Upper

188 100

94 12.3 7.4 11.0#




80 13.9 8.0 12.0#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.99 min Scan# 1208

Delta R.T. -0.08 min

Lab File: BF079875.D

Acq: 10 Jun 2015 20:13


Tgt Ion:240 Resp: 220644

Ion Ratio Lower Upper

240 100

120 10.3 6.6 9.8#



236 25.7 20.2 30.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 87.70 ng
 RT: 13.70 min Scan# 1095
 Delta R.T. -0.03 min
 Lab File: BF079875.D
 Acq: 10 Jun 2015 20:13

Instrument :
 BNA_F
 ClientSampleId :
 PZ-8-6-3-15

Tgt Ion:244 Resp: 858311
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 9.9 8.2 12.2



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 16.93 min Scan# 1377
 Delta R.T. -0.10 min
 Lab File: BF079875.D
 Acq: 10 Jun 2015 20:13

Tgt Ion:264 Resp: 202390
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.5 29.3
 265 21.5 18.0 27.0

