

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061015\
 Data File : BF079885.D
 Acq On : 11 Jun 2015 3:00
 Operator : TP/IZ
 Sample : G2574-04
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 S5

Quant Time: Jun 11 03:40:34 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 11 00:53:15 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.42	152	51748	20.00	ng	0.00
21) Naphthalene-d8	8.71	136	200850	20.00	ng	0.00
38) Acenaphthene-d10	10.48	164	102293	20.00	ng	-0.01
63) Phenanthrene-d10	11.99	188	211654	20.00	ng	-0.01
75) Chrysene-d12	14.90	240	203672	20.00	ng	-0.17
86) Perylene-d12	16.78	264	193938	20.00	ng	-0.25
System Monitoring Compounds						
5) 2-Fluorophenol	6.03	112	466086	148.44	ng	0.00
7) Phenol-d6	7.02	99	634180	156.10	ng	0.00
23) Nitrobenzene-d5	7.98	82	311674	89.64	ng	0.00
41) 2,4,6-Tribromophenol	11.28	330	140121	158.28	ng	0.00
44) 2-Fluorobiphenyl	9.78	172	729420	100.29	ng	0.00
78) Terphenyl-d14	13.65	244	906674	100.36	ng	-0.09
Target Compounds						
49) Dimethylphthalate	10.17	163	66618	8.35	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061015\
Data File : BF079885.D
Acq On : 11 Jun 2015 3:00
Operator : TP/IZ
Sample : G2574-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
S5

Quant Time: Jun 11 03:40:34 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 11 00:53:15 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.42 min Scan# 545
 Delta R.T. 0.00 min
 Lab File: BF079885.D
 Acq: 11 Jun 2015 3:00

Instrument :
 BNA_F
 ClientSampled :
 S5

Tgt Ion:152 Resp: 51748
 Ion Ratio Lower Upper
 152 100
 150 155.9 131.4 197.2
 115 60.0 56.5 84.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 148.44 ng
 RT: 6.03 min Scan# 424
 Delta R.T. 0.00 min
 Lab File: BF079885.D
 Acq: 11 Jun 2015 3:00

Tgt Ion:112 Resp: 466086
 Ion Ratio Lower Upper
 112 100
 64 60.0 44.2 66.4
 63 30.7 22.8 34.2



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 156.10 ng

RT: 7.02 min Scan# 510

Delta R.T. 0.00 min

Lab File: BF079885.D

Acq: 11 Jun 2015 3:00

Instrument :

BNA_F

ClientSampleId :

S5


Tgt Ion: 99 Resp: 634180

Ion Ratio Lower Upper




99 100

42 18.9 13.7 20.5

71 32.9 25.1 37.7



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.71 min Scan# 658

Delta R.T. -0.00 min

Lab File: BF079885.D

Acq: 11 Jun 2015 3:00

Tgt Ion: 136 Resp: 200850


Ion Ratio Lower Upper

136 100



137 11.0 9.3 13.9


54 8.3 8.1 12.1

68 6.5 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 89.64 ng
 RT: 7.98 min Scan# 594
 Delta R.T. 0.00 min
 Lab File: BF079885.D
 Acq: 11 Jun 2015 3:00

Instrument :
 BNA_F
 ClientSampleId :
 S5

Tgt Ion: 82 Resp: 311674
 Ion Ratio Lower Upper
 82 100
 128 53.4 35.2 52.8#
 54 45.1 39.2 58.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): BF0
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.48 min Scan# 813
 Delta R.T. -0.01 min
 Lab File: BF079885.D
 Acq: 11 Jun 2015 3:00

Tgt Ion: 164 Resp: 102293
 Ion Ratio Lower Upper
 164 100
 162 103.9 89.8 134.8
 160 45.9 39.6 59.4



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 158.28 ng
 RT: 11.28 min Scan# 883
 Delta R.T. -0.00 min
 Lab File: BF079885.D
 Acq: 11 Jun 2015 3:00

Instrument :
 BNA_F
 ClientSampled :
 S5

Tgt Ion:330 Resp: 140121
 Ion Ratio Lower Upper
 330 100
 332 97.4 76.8 115.2
 141 31.5 29.1 43.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 100.29 ng
 RT: 9.78 min Scan# 752
 Delta R.T. 0.00 min
 Lab File: BF079885.D
 Acq: 11 Jun 2015 3:00

Tgt Ion:172 Resp: 729420
 Ion Ratio Lower Upper
 172 100
 171 36.5 28.5 42.7
 170 24.6 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 8.35 ng

RT: 10.17 min Scan# 786

Delta R.T. -0.00 min

Lab File: BF079885.D

Acq: 11 Jun 2015 3:00

Instrument :

BNA_F

ClientSampleId :

S5


Tgt Ion:163 Resp: 66618

Ion Ratio Lower Upper

163 100

194 3.6 2.7 4.1




164 9.7 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.99 min Scan# 945

Delta R.T. -0.01 min

Lab File: BF079885.D

Acq: 11 Jun 2015 3:00


Tgt Ion:188 Resp: 211654

Ion Ratio Lower Upper

188 100

94 8.0 7.4 11.0



80 8.5 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.90 min Scan# 1200

Delta R.T. -0.17 min

Lab File: BF079885.D

Acq: 11 Jun 2015 3:00

Instrument :

BNA_F

ClientSampleId :

S5


Tgt Ion:240 Resp: 203672

Ion Ratio Lower Upper

240 100

120 7.7 6.6 9.8




236 25.7 20.2 30.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 100.36 ng

RT: 13.65 min Scan# 1090

Delta R.T. -0.09 min

Lab File: BF079885.D

Acq: 11 Jun 2015 3:00


Tgt Ion:244 Resp: 906674

Ion Ratio Lower Upper

244 100

212 7.5 5.6 8.4



122 14.8 8.2 12.2#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 16.78 min Scan# 1364
Delta R.T. -0.25 min
Lab File: BF079885.D
Acq: 11 Jun 2015 3:00

Instrument :
BNA_F
ClientSampleId :
S5

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.5	29.3
265	21.6	18.0	27.0

