

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061116\
 Data File : BF087910.D
 Acq On : 11 Jun 2016 19:05
 Operator : UM/SJ
 Sample : H3387-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW4

Quant Time: Jun 12 05:28:48 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 07 18:51:55 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.80	152	103944	20.00	ng	-0.05
21) Naphthalene-d8	8.09	136	422031	20.00	ng	-0.03
38) Acenaphthene-d10	9.84	164	191954	20.00	ng	-0.05
63) Phenanthrene-d10	11.32	188	423811	20.00	ng	-0.03
75) Chrysene-d12	13.95	240	356875	20.00	ng	-0.03
86) Perylene-d12	15.37	264	303004	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	406914	66.92	ng	-0.03
7) Phenol-d6	6.43	99	309521	42.00	ng	-0.05
23) Nitrobenzene-d5	7.37	82	717108	99.22	ng	-0.05
41) 2,4,6-Tribromophenol	10.64	330	296830	146.45	ng	-0.03
44) 2-Fluorobiphenyl	9.18	172	1216177	100.54	ng	-0.03
78) Terphenyl-d14	12.91	244	1144812	73.00	ng	-0.03


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF061116\
Data File : BF087910.D
Acq On : 11 Jun 2016 19:05
Operator : UM/SJ
Sample : H3387-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP16-LF2MW4

Quant Time: Jun 12 05:28:48 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 07 18:51:55 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.80 min Scan# 456

Delta R.T. -0.05 min

Lab File: BF087910.D

Acq: 11 Jun 2016 19:05

Instrument :

BNA_F

ClientSampleId :

SP16-LF2MW4


Tot Ion:152 Resp: 103944

Ion Ratio Lower Upper

152 100

150 156.0 123.8 185.6



115 60.8 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 66.92 ng

RT: 5.39 min Scan# 333

Delta R.T. -0.03 min

Lab File: BF087910.D

Acq: 11 Jun 2016 19:05


Tgt Ion:112 Resp: 406914

Ion Ratio Lower Upper

112 100

64 43.0 42.2 63.2



63 21.8 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 42.00 ng

RT: 6.43 min Scan# 424

Delta R.T. -0.05 min

Lab File: BF087910.D

Acq: 11 Jun 2016 19:05

Instrument :





BNA_F

ClientSampleId :

SP16-LF2MW4

Tot Ion: 99 Resp: 309521

Ion	Ratio	Lower	Upper
99	100		
42	10.5	12.2	18.2#
71	25.2	23.4	35.0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 569




Delta R.T. -0.03 min

Lab File: BF087910.D

Acq: 11 Jun 2016 19:05

Tgt Ion: 136 Resp: 422031

Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.1	13.7
54	6.3	6.6	10.0#
68	5.2	5.1	7.7









#23
 Nitrobenzene-d5
 Concen: 99.22 ng
 RT: 7.37 min Scan# 506
 Delta R.T. -0.05 min
 Lab File: BF087910.D
 Acq: 11 Jun 2016 19:05

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW4

Tot Ion	82	Resp	717108
Ion Ratio	100		
Lower	35.9		
Upper	53.9		
54	46.4		61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 722
 Delta R.T. -0.05 min
 Lab File: BF087910.D
 Acq: 11 Jun 2016 19:05

Tgt Ion	164	Resp	191954
Ion Ratio	100		
Lower	85.4		
Upper	128.2		
162	103.4		59.3
160	46.4		



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 146.45 ng
 RT: 10.64 min Scan# 792
 Delta R.T. -0.03 min
 Lab File: BF087910.D
 Acq: 11 Jun 2016 19:05

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW4

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.8	0.0	0.0#
141	31.1	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 100.54 ng
 RT: 9.18 min Scan# 664
 Delta R.T. -0.03 min
 Lab File: BF087910.D
 Acq: 11 Jun 2016 19:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.6	43.0
170	24.2	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.32 min Scan# 852
Delta R.T. -0.03 min
Lab File: BF087910.D
Acq: 11 Jun 2016 19:05

Instrument :
BNA_F
ClientSampleId :
SP16-LF2MW4

Tot Ion:188 Resp: 423811
Ion Ratio Lower Upper
188 100
94 9.3 9.0 13.6
80 9.4 10.0 15.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.95 min Scan# 1082
Delta R.T. -0.03 min
Lab File: BF087910.D
Acq: 11 Jun 2016 19:05

Tgt Ion:240 Resp: 356875
Ion Ratio Lower Upper
240 100
120 16.6 6.8 10.2#
236 25.9 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 73.00 ng
 RT: 12.91 min Scan# 991
 Delta R.T. -0.03 min
 Lab File: BF087910.D
 Acq: 11 Jun 2016 19:05

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW4

Tot Ion:244 Resp: 1144812
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.0 9.0
 122 14.2 11.2 16.8




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.37 min Scan# 1206
 Delta R.T. -0.02 min
 Lab File: BF087910.D
 Acq: 11 Jun 2016 19:05

Tgt Ion:264 Resp: 303004
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.2 28.8
 265 21.5 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

