

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061121\
 Data File : BF124257.D
 Acq On : 11 Jun 2021 13:00
 Operator : JU/CG
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Jun 11 13:57:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 10 01:53:56 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	38456	20.00	ng	0.00
21) Naphthalene-d8	8.127	136	154459	20.00	ng	0.00
39) Acenaphthene-d10	9.886	164	92458	20.00	ng	0.00
64) Phenanthrene-d10	11.374	188	159550	20.00	ng	# 0.00
76) Chrysene-d12	14.021	240	100174	20.00	ng	0.00
86) Perylene-d12	15.492	264	77459	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	193648	75.80	ng	-0.01
7) Phenol-d6	6.492	99	251508	73.24	ng	0.00
23) Nitrobenzene-d5	7.410	82	279787	71.84	ng	0.00
42) 2,4,6-Tribromophenol	10.680	330	86653	66.15	ng	0.00
45) 2-Fluorobiphenyl	9.204	172	534756	72.78	ng	0.00
79) Terphenyl-d14	12.957	244	529861	72.62	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.581	88	39915	35.70	ng	91
3) Pyridine	3.340	79	103388	36.11	ng	87
4) n-Nitrosodimethylamine	3.298	42	59088	34.73	ng	# 97
6) Aniline	6.510	93	147393	37.58	ng	# 71
8) 2-Chlorophenol	6.633	128	113402	39.89	ng	95
9) Benzaldehyde	6.392	77	58614	38.40	ng	87
10) Phenol	6.504	94	137332	37.01	ng	# 63
11) bis(2-Chloroethyl)ether	6.581	93	103514	38.26	ng	93
12) 1,3-Dichlorobenzene	6.786	146	129511	38.97	ng	96
13) 1,4-Dichlorobenzene	6.863	146	131208	39.36	ng	93
14) 1,2-Dichlorobenzene	7.016	146	123497	38.73	ng	99
15) Benzyl Alcohol	6.992	79	117794	38.05	ng	92
16) 2,2'-oxybis(1-Chloropr...	7.122	45	149073	35.32	ng	81
17) 2-Methylphenol	7.104	107	88764	38.41	ng	# 89
18) Hexachloroethane	7.357	117	51479	39.22	ng	# 81
19) n-Nitroso-di-n-propyla...	7.263	70	91507	37.75	ng	89
20) 3+4-Methylphenols	7.263	107	119696	39.09	ng	94
22) Acetophenone	7.257	105	155374	35.29	ng	# 97
24) Nitrobenzene	7.428	77	138764	35.52	ng	94
25) Isophorone	7.669	82	246154	35.08	ng	97
26) 2-Nitrophenol	7.745	139	61189	35.06	ng	93
27) 2,4-Dimethylphenol	7.786	122	89547	36.39	ng	95
28) bis(2-Chloroethoxy)met...	7.875	93	118809	34.15	ng	98
29) 2,4-Dichlorophenol	7.992	162	102518	36.00	ng	91
30) 1,2,4-Trichlorobenzene	8.069	180	112934	35.39	ng	97
31) Naphthalene	8.151	128	327169	35.43	ng	99
32) Benzoic acid	7.922	122	52900	35.03	ng	96
33) 4-Chloroaniline	8.198	127	126519	36.83	ng	97
34) Hexachlorobutadiene	8.269	225	80538	35.73	ng	97
35) Caprolactam	8.575	113	28165m	36.00	ng	
36) 4-Chloro-3-methylphenol	8.692	107	108978	34.98	ng	# 88
37) 2-Methylnaphthalene	8.839	142	227292	35.10	ng	100
38) 1-Methylnaphthalene	8.939	142	218380	36.09	ng	98
40) 1,2,4,5-Tetrachloroben...	9.010	216	117284	35.80	ng	96
41) Hexachlorocyclopentadiene	8.992	237	51922	34.11	ng	94
43) 2,4,6-Trichlorophenol	9.122	196	74638	34.93	ng	88

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061121\
 Data File : BF124257.D
 Acq On : 11 Jun 2021 13:00
 Operator : JU/CG
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Jun 11 13:57:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 10 01:53:56 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.169	196	83922	36.59	ng	90
46) 1,1'-Biphenyl	9.310	154	277773	35.59	ng	97
47) 2-Chloronaphthalene	9.333	162	225014	35.42	ng	99
48) 2-Nitroaniline	9.427	65	80237	35.00	ng	88
49) Acenaphthylene	9.745	152	327486	35.46	ng	98
50) Dimethylphthalate	9.610	163	268643	35.12	ng	99
51) 2,6-Dinitrotoluene	9.674	165	62626	35.71	ng	83
52) Acenaphthene	9.921	154	209491	34.73	ng	98
53) 3-Nitroaniline	9.845	138	54226	33.03	ng	97
54) 2,4-Dinitrophenol	9.957	184	31183	36.76	ng	# 80
55) Dibenzofuran	10.092	168	326315	34.57	ng	98
56) 4-Nitrophenol	10.016	139	50352	42.92	ng	92
57) 2,4-Dinitrotoluene	10.080	165	80187	34.67	ng	# 93
58) Fluorene	10.433	166	258273	35.64	ng	95
59) 2,3,4,6-Tetrachlorophenol	10.216	232	63753m	34.30	ng	
60) Diethylphthalate	10.304	149	273967	35.49	ng	98
61) 4-Chlorophenyl-phenyle...	10.421	204	132117	35.66	ng	96
62) 4-Nitroaniline	10.463	138	53311	32.30	ng	91
63) Azobenzene	10.586	77	273797	34.02	ng	95
65) 4,6-Dinitro-2-methylph...	10.492	198	43856	34.20	ng	# 71
66) n-Nitrosodiphenylamine	10.545	169	219551	36.22	ng	98
67) 4-Bromophenyl-phenylether	10.916	248	76842	35.09	ng	90
68) Hexachlorobenzene	10.986	284	88161	35.54	ng	96
69) Atrazine	11.074	200	64901	37.82	ng	94
70) Pentachlorophenol	11.186	266	43803	36.22	ng	90
71) Phenanthrene	11.398	178	358510	35.97	ng	98
72) Anthracene	11.451	178	361443	36.01	ng	98
73) Carbazole	11.604	167	304819	34.85	ng	97
74) Di-n-butylphthalate	11.933	149	419120	37.28	ng	99
75) Fluoranthene	12.592	202	358233	34.24	ng	95
77) Benzidine	12.704	184	80230m	35.52	ng	
78) Pyrene	12.815	202	342657	35.62	ng	99
80) Butylbenzylphthalate	13.433	149	139213	35.68	ng	# 91
81) Benzo(a)anthracene	14.009	228	254106	34.82	ng	99
82) 3,3'-Dichlorobenzidine	13.968	252	79409	37.09	ng	98
83) Chrysene	14.045	228	239283	33.99	ng	98
84) Bis(2-ethylhexyl)phtha...	13.992	149	176623	38.05	ng	96
85) Di-n-octyl phthalate	14.604	149	260259	42.01	ng	# 91
87) Indeno(1,2,3-cd)pyrene	16.986	276	221658	35.61	ng	98
88) Benzo(b)fluoranthene	15.068	252	222923	37.05	ng	99
89) Benzo(k)fluoranthene	15.098	252	200251	35.16	ng	94
90) Benzo(a)pyrene	15.433	252	186932	35.77	ng	97
91) Dibenzo(a,h)anthracene	16.997	278	187779	35.34	ng	99
92) Benzo(g,h,i)perylene	17.439	276	184111	35.03	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061121\
 Data File : BF124257.D
 Acq On : 11 Jun 2021 13:00
 Operator : JU/CG
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Jun 11 13:57:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 10 01:53:56 2021
 Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.845 min Scan# 809
 Delta R.T. -0.006 min
 Lab File: BF124257.D
 Acq: 11 Jun 2021 13:00




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:152 Resp: 38456
 Ion Ratio Lower Upper
 152 100
 150 175.3 127.0 190.6
 115 62.9 54.3 81.5



#2
 1,4-Dioxane
 Concen: 35.70 ng
 RT: 2.581 min Scan# 84
 Delta R.T. -0.018 min
 Lab File: BF124257.D
 Acq: 11 Jun 2021 13:00

Tgt Ion: 88 Resp: 39915
 Ion Ratio Lower Upper
 88 100
 58 96.2 83.8 125.8
 43 33.2 32.2 48.4









#3
Pyridine
Concen: 36.11 ng
RT: 3.340 min Scan# 213
Delta R.T. -0.018 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 103388
Ion Ratio Lower Upper
79 100
52 93.3 87.4 131.0
51 46.7 41.4 62.0



#4
n-Nitrosodimethylamine
Concen: 34.73 ng
RT: 3.298 min Scan# 206
Delta R.T. -0.018 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion: 42 Resp: 59088
Ion Ratio Lower Upper
42 100
74 101.2 83.5 125.3
44 4.8 5.7 8.5#









#5
2-Fluorophenol
Concen: 75.80 ng
RT: 5.469 min Scan# 575
Delta R.T. -0.012 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 193648
Ion Ratio Lower Upper
112 100
64 78.2 61.4 92.0
63 43.8 33.0 49.4



#6
Aniline
Concen: 37.58 ng
RT: 6.510 min Scan# 752
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion: 93 Resp: 147393
Ion Ratio Lower Upper
93 100
66 66.2 36.4 54.6#
65 35.6 19.4 29.0#









#7
Phenol-d6
Concen: 73.24 ng
RT: 6.492 min Scan# 749
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 99 Resp: 251508
Ion Ratio Lower Upper
99 100
42 22.0 19.8 29.8
71 46.8 31.1 46.7#



#8
2-Chlorophenol
Concen: 39.89 ng
RT: 6.633 min Scan# 773
Delta R.T. -0.012 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion: 128 Resp: 113402
Ion Ratio Lower Upper
128 100
130 28.8 12.6 52.6
64 58.6 41.5 81.5









#9
Benzaldehyde
Concen: 38.40 ng
RT: 6.392 min Scan# 732
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	77	Resp:	58614
Ion	Ratio	Lower	Upper
77	100		
105	85.3	75.2	115.2
106	77.2	71.6	111.6



#10
Phenol
Concen: 37.01 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:	94	Resp:	137332
Ion	Ratio	Lower	Upper
94	100		
65	53.6	18.1	58.1
66	80.7	29.0	69.0#





#11

bis(2-Chloroethyl)ether

Concen: 38.26 ng

RT: 6.581 min Scan# 764





Delta R.T. -0.006 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00

Tgt Ion: 93 Resp: 103514

Ion	Ratio	Lower	Upper
93	100		
63	88.0	76.1	116.1
95	30.1	11.5	51.5



#12

1,3-Dichlorobenzene

Concen: 38.97 ng

RT: 6.786 min Scan# 799




Delta R.T. -0.006 min


Lab File: BF124257.D

Acq: 11 Jun 2021 13:00

Tgt Ion: 146 Resp: 129511

Ion	Ratio	Lower	Upper
146	100		
148	63.7	50.9	76.3
75	36.2	34.2	51.4









#13
1,4-Dichlorobenzene
Concen: 39.36 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:146 Resp: 131208
Ion Ratio Lower Upper
146 100
148 64.4 49.9 74.9
111 41.5 39.5 59.3



#14
1,2-Dichlorobenzene
Concen: 38.73 ng
RT: 7.016 min Scan# 838
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:146 Resp: 123497
Ion Ratio Lower Upper
146 100
148 63.9 51.6 77.4
111 47.0 38.4 57.6









#15
Benzyl Alcohol
Concen: 38.05 ng
RT: 6.992 min Scan# 834
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 117794
Ion Ratio Lower Upper
79 100
108 58.7 55.8 83.8
77 61.2 49.9 74.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 35.32 ng
RT: 7.122 min Scan# 856
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion: 45 Resp: 149073
Ion Ratio Lower Upper
45 100
77 17.6 0.0 30.0
79 13.3 0.0 27.3









#17
2-Methylphenol
Concen: 38.41 ng
RT: 7.104 min Scan# 853
Delta R.T. -0.012 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	107	Resp:	88764
Ion	Ratio	Lower	Upper
107	100		
108	104.1	89.8	134.8
77	60.0	40.9	61.3
79	61.3	40.2	60.4#



#18
Hexachloroethane
Concen: 39.22 ng
RT: 7.357 min Scan# 896
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:	117	Resp:	51479
Ion	Ratio	Lower	Upper
117	100		
119	91.6	77.8	116.8
201	115.2	67.8	101.8#









#19

n-Nitroso-di-n-propylamine
Concen: 37.75 ng
RT: 7.263 min Scan# 880
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040




Tgt Ion:	70	Resp:	91507
Ion	Ratio	Lower	Upper
70	100		
42	63.8	60.1	90.1
101	10.1	7.4	11.2
130	20.0	14.2	21.2




#20

3+4-Methylphenols
Concen: 39.09 ng
RT: 7.263 min Scan# 880
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:	107	Resp:	119696
Ion	Ratio	Lower	Upper
107	100		
108	86.3	71.5	111.5
77	97.5	82.0	122.0
79	39.5	14.1	54.1









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.127 min Scan# 1027
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:136	Resp: 154459
Ion Ratio	Lower Upper
136	100
137	10.4 8.7 13.1
54	9.9 9.8 14.6
68	5.2 4.1 6.1



#22
Acetophenone
Concen: 35.29 ng
RT: 7.257 min Scan# 879
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:105	Resp: 155374
Ion Ratio	Lower Upper
105	100
71	8.1 4.2 6.4#
51	44.0 33.6 50.4
120	19.8 16.3 24.5





#23

Nitrobenzene-d5

Concen: 71.84 ng

RT: 7.410 min Scan# 905





Delta R.T. -0.006 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00

Tgt Ion: 82 Resp: 279787

Ion	Ratio	Lower	Upper
82	100		
128	36.2	29.4	44.2
54	61.1	54.1	81.1



#24

Nitrobenzene

Concen: 35.52 ng

RT: 7.428 min Scan# 908




Delta R.T. -0.006 min


Lab File: BF124257.D

Acq: 11 Jun 2021 13:00

Tgt Ion: 77 Resp: 138764

Ion	Ratio	Lower	Upper
77	100		
123	37.7	34.5	51.7
65	15.1	12.2	18.2









#25
Isophorone
Concen: 35.08 ng
RT: 7.669 min Scan# 949
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 246154
Ion Ratio Lower Upper
82 100
95 8.3 5.8 8.6
138 15.8 11.8 17.8



#26
2-Nitrophenol
Concen: 35.06 ng
RT: 7.745 min Scan# 962
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion: 139 Resp: 61189
Ion Ratio Lower Upper
139 100
109 41.5 28.6 43.0
65 66.0 56.8 85.2





#27

2,4-Dimethylphenol

Concen: 36.39 ng

RT: 7.786 min Scan# 969

Delta R.T. -0.006 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00





Tgt Ion:	122	Resp:	89547
Ion	Ratio	Lower	Upper
122	100		
107	128.4	106.3	159.5
121	61.7	45.4	68.0

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040



#28

bis(2-Chloroethoxy)methane

Concen: 34.15 ng




RT: 7.875 min Scan# 984


Delta R.T. -0.006 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00

Tgt Ion:	93	Resp:	118809
Ion	Ratio	Lower	Upper
93	100		
95	34.4	26.5	39.7
123	10.9	8.4	12.6









#29
2,4-Dichlorophenol
Concen: 36.00 ng
RT: 7.992 min Scan# 1004
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 102518
Ion Ratio Lower Upper
162 100
164 60.3 44.1 84.1
98 37.2 27.3 67.3



#30
1,2,4-Trichlorobenzene
Concen: 35.39 ng
RT: 8.069 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:180 Resp: 112934
Ion Ratio Lower Upper
180 100
182 100.8 77.2 115.8
145 32.7 26.0 39.0









#31
Naphthalene
Concen: 35.43 ng
RT: 8.151 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 327169
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 14.1 10.8 16.2



#32
Benzoic acid
Concen: 35.03 ng
RT: 7.922 min Scan# 992
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:122 Resp: 52900
Ion Ratio Lower Upper
122 100
105 130.5 107.8 147.8
77 108.5 81.6 121.6









#33
4-Chloroaniline
Concen: 36.83 ng
RT: 8.198 min Scan# 1039
Delta R.T. -0.012 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:127	Resp:	126519
Ion	Ratio	Lower Upper
127	100	
129	29.5	25.7 38.5
65	41.7	34.5 51.7
92	21.4	17.4 26.0



#34
Hexachlorobutadiene
Concen: 35.73 ng
RT: 8.269 min Scan# 1051
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:225	Resp:	80538
Ion	Ratio	Lower Upper
225	100	
223	58.8	50.4 75.6
227	64.4	51.4 77.0









#35
Caprolactam
Concen: 36.00 ng m
RT: 8.575 min Scan# 1103
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:113 Resp: 28165
Ion Ratio Lower Upper
113 100
55 192.0 254.9 294.9#
56 152.8 179.4 219.4#



#36
4-Chloro-3-methylphenol
Concen: 34.98 ng
RT: 8.692 min Scan# 1123
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:107 Resp: 108978
Ion Ratio Lower Upper
107 100
144 24.7 16.3 24.5#
142 72.7 50.1 75.1









#37
2-Methylnaphthalene
Concen: 35.10 ng
RT: 8.839 min Scan# 1148
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 227292
Ion Ratio Lower Upper
142 100
141 89.8 71.8 107.6



#38
1-Methylnaphthalene
Concen: 36.09 ng
RT: 8.939 min Scan# 1165
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:142 Resp: 218380
Ion Ratio Lower Upper
142 100
141 92.7 72.8 109.2









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.886 min Scan# 1326
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:164 Resp: 92458
Ion Ratio Lower Upper
164 100
162 104.3 80.7 121.1
160 43.5 37.3 55.9



#40
1,2,4,5-Tetrachlorobenzene
Concen: 35.80 ng
RT: 9.010 min Scan# 1177
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:216 Resp: 117284
Ion Ratio Lower Upper
216 100
214 76.5 63.8 95.8
179 21.4 17.9 26.9
108 19.0 18.6 28.0









#41
Hexachlorocyclopentadiene
Concen: 34.11 ng
RT: 8.992 min Scan# 1174
Delta R.T. -0.012 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 51922
Ion Ratio Lower Upper
237 100
235 64.4 38.8 78.8
272 11.8 0.0 32.4



#42
2,4,6-Tribromophenol
Concen: 66.15 ng
RT: 10.680 min Scan# 1461
Delta R.T. -0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:330 Resp: 86653
Ion Ratio Lower Upper
330 100
332 96.7 77.1 115.7
141 40.1 27.9 41.9









#43
 2,4,6-Trichlorophenol
 Concen: 34.93 ng
 RT: 9.122 min Scan# 1196
 Delta R.T. -0.006 min
 Lab File: BF124257.D
 Acq: 11 Jun 2021 13:00




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:196 Resp: 74638
 Ion Ratio Lower Upper
 196 100
 198 112.0 78.2 117.2
 200 33.8 25.0 37.6



#44
 2,4,5-Trichlorophenol
 Concen: 36.59 ng
 RT: 9.169 min Scan# 1204
 Delta R.T. -0.006 min
 Lab File: BF124257.D
 Acq: 11 Jun 2021 13:00

Tgt Ion:196 Resp: 83922
 Ion Ratio Lower Upper
 196 100
 198 89.8 76.5 114.7
 97 53.9 52.9 79.3
 132 26.4 25.3 37.9









#45
2-Fluorobiphenyl
Concen: 72.78 ng
RT: 9.204 min Scan# 1210
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:172 Resp: 534756
Ion Ratio Lower Upper
172 100
171 36.5 28.1 42.1
170 24.0 19.2 28.8



#46
1,1'-Biphenyl
Concen: 35.59 ng
RT: 9.310 min Scan# 1228
Delta R.T. -0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:154 Resp: 277773
Ion Ratio Lower Upper
154 100
153 42.9 20.7 60.7
76 12.0 0.0 31.7









#47
2-Chloronaphthalene
Concen: 35.42 ng
RT: 9.333 min Scan# 1232
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 225014
Ion Ratio Lower Upper
162 100
127 44.4 36.2 54.2
164 32.7 25.4 38.2



#48
2-Nitroaniline
Concen: 35.00 ng
RT: 9.427 min Scan# 1248
Delta R.T. -0.012 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion: 65 Resp: 80237
Ion Ratio Lower Upper
65 100
92 54.2 47.1 70.7
138 73.3 70.2 105.2









#49
Acenaphthylene
Concen: 35.46 ng
RT: 9.745 min Scan# 1302
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 327486
Ion Ratio Lower Upper
152 100
151 21.3 16.0 24.0
153 13.0 10.4 15.6



#50
Dimethylphthalate
Concen: 35.12 ng
RT: 9.610 min Scan# 1279
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:163 Resp: 268643
Ion Ratio Lower Upper
163 100
194 4.1 3.1 4.7
164 9.7 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 35.71 ng
RT: 9.674 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 62626
Ion Ratio Lower Upper
165 100
63 68.2 67.7 101.5
89 59.5 58.8 88.2



#52
Acenaphthene
Concen: 34.73 ng
RT: 9.921 min Scan# 1332
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:154 Resp: 209491
Ion Ratio Lower Upper
154 100
153 112.5 88.1 132.1
152 52.2 43.4 65.0









#53
3-Nitroaniline
Concen: 33.03 ng
RT: 9.845 min Scan# 1319
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 54226
Ion Ratio Lower Upper
138 100
108 11.4 10.2 15.4
92 125.1 103.3 154.9



#54
2,4-Dinitrophenol
Concen: 36.76 ng
RT: 9.957 min Scan# 1338
Delta R.T. -0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:184 Resp: 31183
Ion Ratio Lower Upper
184 100
63 70.5 73.5 110.3#
154 78.8 52.5 78.7#









#55
Dibenzofuran
Concen: 34.57 ng
RT: 10.092 min Scan# 1361
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 326315
Ion Ratio Lower Upper
168 100
139 42.5 33.2 49.8
169 12.5 10.8 16.2



#56
4-Nitrophenol
Concen: 42.92 ng
RT: 10.016 min Scan# 1348
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:139 Resp: 50352
Ion Ratio Lower Upper
139 100
109 91.5 63.2 103.2
65 121.3 110.0 150.0









#57
2,4-Dinitrotoluene
Concen: 34.67 ng
RT: 10.080 min Scan# 1359
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165	Resp:	80187
Ion Ratio	Lower	Upper
165	100	
63	62.9	43.5 65.3
89	80.4	67.7 101.5
182	3.2	2.1 3.1#



#58
Fluorene
Concen: 35.64 ng
RT: 10.433 min Scan# 1419
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:166	Resp:	258273
Ion Ratio	Lower	Upper
166	100	
165	96.9	73.5 110.3
167	13.5	10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 34.30 ng m
RT: 10.216 min Scan# 1382
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 63753
Ion Ratio Lower Upper
232 100
131 41.3 43.2 64.8#
130 2.3 2.2 3.2
166 24.9 27.3 40.9#



#60
Diethylphthalate
Concen: 35.49 ng
RT: 10.304 min Scan# 1397
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:149 Resp: 273967
Ion Ratio Lower Upper
149 100
177 20.7 15.4 23.2
150 12.9 9.9 14.9









#61
4-Chlorophenyl-phenylether
Concen: 35.66 ng
RT: 10.421 min Scan# 1417
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 132117
Ion Ratio Lower Upper
204 100
206 33.2 25.7 38.5
141 73.9 55.5 83.3



#62
4-Nitroaniline
Concen: 32.30 ng
RT: 10.463 min Scan# 1424
Delta R.T. -0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:138 Resp: 53311
Ion Ratio Lower Upper
138 100
92 48.5 35.8 75.8
108 91.9 63.6 103.6









#63
Azobenzene
Concen: 34.02 ng
RT: 10.586 min Scan# 1445
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77	Resp: 273797
Ion Ratio	Lower Upper
77 100	
182 24.2	1.7 41.7
105 18.4	1.7 41.7
51 38.1	15.9 55.9



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.374 min Scan# 1579
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion: 188	Resp: 159550
Ion Ratio	Lower Upper
188 100	
94 6.8	6.9 10.3#
80 8.3	8.2 12.2









#65
4,6-Dinitro-2-methylphenol
Concen: 34.20 ng
RT: 10.492 min Scan# 1429
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 43856
Ion Ratio Lower Upper
198 100
51 53.6 64.8 104.8#
105 45.5 42.6 82.6



#66
n-Nitrosodiphenylamine
Concen: 36.22 ng
RT: 10.545 min Scan# 1438
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:169 Resp: 219551
Ion Ratio Lower Upper
169 100
168 66.1 53.3 79.9
167 34.8 29.9 44.9









#67
4-Bromophenyl-phenylether
Concen: 35.09 ng
RT: 10.916 min Scan# 1501
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 76842
Ion Ratio Lower Upper
248 100
250 104.8 77.4 116.2
141 90.4 63.7 95.5



#68
Hexachlorobenzene
Concen: 35.54 ng
RT: 10.986 min Scan# 1513
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:284 Resp: 88161
Ion Ratio Lower Upper
284 100
142 33.7 28.3 42.5
249 32.6 23.5 35.3





#69

Atrazine

Concen: 37.82 ng

RT: 11.074 min Scan# 1528

Delta R.T. -0.006 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00

Tgt Ion:200 Resp: 64901

Ion Ratio Lower Upper

200 100

173 25.2 6.9 46.9





215 51.3 26.5 66.5

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040



#70

Pentachlorophenol

Concen: 36.22 ng

RT: 11.186 min Scan# 1547

Delta R.T. 0.000 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00




Tgt Ion:266 Resp: 43803


Ion Ratio Lower Upper

266 100

268 60.6 51.6 77.4

264 53.4 52.6 78.8









#71
Phenanthrene
Concen: 35.97 ng
RT: 11.398 min Scan# 1583
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 358510
Ion Ratio Lower Upper
178 100
176 18.5 15.6 23.4
179 15.2 12.5 18.7



#72
Anthracene
Concen: 36.01 ng
RT: 11.451 min Scan# 1592
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00


Tgt Ion:178 Resp: 361443
Ion Ratio Lower Upper
178 100
176 17.9 15.4 23.0
179 15.3 12.6 18.8








#73
Carbazole
Concen: 34.85 ng
RT: 11.604 min Scan# 1618
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00


Instrument :
BNA_F
ClientSampleId :
SSTDCCC040





Tgt Ion:167 Resp: 304819
Ion Ratio Lower Upper
167 100
166 22.2 17.0 25.6
139 14.7 10.4 15.6




#74
Di-n-butylphthalate
Concen: 37.28 ng
RT: 11.933 min Scan# 1674
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00



Tgt Ion:149 Resp: 419120
Ion Ratio Lower Upper
149 100
150 9.3 7.8 11.8
104 5.6 4.6 6.8









#75
Fluoranthene
Concen: 34.24 ng
RT: 12.592 min Scan# 1786
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 358233
Ion Ratio Lower Upper
202 100
101 7.1 0.0 30.9
203 16.6 0.0 37.5



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.021 min Scan# 2029
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:240 Resp: 100174
Ion Ratio Lower Upper
240 100
120 8.1 7.2 10.8
236 21.5 19.0 28.4









#77
Benzidine
Concen: 35.52 ng m
RT: 12.704 min Scan# 1805
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:184 Resp: 80230
Ion Ratio Lower Upper
184 100
185 14.7 12.1 18.1
183 14.3 7.8 11.8#



#78
Pyrene
Concen: 35.62 ng
RT: 12.815 min Scan# 1824
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:202 Resp: 342657
Ion Ratio Lower Upper
202 100
200 20.2 16.1 24.1
203 17.7 14.8 22.2









#79
Terphenyl-d14
Concen: 72.62 ng
RT: 12.957 min Scan# 1848
Delta R.T. -0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:244 Resp: 529861
Ion Ratio Lower Upper
244 100
212 7.5 5.7 8.5
122 11.2 9.7 14.5



#80
Butylbenzylphthalate
Concen: 35.68 ng
RT: 13.433 min Scan# 1929
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:149 Resp: 139213
Ion Ratio Lower Upper
149 100
91 72.2 63.6 95.4
206 22.8 14.5 21.7#









#81
Benzo(a)anthracene
Concen: 34.82 ng
RT: 14.009 min Scan# 2027
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 254106
Ion Ratio Lower Upper
228 100
226 26.9 22.4 33.6
229 20.2 16.0 24.0



#82
3,3'-Dichlorobenzidine
Concen: 37.09 ng
RT: 13.968 min Scan# 2020
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:252 Resp: 79409
Ion Ratio Lower Upper
252 100
254 65.6 51.1 76.7
126 9.1 7.7 11.5









#83
Chrysene
Concen: 33.99 ng
RT: 14.045 min Scan# 2033
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228	Resp: 239283
Ion Ratio	Lower Upper
228 100	
226 31.5	24.3 36.5
229 21.6	16.2 24.2



#84
Bis(2-ethylhexyl)phthalate
Concen: 38.05 ng
RT: 13.992 min Scan# 2024
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:149	Resp: 176623
Ion Ratio	Lower Upper
149 100	
167 25.1	21.8 32.6
279 4.5	3.3 4.9









#85
Di-n-octyl phthalate
Concen: 42.01 ng
RT: 14.604 min Scan# 2128
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 260259
Ion Ratio Lower Upper
149 100
167 1.7 1.2 1.8
43 10.6 11.8 17.6#



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.492 min Scan# 2279
Delta R.T. 0.000 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:264 Resp: 77459
Ion Ratio Lower Upper
264 100
260 22.1 18.7 28.1
265 21.1 17.8 26.8









#87
Indeno(1,2,3-cd)pyrene
Concen: 35.61 ng
RT: 16.986 min Scan# 2533
Delta R.T. 0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:276 Resp: 221658
Ion Ratio Lower Upper
276 100
138 21.9 16.2 24.2
277 25.5 20.1 30.1



#88
Benzo(b)fluoranthene
Concen: 37.05 ng
RT: 15.068 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:252 Resp: 222923
Ion Ratio Lower Upper
252 100
253 22.4 18.1 27.1
125 6.3 6.2 9.4





#89

Benzo(k)fluoranthene

Concen: 35.16 ng

RT: 15.098 min Scan# 2212

Delta R.T. 0.006 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00





Tgt Ion:252 Resp: 200251

Ion Ratio Lower Upper

252 100

253 19.2 17.9 26.9

125 7.7 7.0 10.6



#90

Benzo(a)pyrene

Concen: 35.77 ng

RT: 15.433 min Scan# 2269

Delta R.T. 0.000 min

Lab File: BF124257.D

Acq: 11 Jun 2021 13:00




Tgt Ion:252 Resp: 186932


Ion Ratio Lower Upper

252 100

253 24.1 18.4 27.6

125 11.2 8.0 12.0









#91
Dibenzo(a,h)anthracene
Concen: 35.34 ng
RT: 16.997 min Scan# 2535
Delta R.T. 0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 187779
Ion Ratio Lower Upper
278 100
139 13.3 10.2 15.2
279 23.9 19.4 29.0



#92
Benzo(g,h,i)perylene
Concen: 35.03 ng
RT: 17.439 min Scan# 2610
Delta R.T. 0.006 min
Lab File: BF124257.D
Acq: 11 Jun 2021 13:00

Tgt Ion:276 Resp: 184111
Ion Ratio Lower Upper
276 100
277 22.6 18.2 27.2
138 18.3 13.8 20.6

