

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061121\
 Data File : BF124268.D
 Acq On : 11 Jun 2021 19:06
 Operator : JU/CG
 Sample : M2625-04
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 18-B12(150-154)

Quant Time: Jun 11 23:46:30 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 10 01:53:56 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.839	152	30460	20.00	ng	-0.01
21) Naphthalene-d8	8.122	136	115747	20.00	ng	-0.01
39) Acenaphthene-d10	9.880	164	68144	20.00	ng	-0.01
64) Phenanthrene-d10	11.368	188	132878	20.00	ng	0.00
76) Chrysene-d12	14.009	240	89464	20.00	ng	-0.01
86) Perylene-d12	15.486	264	80262	20.00	ng	# 0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	206781	102.19	ng	-0.01
7) Phenol-d6	6.481	99	258549	95.06	ng	-0.02
23) Nitrobenzene-d5	7.404	82	196300	67.26	ng	-0.01
42) 2,4,6-Tribromophenol	10.669	330	98910	102.45	ng	-0.01
45) 2-Fluorobiphenyl	9.198	172	362246	66.89	ng	-0.01
79) Terphenyl-d14	12.957	244	426792	65.50	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061121\
Data File : BF124268.D
Acq On : 11 Jun 2021 19:06
Operator : JU/CG
Sample : M2625-04
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
18-B12(150-154)

Quant Time: Jun 11 23:46:30 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF060321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 10 01:53:56 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.839 min Scan# 808
Delta R.T. -0.012 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06




Instrument :
BNA_F
ClientSampleId :
18-B12(150-154)


Tgt Ion:152 Resp: 30460
Ion Ratio Lower Upper
152 100
150 163.1 127.0 190.6
115 63.7 54.3 81.5



#5
2-Fluorophenol
Concen: 102.19 ng
RT: 5.469 min Scan# 575
Delta R.T. -0.012 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06

Tgt Ion:112 Resp: 206781
Ion Ratio Lower Upper
112 100
64 66.5 61.4 92.0
63 39.1 33.0 49.4









#7
Phenol-d6
Concen: 95.06 ng
RT: 6.481 min Scan# 747
Delta R.T. -0.018 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06




Instrument :
BNA_F
ClientSampleId :
18-B12(150-154)

Tgt Ion: 99 Resp: 258549
Ion Ratio Lower Upper
99 100
42 21.1 19.8 29.8
71 46.6 31.1 46.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.122 min Scan# 1026
Delta R.T. -0.012 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06

Tgt Ion: 136 Resp: 115747
Ion Ratio Lower Upper
136 100
137 9.7 8.7 13.1
54 10.1 9.8 14.6
68 5.6 4.1 6.1





#23

Nitrobenzene-d5

Concen: 67.26 ng

RT: 7.404 min Scan# 904

Delta R.T. -0.012 min

Lab File: BF124268.D

Acq: 11 Jun 2021 19:06

Instrument :

BNA_F

ClientSampleId :

18-B12(150-154)





Tgt Ion: 82 Resp: 196300

Ion Ratio Lower Upper

82 100

128 37.5 29.4 44.2

54 60.4 54.1 81.1



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.880 min Scan# 1325

Delta R.T. -0.012 min

Lab File: BF124268.D

Acq: 11 Jun 2021 19:06




Tgt Ion: 164 Resp: 68144


Ion Ratio Lower Upper

164 100

162 103.7 80.7 121.1

160 44.1 37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 102.45 ng
RT: 10.669 min Scan# 1459
Delta R.T. -0.012 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06




Instrument :
BNA_F
ClientSampleId :
18-B12(150-154)


Tgt Ion: 330 Resp: 98910
Ion Ratio Lower Upper
330 100
332 98.7 77.1 115.7
141 36.9 27.9 41.9



#45
2-Fluorobiphenyl
Concen: 66.89 ng
RT: 9.198 min Scan# 1209
Delta R.T. -0.012 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06

Tgt Ion: 172 Resp: 362246
Ion Ratio Lower Upper
172 100
171 37.8 28.1 42.1
170 24.3 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.368 min Scan# 1578
Delta R.T. -0.006 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06




Instrument :
BNA_F
ClientSampleId :
18-B12(150-154)


Tgt Ion:188 Resp: 132878
Ion Ratio Lower Upper
188 100
94 7.5 6.9 10.3
80 9.9 8.2 12.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.009 min Scan# 2027
Delta R.T. -0.012 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06

Tgt Ion:240 Resp: 89464
Ion Ratio Lower Upper
240 100
120 8.4 7.2 10.8
236 22.5 19.0 28.4









#79
Terphenyl-d14
Concen: 65.50 ng
RT: 12.957 min Scan# 1848
Delta R.T. -0.006 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06

Instrument :
BNA_F
ClientSampleId :
18-B12(150-154)

Tgt Ion:244 Resp: 426792
Ion Ratio Lower Upper
244 100
212 7.2 5.7 8.5
122 8.5 9.7 14.5#



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.486 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF124268.D
Acq: 11 Jun 2021 19:06

Tgt Ion:264 Resp: 80262
Ion Ratio Lower Upper
264 100
260 24.2 18.7 28.1
265 17.4 17.8 26.8#

