

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061225\
 Data File : BF142769.D
 Acq On : 12 Jun 2025 20:56
 Operator : RC/JU
 Sample : Q2278-01 10X
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-2

Quant Time: Jun 13 01:01:53 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 11 05:56:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	43219	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	139427	20.000	ng	0.00
39) Acenaphthene-d10	9.933	164	73102	20.000	ng	0.00
64) Phenanthrene-d10	11.422	188	148760	20.000	ng	0.00
76) Chrysene-d12	14.068	240	117464	20.000	ng	0.00
86) Perylene-d12	15.568	264	84130	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	27020	10.648	ng	0.00
7) Phenol-d6	6.516	99	28476	9.535	ng	0.00
23) Nitrobenzene-d5	7.451	82	15852	6.222	ng	0.00
42) 2,4,6-Tribromophenol	10.722	330	7915	9.879	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	36782	6.685	ng	0.00
79) Terphenyl-d14	13.004	244	52104	6.092	ng	0.00
Target Compounds						
75) Fluoranthene	12.639	202	16332	2.155	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061225\
Data File : BF142769.D
Acq On : 12 Jun 2025 20:56
Operator : RC/JU
Sample : Q2278-01 10X
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-2

Quant Time: Jun 13 01:01:53 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 11 05:56:09 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 799
Delta R.T. -0.001 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:152 Resp: 43219
Ion Ratio Lower Upper
152 100
150 155.0 126.9 190.3
115 58.3 47.0 70.6



#5
2-Fluorophenol
Concen: 10.648 ng
RT: 5.504 min Scan# 563
Delta R.T. 0.000 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56

Tgt Ion:112 Resp: 27020
Ion Ratio Lower Upper
112 100
64 58.3 47.4 71.2
63 30.9 25.4 38.0









#7
Phenol-d6
Concen: 9.535 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion: 99 Resp: 28476
Ion Ratio Lower Upper
99 100
42 20.7 15.9 23.9
71 36.7 28.0 42.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56

Tgt Ion: 136 Resp: 139427
Ion Ratio Lower Upper
136 100
137 10.6 8.7 13.1
54 7.7 5.9 8.9
68 4.4 3.7 5.5





#23

Nitrobenzene-d5

Concen: 6.222 ng

RT: 7.451 min Scan# 89

Delta R.T. -0.006 min

Lab File: BF142769.D

Acq: 12 Jun 2025 20:56

Instrument :

BNA_F

ClientSampleId :

TP-2





Tgt Ion: 82 Resp: 15852

Ion Ratio Lower Upper

82 100

128 45.4 37.8 56.8

54 58.3 44.9 67.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.933 min Scan# 1316

Delta R.T. -0.006 min

Lab File: BF142769.D

Acq: 12 Jun 2025 20:56




Tgt Ion:164 Resp: 73102


Ion Ratio Lower Upper

164 100

162 102.6 79.9 119.9


160 44.8 34.8 52.2








#42
2,4,6-Tribromophenol
Concen: 9.879 ng
RT: 10.722 min Scan# 1450
Delta R.T. -0.006 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56

Instrument :
BNA_F
ClientSampleId :
TP-2







Tgt Ion: 330 Resp: 7915
Ion Ratio Lower Upper
330 100
332 99.8 77.0 115.6
141 35.1 25.4 38.0



#45
2-Fluorobiphenyl
Concen: 6.685 ng
RT: 9.251 min Scan# 1200
Delta R.T. -0.006 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56

Tgt Ion: 172 Resp: 36782
Ion Ratio Lower Upper
172 100
171 34.2 28.1 42.1
170 23.5 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.422 min Scan# 1569
Delta R.T. -0.000 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:188 Resp: 148760
Ion Ratio Lower Upper
188 100
94 8.5 6.8 10.2
80 8.7 7.1 10.7



#75
Fluoranthene
Concen: 2.155 ng
RT: 12.639 min Scan# 1776
Delta R.T. -0.000 min
Lab File: BF142769.D
Acq: 12 Jun 2025 20:56

Tgt Ion:202 Resp: 16332
Ion Ratio Lower Upper
202 100
101 9.5 0.0 29.5
203 18.4 0.0 37.0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.068 min Scan# 2019

Delta R.T. -0.000 min

Lab File: BF142769.D

Acq: 12 Jun 2025 20:56

Instrument :

BNA_F

ClientSampleId :

TP-2





Tgt Ion:240 Resp: 117464

Ion Ratio Lower Upper

240 100

120 10.2 8.5 12.7

236 24.9 20.1 30.1



#79

Terphenyl-d14

Concen: 6.092 ng

RT: 13.004 min Scan# 1838

Delta R.T. -0.006 min

Lab File: BF142769.D

Acq: 12 Jun 2025 20:56




Tgt Ion:244 Resp: 52104


Ion Ratio Lower Upper

244 100

212 6.4 5.4 8.0

122 11.2 8.3 12.5





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.568 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF142769.D


Acq: 12 Jun 2025 20:56

Instrument :

BNA_F

ClientSampleId :

TP-2



Tgt Ion:264 Resp: 84130

Ion Ratio Lower Upper

264 100

260 23.9 17.8 26.6

265 22.3 16.6 25.0

