

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061322\
 Data File : BF128781.D
 Acq On : 13 Jun 2022 13:41
 Operator : CG\JU
 Sample : N3299-05RE
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SC-17RE

Quant Time: Jun 14 01:55:23 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 08 14:28:39 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.804	152	74761	20.000	ng	0.00
21) Naphthalene-d8	8.086	136	292193	20.000	ng	-0.01
39) Acenaphthene-d10	9.845	164	173189	20.000	ng	-0.01
64) Phenanthrene-d10	11.333	188	333402	20.000	ng	0.00
76) Chrysene-d12	13.980	240	255890	20.000	ng	# 0.00
86) Perylene-d12	15.445	264	186576	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	107142	22.827	ng	0.00
7) Phenol-d6	6.463	99	526482	91.892	ng	-0.02
23) Nitrobenzene-d5	7.369	82	453642	72.284	ng	-0.01
42) 2,4,6-Tribromophenol	10.639	330	1573	0.769	ng	-0.01
45) 2-Fluorobiphenyl	9.169	172	927403	75.011	ng	0.00
79) Terphenyl-d14	12.927	244	1157575	78.606	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061322\
Data File : BF128781.D
Acq On : 13 Jun 2022 13:41
Operator : CG\JU
Sample : N3299-05RE
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SC-17RE

Quant Time: Jun 14 01:55:23 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 08 14:28:39 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.804 min Scan# 70
Delta R.T. -0.006 min
Lab File: BF128781.D
Acq: 13 Jun 2022 13:41




Instrument :
BNA_F
ClientSampleId :
SC-17RE


Tgt Ion:152 Resp: 74761
Ion Ratio Lower Upper
152 100
150 158.9 123.7 185.5
115 64.3 49.9 74.9



#5
2-Fluorophenol
Concen: 22.827 ng
RT: 5.451 min Scan# 538
Delta R.T. -0.006 min
Lab File: BF128781.D
Acq: 13 Jun 2022 13:41

Tgt Ion:112 Resp: 107142
Ion Ratio Lower Upper
112 100
64 71.2 53.3 79.9
63 39.4 28.0 42.0









#7
Phenol-d6
Concen: 91.892 ng
RT: 6.463 min Scan# 716
Delta R.T. -0.018 min
Lab File: BF128781.D
Acq: 13 Jun 2022 13:41




Instrument :
BNA_F
ClientSampleId :
SC-17RE


Tgt Ion: 99 Resp: 526482
Ion Ratio Lower Upper
99 100
42 20.8 17.3 25.9
71 40.5 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.086 min Scan# 986
Delta R.T. -0.012 min
Lab File: BF128781.D
Acq: 13 Jun 2022 13:41

Tgt Ion: 136 Resp: 292193
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 9.1 7.5 11.3
68 4.7 4.7 7.1





#23

Nitrobenzene-d5

Concen: 72.284 ng

RT: 7.369 min Scan# 864

Delta R.T. -0.012 min

Lab File: BF128781.D

Acq: 13 Jun 2022 13:41

Instrument :

BNA_F

ClientSampleId :

SC-17RE





Tgt Ion: 82 Resp: 453642

Ion Ratio Lower Upper

82 100

128 39.8 34.0 51.0

54 58.3 46.9 70.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.845 min Scan# 1285

Delta R.T. -0.012 min

Lab File: BF128781.D

Acq: 13 Jun 2022 13:41




Tgt Ion:164 Resp: 173189


Ion Ratio Lower Upper

164 100

162 99.9 79.5 119.3

160 43.2 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 0.769 ng

RT: 10.639 min Scan# 1424

Delta R.T. -0.012 min

Lab File: BF128781.D


Acq: 13 Jun 2022 13:41

Instrument :

BNA_F

ClientSampleId :

SC-17RE






Tgt Ion:330 Resp: 1573

Ion Ratio Lower Upper

330 100

332 94.7 76.8 115.2

141 25.6 28.0 42.0#



#45

2-Fluorobiphenyl

Concen: 75.011 ng

RT: 9.169 min Scan# 1170

Delta R.T. -0.006 min

Lab File: BF128781.D

Acq: 13 Jun 2022 13:41




Tgt Ion:172 Resp: 927403


Ion Ratio Lower Upper

172 100

171 34.4 28.8 43.2

170 22.8 19.8 29.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.333 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF128781.D

Acq: 13 Jun 2022 13:41

Instrument :

BNA_F

ClientSampleId :

SC-17RE





Tgt Ion:188 Resp: 333402

Ion Ratio Lower Upper

188 100

94 7.3 7.0 10.6

80 8.5 7.6 11.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.980 min Scan# 1988

Delta R.T. -0.006 min

Lab File: BF128781.D

Acq: 13 Jun 2022 13:41




Tgt Ion:240 Resp: 255890


Ion Ratio Lower Upper

240 100

120 7.7 8.9 13.3#

236 24.8 20.8 31.2









#79
 Terphenyl-d14
 Concen: 78.606 ng
 RT: 12.927 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128781.D
 Acq: 13 Jun 2022 13:41

Instrument :
 BNA_F
 ClientSampleId :
 SC-17RE

Tgt Ion:244 Resp: 1157575
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.1 9.1
 122 9.7 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.445 min Scan# 2237
 Delta R.T. -0.000 min
 Lab File: BF128781.D
 Acq: 13 Jun 2022 13:41

Tgt Ion:264 Resp: 186576
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.4 27.6
 265 20.4 17.2 25.8

