

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061416\
 Data File : BF088026.D
 Acq On : 15 Jun 2016 4:48
 Operator : UM/SJ
 Sample : H3425-04
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW6

Quant Time: Jun 15 05:31:50 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 15 04:08:24 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.78	152	90181	20.00	ng	-0.01
21) Naphthalene-d8	8.07	136	359634	20.00	ng	0.00
38) Acenaphthene-d10	9.83	164	143395	20.00	ng	0.00
63) Phenanthrene-d10	11.30	188	228627	20.00	ng	0.00
75) Chrysene-d12	13.94	240	222292	20.00	ng	0.00
86) Perylene-d12	15.35	264	173741	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	341875	64.81	ng	0.00
7) Phenol-d6	6.41	99	259294	40.56	ng	-0.01
23) Nitrobenzene-d5	7.35	82	489214	79.43	ng	-0.01
41) 2,4,6-Tribromophenol	10.62	330	160795	106.20	ng	0.00
44) 2-Fluorobiphenyl	9.15	172	944048	104.71	ng	0.00
78) Terphenyl-d14	12.89	244	646077	66.14	ng	0.00
Target Compounds						Qvalue
9) Benzaldehyde	6.55	77	11812	2.65	ng	# 71
10) Phenol	6.43	94	456	Below Cal		# 5
19) n-Nitroso-di-n-propylamine	7.35	70	63449	15.51	ng	# 72
45) 1,1'-Biphenyl	9.15	154	1767	Below Cal		# 1
50) 2,6-Dinitrotoluene	9.83	165	17886	7.52	ng	# 37
56) 2,4-Dinitrotoluene	9.83	165	17886	5.85	ng	# 36
57) Fluorene	10.60	166	7458	Below Cal		# 86
66) 4-Bromophenyl-phenylether	10.62	248	9667	3.94	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF061416\
Data File : BF088026.D
Acq On : 15 Jun 2016 4:48
Operator : UM/SJ
Sample : H3425-04
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP16-LF2MW6

Quant Time: Jun 15 05:31:50 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF060716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 15 04:08:24 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.78 min Scan# 454

Delta R.T. -0.01 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48

Instrument :

BNA_F

ClientSampleId :

SP16-LF2MW6


Tgt Ion:152 Resp: 90181

Ion Ratio Lower Upper

152 100

150 164.1 123.8 185.6




115 70.5 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 64.81 ng

RT: 5.37 min Scan# 331

Delta R.T. -0.00 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48


Tgt Ion:112 Resp: 341875

Ion Ratio Lower Upper

112 100

64 57.2 42.2 63.2



63 28.8 21.8 32.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 40.56 ng

RT: 6.41 min Scan# 422

Delta R.T. -0.01 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48

Instrument :

BNA_F

ClientSampleId :

SP16-LF2MW6


Tgt Ion: 99 Resp: 259294

Ion Ratio Lower Upper

99 100

42 17.8 12.2 18.2




71 32.4 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#9

Benzaldehyde

Concen: 2.65 ng

RT: 6.55 min Scan# 434

Delta R.T. 0.22 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48


Tgt Ion: 77 Resp: 11812

Ion Ratio Lower Upper

77 100

105 80.5 90.6 130.6#



106 74.4 85.3 125.3#




Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 105.00 (104.70 to 105.70): E

Ion 106.00 (105.70 to 106.70): E





#10

Phenol

Concen: Below Cal

RT: 6.43 min Scan# 424

Delta R.T. -0.00 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48

Instrument :

BNA_F

ClientSampleId :

SP16-LF2MW6


Tgt Ion: 94 Resp: 456

Ion Ratio Lower Upper

94 100

65 0.0 5.9 45.9#




66 108.1 14.0 54.0#



Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 15.51 ng

RT: 7.35 min Scan# 504

Delta R.T. 0.14 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48

Tgt Ion: 70 Resp: 63449


Ion Ratio Lower Upper

70 100

42 42.7 49.6 74.4#

101 0.0 7.1 10.7#

130 2.2 15.4 23.2#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.07 min Scan# 567
Delta R.T. 0.00 min
Lab File: BF088026.D
Acq: 15 Jun 2016 4:48




Instrument :
BNA_F
ClientSampleId :
SP16-LF2MW6


Tgt Ion:	136	Resp:	359634
Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.1	13.7
54	7.6	6.6	10.0
68	6.4	5.1	7.7



#23
Nitrobenzene-d5
Concen: 79.43 ng
RT: 7.35 min Scan# 504
Delta R.T. -0.01 min
Lab File: BF088026.D
Acq: 15 Jun 2016 4:48

Tgt Ion:	82	Resp:	489214
Ion	Ratio	Lower	Upper
82	100		
128	45.6	35.9	53.9
54	47.9	40.9	61.3





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.83 min Scan# 721

Delta R.T. -0.00 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48

Instrument :

BNA_F

ClientSampleId :

SP16-LF2MW6


Tgt Ion:164 Resp: 143395

Ion Ratio Lower Upper

164 100

162 107.4 85.4 128.2




160 49.2 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 106.20 ng

RT: 10.62 min Scan# 790

Delta R.T. -0.00 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48


Tgt Ion:330 Resp: 160795

Ion Ratio Lower Upper

330 100

332 94.8 0.0 0.0#



141 31.7 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 104.71 ng
 RT: 9.15 min Scan# 662
 Delta R.T. -0.00 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48




Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW6


Tgt Ion:172 Resp: 944048
 Ion Ratio Lower Upper
 172 100
 171 36.6 28.6 43.0
 170 24.6 19.2 28.8



#45
 1,1'-Biphenyl
 Concen: Below Cal
 RT: 9.15 min Scan# 662
 Delta R.T. -0.10 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48

Tgt Ion:154 Resp: 1767
 Ion Ratio Lower Upper
 154 100
 153 990.5 20.6 60.6#
 76 1632.8 0.0 35.1#






#50
 2,6-Dinitrotoluene
 Concen: 7.52 ng
 RT: 9.83 min Scan# 721
 Delta R.T. 0.21 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW6




Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	28.1	42.1#
89	0.0	32.2	48.2#



Abundance Ion 165.00 (164.70 to 165.70): E


Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0



#56
 2,4-Dinitrotoluene
 Concen: 5.85 ng
 RT: 9.83 min Scan# 721
 Delta R.T. -0.19 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	22.0	33.0#
89	0.0	41.1	61.7#
182	0.0	2.0	3.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E





#57

Fluorene

Concen: Below Cal

RT: 10.60 min Scan# 789

Delta R.T. 0.23 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48

Instrument :

BNA_F

ClientSampleId :

SP16-LF2MW6


Tgt Ion:166 Resp: 7458

Ion Ratio Lower Upper

166 100

165 105.4 77.8 116.8




167 35.1 11.2 16.8#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.30 min Scan# 850

Delta R.T. -0.00 min

Lab File: BF088026.D

Acq: 15 Jun 2016 4:48


Tgt Ion:188 Resp: 228627

Ion Ratio Lower Upper

188 100

94 11.2 9.0 13.6



80 11.7 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#66
 4-Bromophenyl-phenylether
 Concen: 3.94 ng
 RT: 10.62 min Scan# 790
 Delta R.T. -0.24 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW6

Tgt Ion:248 Resp: 9667
 Ion Ratio Lower Upper
 248 100
 250 200.7 77.1 115.7#
 141 300.3 50.6 76.0#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.94 min Scan# 1081
 Delta R.T. -0.00 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48

Tgt Ion:240 Resp: 222292
 Ion Ratio Lower Upper
 240 100
 120 7.3 6.8 10.2
 236 25.1 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 66.14 ng
 RT: 12.89 min Scan# 989
 Delta R.T. -0.00 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48

Instrument :
 BNA_F
 ClientSampleId :
 SP16-LF2MW6

Tgt Ion:244 Resp: 646077
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.0 9.0
 122 14.6 11.2 16.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.35 min Scan# 1204
 Delta R.T. -0.00 min
 Lab File: BF088026.D
 Acq: 15 Jun 2016 4:48

Tgt Ion:264 Resp: 173741
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.2 28.8
 265 21.0 16.9 25.3

